

MISSOURI

VITAL STATISTICS

1972

Division of Health
PUBLIC HEALTH STATISTICS

Physician or Hospital Record

Send Completed Certificate to Proper Local Registrar Immediately.
Use only BLACK ink or ribbon on certificate, colors frequently fade.

1. FULL NAME OF CHILD (Give exact spelling)

2. DATE OF BIRTH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF BIRTH:
a) County

6. NAME OF HOSPITAL (If not in hospital, give street and number)

7. NAME OF PHYSICIAN (If not in hospital, give street and number)

8. FATHER OF CHILD:
a) Full Maiden Name

9. MOTHER OF CHILD:
a) Full Maiden Name

10. INFORMANT:
a) Relationship to Child

11. Race (Father)

12. Education (Specify highest grade)

13. Race (Mother)

14. Education (Specify highest grade)

15. Date this certificate sent to local registrar

16. Date this certificate received (12-29 on card)

PHYSICIAN, HOSPITAL, OR FUNERAL HOME RECORD

(Person or hospital responsible for disposition of remains must file this report within 3 days after delivery or before disposition and receive a local registrar's permit for disposition.)

1. FULL NAME OF FETUS

2. DATE OF DELIVERY

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF DELIVERY:
a) County

6. NAME OF HOSPITAL (If not in hospital, give street and number)

7. NAME OF PHYSICIAN (If not in hospital, give street and number)

8. FATHER OF CHILD:
a) Full Maiden Name

9. MOTHER OF CHILD:
a) Full Maiden Name

10. INFORMANT:
a) Relationship to Child

11. Race (Father)

12. Education (Specify highest grade)

13. Race (Mother)

14. Education (Specify highest grade)

15. Date this certificate sent to local registrar

16. Date this certificate received (12-29 on card)

CERTIFICATE OF LIVE BIRTH

124

1. FULL NAME OF CHILD (Give exact spelling)

2. DATE OF BIRTH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF BIRTH:
a) County

6. NAME OF HOSPITAL (If not in hospital, give street and number)

7. NAME OF PHYSICIAN (If not in hospital, give street and number)

8. FATHER OF CHILD:
a) Full Maiden Name

9. MOTHER OF CHILD:
a) Full Maiden Name

10. INFORMANT:
a) Relationship to Child

11. Race (Father)

12. Education (Specify highest grade)

13. Race (Mother)

14. Education (Specify highest grade)

15. Date this certificate sent to local registrar

16. Date this certificate received (12-29 on card)

17. Date of death (If not in hospital, give street and number)

18. Cause of death (If not in hospital, give street and number)

19. Date of death (If not in hospital, give street and number)

20. Cause of death (If not in hospital, give street and number)

21. Date of death (If not in hospital, give street and number)

22. Cause of death (If not in hospital, give street and number)

23. Date of death (If not in hospital, give street and number)

24. Cause of death (If not in hospital, give street and number)

25. Date of death (If not in hospital, give street and number)

26. Cause of death (If not in hospital, give street and number)

27. Date of death (If not in hospital, give street and number)

28. Cause of death (If not in hospital, give street and number)

29. Date of death (If not in hospital, give street and number)

30. Cause of death (If not in hospital, give street and number)

31. Date of death (If not in hospital, give street and number)

32. Cause of death (If not in hospital, give street and number)

33. Date of death (If not in hospital, give street and number)

34. Cause of death (If not in hospital, give street and number)

35. Date of death (If not in hospital, give street and number)

36. Cause of death (If not in hospital, give street and number)

37. Date of death (If not in hospital, give street and number)

38. Cause of death (If not in hospital, give street and number)

39. Date of death (If not in hospital, give street and number)

40. Cause of death (If not in hospital, give street and number)

CERTIFICATE OF FETAL DEATH

1. FULL NAME OF FETUS

2. DATE OF DELIVERY

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF DELIVERY:
a) County

6. NAME OF HOSPITAL (If not in hospital, give street and number)

7. NAME OF PHYSICIAN (If not in hospital, give street and number)

8. FATHER OF CHILD:
a) Full Maiden Name

9. MOTHER OF CHILD:
a) Full Maiden Name

10. INFORMANT:
a) Relationship to Child

11. Race (Father)

12. Education (Specify highest grade)

13. Race (Mother)

14. Education (Specify highest grade)

15. Date this certificate sent to local registrar

16. Date this certificate received (12-29 on card)

17. Date of death (If not in hospital, give street and number)

18. Cause of death (If not in hospital, give street and number)

19. Date of death (If not in hospital, give street and number)

20. Cause of death (If not in hospital, give street and number)

21. Date of death (If not in hospital, give street and number)

22. Cause of death (If not in hospital, give street and number)

23. Date of death (If not in hospital, give street and number)

24. Cause of death (If not in hospital, give street and number)

25. Date of death (If not in hospital, give street and number)

26. Cause of death (If not in hospital, give street and number)

27. Date of death (If not in hospital, give street and number)

28. Cause of death (If not in hospital, give street and number)

29. Date of death (If not in hospital, give street and number)

30. Cause of death (If not in hospital, give street and number)

31. Date of death (If not in hospital, give street and number)

32. Cause of death (If not in hospital, give street and number)

33. Date of death (If not in hospital, give street and number)

34. Cause of death (If not in hospital, give street and number)

35. Date of death (If not in hospital, give street and number)

36. Cause of death (If not in hospital, give street and number)

37. Date of death (If not in hospital, give street and number)

38. Cause of death (If not in hospital, give street and number)

39. Date of death (If not in hospital, give street and number)

40. Cause of death (If not in hospital, give street and number)

CERTIFICATE OF DEATH

1. FULL NAME OF DECEASED

2. DATE OF DEATH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF DEATH:
a) County

6. NAME OF HOSPITAL (If not in hospital, give street and number)

7. NAME OF PHYSICIAN (If not in hospital, give street and number)

8. FATHER OF CHILD:
a) Full Maiden Name

9. MOTHER OF CHILD:
a) Full Maiden Name

10. INFORMANT:
a) Relationship to Child

11. Race (Father)

12. Education (Specify highest grade)

13. Race (Mother)

14. Education (Specify highest grade)

15. Date this certificate sent to local registrar

16. Date this certificate received (12-29 on card)

17. Date of death (If not in hospital, give street and number)

18. Cause of death (If not in hospital, give street and number)

19. Date of death (If not in hospital, give street and number)

20. Cause of death (If not in hospital, give street and number)

21. Date of death (If not in hospital, give street and number)

22. Cause of death (If not in hospital, give street and number)

23. Date of death (If not in hospital, give street and number)

24. Cause of death (If not in hospital, give street and number)

25. Date of death (If not in hospital, give street and number)

26. Cause of death (If not in hospital, give street and number)

27. Date of death (If not in hospital, give street and number)

28. Cause of death (If not in hospital, give street and number)

29. Date of death (If not in hospital, give street and number)

30. Cause of death (If not in hospital, give street and number)

31. Date of death (If not in hospital, give street and number)

32. Cause of death (If not in hospital, give street and number)

33. Date of death (If not in hospital, give street and number)

34. Cause of death (If not in hospital, give street and number)

35. Date of death (If not in hospital, give street and number)

36. Cause of death (If not in hospital, give street and number)

37. Date of death (If not in hospital, give street and number)

38. Cause of death (If not in hospital, give street and number)

39. Date of death (If not in hospital, give street and number)

40. Cause of death (If not in hospital, give street and number)

**MISSOURI
PUBLIC HEALTH STATISTICS
VITAL STATISTICS**

1972

**Prepared by
Bureau of Statistical Services
June, 1973**

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI

**DIVISION OF HEALTH
BROADWAY STATE OFFICE BUILDING
JEFFERSON CITY, MISSOURI 65101**

PREFACE

This is the final tabulation of statistical data relating to vital events in Missouri during 1972. Data for the year of the report is accepted through March 15 of the following year before it is cut off, allowing information reflecting events in that year to be as complete as possible.

The annual report of Missouri Vital Statistics was compiled for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, and divorces. Provisional vital statistics data are available through the publication, Monthly Vital Statistics. Unpublished detailed annual vital statistics data are available upon request.

BUREAU OF STATISTICAL SERVICES

JUNE 1973

BACKGROUND

RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates.

VITAL RECORDS

Vital Statistics in Missouri are compiled from five basic records which are filed with the Division of Health by State Law. These records are: (1) live birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, and deaths to include in resident data events occurring to Missouri residents in other states.

The data within this report represents the 1972 calendar year of events. Records have been accepted through March 15 of 1973 before cut-off, allowing 1972 events to be as complete as possible.

POPULATION

Population data in this report is a Provisional Estimate of Population, July 1, 1972; provided by the DEMOGRAPHIC UNIT, Division of Management Systems, Office of Administration, 14th floor, Jefferson Building, Jefferson City, Missouri.

RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Death rates from all causes and live birth rates are expressed in terms of 1,000 estimated population; deaths from a specific cause are based on 100,000 estimated population (excluding maternal and infant causes); maternal deaths calculated per 10,000 live births; infant, neonatal and fetal deaths stated per 1,000 live births.

COLOR

The term "color" refers to the division of population into two groups, white and nonwhite.

The color group designated as "nonwhite" consists of such races as the Negro, American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian, and Malayan races. Persons of Mexican birth or ancestry who are not definitely of Indian or other nonwhite race are classified as white.

Persons of mixed racial parentage are classified according to the race of the nonwhite parent.

TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here are classified in accordance with the Eighth Revision of the International Classification of Diseases, Adapted, 1967; Public Health Service Publication No. 1693, from the U. S. Government Printing Office.

The specific causes of death in this report are shown in groupings of 41 causes. Where the leading causes were selected, it was done so from a further consolidation of these 41 causes.

RATES AND WHOLE NUMBERS

Rates are rounded to the nearest tenth. When the rate or percent is less than one-tenth, the entry is left blank.

In the case of whole numbers, if a blank or dash (—) is shown, this means none or zero.

TABLE OF CONTENTS

BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS

Table/Graph		Page
A	Trends in Live Birth and Death Rates, 1911—1972	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911—1944	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945—1972	4
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1972 . . .	5
4	Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1972	8
5	Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1972 . . .	12
6	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1972 . .	17
B	Trends in Fetal Death Rates by Color, 1932—1972	18
7	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1972	19
8	Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1972	20
9	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1972	26
10	Five Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1972	27
C	Trends in Maternal Death Rates by Color, 1932—1972	29
11	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1972	30
12	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1972 . . .	31
13	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1972	35
14	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1972	39
D	Trends in Infant Death Rates by Color, 1932—1972	44
15	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1972 . . .	45
16	Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1972	46
17	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1972	136

MARRIAGES

E	Trends in Marriage Rates, 1949—1972	138
18	Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1972	139
19	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1972 . .	141
20	Reported Marriages by Marital Status, Missouri: 1972	142
21	Reported Marriages by Color of Groom, by Color of Bride, Missouri: 1972	142
22	Reported Marriages by County of Record with Rates, Missouri: 1972	143

DIVORCES


F	Trends in Divorce Rates, 1949—1972	145
23	Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1972	146
24	Reported Divorces and Annulments by Duration of Marriages, Missouri: 1972	147
25	Reported Divorces and Annulments by Number of Children Affected, Missouri: 1972	148
26	Reported Divorces and Annulments by Complainant by to Whom Decree Granted: Missouri: 1972 . . .	148
27	Reported Divorces and Annulments by Complainant by Disposition of Children, Missouri: 1972	148
28	Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1972	149
29	Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1972	149
30	Reported Divorces and Annulments by Color, Husband by Wife, Missouri: 1972	150
31	Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1972	150
32	Reported Divorces and Annulments by County of Record with Rates, Missouri: 1972	151

MISSOURI



**BIRTHS, FETAL DEATHS
DEATHS, INFANT DEATHS
MATERNAL DEATHS
ACCIDENTS**

GRAPH A.
LIVE BIRTH AND DEATH RATES 1911-1972
(per 1,000 population)



Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates taken from United States Bureau of the Census Release, Series P-25, No's 139, 304, 460, 488. July 1, 1972 provisional estimate—see page iv. Recorded data 1911 to 1944 and Resident data 1945 to date.

Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1928	17.6	12.6	1945	18.7	12.1	1962	21.5	11.2
1912	22.6	12.6	1929	16.8	12.2	1946	21.5	11.3	1963	20.6	11.5
1913	22.1	12.4	1930	17.0	11.8	1947	23.4	11.6	1964	19.9	11.2
1914	21.3	12.0	1931	16.2	11.9	1948	22.1	11.1	1965	18.2	11.2
1915	20.5	11.7	1932	16.0	11.7	1949	21.5	11.1	1966	17.2	11.4
1916	20.8	12.7	1933	15.3	11.5	1950	21.6	11.0	1967	16.5	11.1
1917	19.3	13.1	1934	15.9	12.3	1951	22.4	10.9	1968	16.3	11.4
1918	19.2	15.6	1935	15.1	11.4	1952	22.7	11.3	1969	16.9	11.3
1919	18.2	11.7	1936	14.7	12.8	1953	22.7	11.2	1970	17.2	11.1
1920	19.2	12.5	1937	15.1	11.9	1954	23.0	10.8	1971	16.6	10.8
1921	19.5	10.6	1938	15.7	11.3	1955	22.7	10.4	1972	15.3	11.0
1922	18.7	11.2	1939	15.8	11.3	1956	23.1	10.7			
1923	19.3	12.1	1940	16.5	11.6	1957	23.2	11.3			
1924	19.7	11.5	1941	17.4	11.4	1958	23.1	11.2			
1925	19.4	11.7	1942	19.0	11.0	1959	23.1	10.9			
1926	18.7	10.0	1943	20.2	12.0	1960	22.6	11.2			
1927	18.6	11.4	1944	19.7	11.9	1961	22.4	10.9			

TABLE 1

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2

POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1972

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,964	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	4,015	92,664	23.1	44,318	11.0	89,977	22.4	44,051	10.9	45,926
1952	3,972	92,931	23.4	45,245	11.4	90,118	22.7	45,051	11.3	45,067
1953	4,020	94,419	23.5	45,686	11.4	91,447	22.7	45,148	11.2	46,299
1954	4,066	97,278	23.9	44,404	10.9	93,453	23.0	43,835	10.8	49,618
1955	4,134	97,591	23.6	43,531	10.5	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.1	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,189	101,287	24.2	47,784	11.4	97,161	23.2	47,333	11.3	49,828
1958	4,186	100,729	24.1	47,338	11.3	96,721	23.1	46,729	11.2	49,992
1959	4,258	102,461	24.1	47,099	11.1	98,537	23.1	46,465	10.9	52,072
1960	4,326	101,778	23.5	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,349	101,462	23.3	47,933	11.0	97,321	22.4	47,303	10.9	50,018
1962	4,357	97,658	22.4	49,685	11.4	93,879	21.5	49,016	11.2	44,863
1963	4,392	93,545	21.3	51,159	11.6	90,363	20.6	50,538	11.5	39,825
1964	4,442	90,918	20.5	50,271	11.3	88,335	19.9	49,617	11.2	38,718
1965	4,467	84,162	18.8	51,101	11.4	81,216	18.2	50,249	11.2	30,967
1966	4,523	80,750	17.9	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,539	77,940	17.2	51,245	11.3	74,823	16.5	50,544	11.1	24,279
1968	4,568	77,028	16.9	52,834	11.6	74,304	16.3	52,019	11.4	22,285
1969	4,640	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,680	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.1	28,964
1971	4,717	81,409	17.3	51,810	11.0	78,375	16.6	50,811	10.8	27,564
1972	4,755*	75,127	15.8	53,249	11.2	72,597	15.3	52,287	11.0	20,310

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates taken from United States Bureau of the Census Release, Series P-25, No.'s 139, 304, 460, 488. *July 1, 1972 provisional estimate—see page iv.

TABLE 3

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1972

	NUMBER			PERCENTAGES		
LIVE BIRTHS	STATE TOTAL	URBAN	RURAL	STATE TOTAL	URBAN	RURAL
SEX-COLOR						
GRAND TOTAL	72,597	34,628	37,969	100.0	100.0	100.0
TOTAL MALE	37,217	17,812	19,405	51.3	51.4	51.1
TOTAL FEMALE	35,380	16,816	18,564	48.7	48.6	48.9
WHITE TOTAL	60,369	24,526	35,843	100.0	100.0	100.0
MALE	30,988	12,653	18,335	51.3	51.6	51.2
FEMALE	29,381	11,873	17,508	48.7	48.4	48.8
NONWHITE TOTAL	12,228	10,102	2,126	100.0	100.0	100.0
MALE	6,229	5,159	1,070	50.9	51.1	50.3
FEMALE	5,999	4,943	1,056	49.1	48.9	49.7
ATTENDANT-COLOR						
GRAND TOTAL	72,597	34,628	37,969	100.0	100.0	100.0
M. D.	64,003	32,198	31,805	88.2	93.0	83.8
D. O.	8,435	2,393	6,042	11.6	6.9	15.9
MIDWIFE	120	32	88	.2	.1	.2
OTHER	39	5	34	.1		.1
WHITE TOTAL	60,369	24,526	35,843	100.0	100.0	100.0
M. D.	52,449	22,433	30,016	86.9	91.5	83.7
D. O.	7,818	2,088	5,730	13.0	8.5	16.0
MIDWIFE	67	1	66	.1		.2
OTHER	35	4	31	.1		.1
NONWHITE TOTAL	12,228	10,102	2,126	100.0	100.0	100.0
M. D.	11,554	9,765	1,789	94.5	96.7	84.1
D. O.	617	305	312	5.0	3.0	14.7
MIDWIFE	53	31	22	.4	.3	1.0
OTHER	4	1	3			.1

PERCENTAGES ARE COMPUTED ON THE BASIS OF TOTAL WHITE AND NONWHITE LIVE BIRTHS.
URBAN AREAS INCLUDE CITIES OVER 10,000 POP. ACCORDING TO 1970 CENSUS.
ALL OTHER AREAS ARE INCLUDED IN 'RURAL'.

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1972

	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
LIVE BIRTHS	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
LEGITIMACY-CCLCR												
LIVE BIRTH TOTAL	60,369	12,228	24,526	10,102	35,843	2,126	100.0	100.0	100.0	100.0	100.0	100.0
LEGITIMATE	56,677	6,007	22,609	4,745	34,068	1,262	93.9	49.1	92.2	47.0	95.0	59.4
ILLEGITIMATE	3,608	6,191	1,880	5,329	1,728	862	6.0	50.6	7.7	52.8	4.8	40.5
NCT STATED	84	30	37	28	47	2	.1	.2	.2	.3	.1	.1
DEFORMITY-CCLCR												
LIVE BIRTH TOTAL	60,369	12,228	24,526	10,102	35,843	2,126	100.0	100.0	100.0	100.0	100.0	100.0
DEFORMED TOTAL	791	163	288	135	503	28	1.3	1.3	1.2	1.3	1.4	1.3
NCT DEFORMED TOTAL	59,052	12,017	24,043	9,940	35,009	2,077	97.8	98.3	98.0	98.4	97.7	97.7
NCT STATED/UNKNOWN	526	48	195	27	331	21	.9	.4	.8	.3	.9	1.0
BIRTH WGT-ATTENDANT												
OVER 5.5 LBS TOTAL	56,665	10,763	23,001	8,891	33,664	1,872	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	49,267	10,177	21,033	8,599	28,234	1,578	86.9	94.6	91.4	96.7	83.9	84.3
D. O.	7,308	533	1,965	260	5,343	273	12.9	5.0	8.5	2.9	15.9	14.6
MIDWIFE	63	51	1	31	62	20	.1	.5		.3	.2	1.1
OTHER	27	2	2	1	25	1					.1	.1
UNDER 5.5 LBS TOTAL	3,636	1,453	1,506	1,205	2,130	248	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	3,143	1,368	1,386	1,160	1,757	208	86.4	94.2	92.0	96.3	82.5	83.9
D. O.	487	82	119	45	368	37	13.4	5.6	7.9	3.7	17.3	14.9
MIDWIFE	2	2			2	2	.1	.1			.1	.8
OTHER	4	1	1		3	1	.1	.1	.1		.1	.4
NCT STATED TOTAL	68	12	19	6	49	6	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	39	9	14	6	25	3	57.4	75.0	73.7	100.0	51.0	50.0
D. O.	23	2	4		19	2	33.8	16.7	21.1		38.8	33.3
MIDWIFE	2				2		2.9				4.1	
OTHER	4	1	1		3	1	5.9	8.3	5.3		6.1	16.7
DELIVERIES BY PLACE												
PLACE OF BIRTH TOTAL	60,369	12,228	24,526	10,102	35,843	2,126	100.0	100.0	100.0	100.0	100.0	100.0
HOSPITAL	59,405	11,994	24,393	10,038	35,012	1,956	98.4	98.1	99.5	99.4	97.7	92.0
CLINIC	732	150	84	13	648	137	1.2	1.2	.3	.1	1.8	6.4
RESIDENCE	197	79	45	49	152	30	.3	.6	.2	.5	.4	1.4
OTHER	35	5	4	2	31	3	.1				.1	.1

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1972

LIVE BIRTHS	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
MONTH OF OCCURRENCE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL	60,369	12,228	24,526	10,102	35,843	2,126	100.0	100.0	100.0	100.0	100.0	100.0
JANUARY	5,138	1,086	2,087	886	3,051	200	8.5	8.9	8.5	8.8	8.5	9.4
FEBRUARY	4,776	955	1,936	800	2,840	155	7.9	7.8	7.9	7.9	7.9	7.3
MARCH	4,928	989	2,068	823	2,860	166	8.2	8.1	8.4	8.1	8.0	7.8
APRIL	4,641	878	1,871	718	2,770	160	7.7	7.2	7.6	7.1	7.7	7.5
MAY	4,988	965	1,995	807	2,993	158	8.3	7.9	8.1	8.0	8.4	7.4
JUNE	4,705	973	1,940	831	2,765	142	7.8	8.0	7.9	8.2	7.7	6.7
JULY	5,027	1,059	2,053	863	2,974	196	8.3	8.7	8.4	8.5	8.3	9.2
AUGUST	5,350	1,077	2,165	877	3,185	200	8.9	8.8	8.8	8.7	8.9	9.4
SEPTEMBER	5,515	1,137	2,295	944	3,220	193	9.1	9.3	9.4	9.3	9.0	9.1
OCTOBER	5,272	1,081	2,065	898	3,207	183	8.7	8.8	8.4	8.9	8.9	8.6
NOVEMBER	4,907	1,016	1,955	841	2,952	175	8.1	8.3	8.0	8.3	8.2	8.2
DECEMBER	5,122	1,012	2,096	814	3,026	198	8.5	8.3	8.5	8.1	8.4	9.3

TABLE 4

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1972

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS
STATE TOTAL	4,755,000	72,597	880	75,127	875	15.3	12.1	15.8	11.6
COUNTIES INCLUDING CITIES		✓							
ADAIR	22,600	351	1	610	4	15.5	2.8	27.0	6.6
ANDREW	12,600	149	1	2		11.8	6.7	.2	
ATCHISON	9,600	124	1	191		12.9	8.1	19.9	
ALCOHAIN	26,000	401	3	493	4	15.4	7.5	19.0	8.1
BARRY	20,800	314	2	216		15.1	6.4	10.4	
BARTON	10,900	113		84		10.4		7.7	
BATES	15,500	214	7	182	5	13.8	32.7	11.7	27.5
BENTON	10,600	120	3	3		11.3	25.0	.3	
BOLLINGER	9,000	118	2	1		13.1	16.9	.1	
BOSCH	85,000	1,252	11	2,065	26	14.7	8.8	24.3	12.6
BUCHANAN	87,800	1,323	22	1,822	22	15.1	16.6	20.8	12.1
BUTLER	35,700	514	3	898	11	14.4	5.8	25.2	12.2
CALDWELL	8,900	84	2			9.4	22.8		
CALLAWAY	27,200	391	4	147		14.4	10.2	5.4	
CAMDEN	14,600	172	3	16		11.8	17.4	1.1	
CAPE GIRARDEAU	51,800	754	7	1,344	9	14.6	9.3	25.9	6.7
CARROLL	12,800	155	4	68	2	12.1	25.8	5.3	29.4
CARTER	4,200	54	2			12.9	37.0		
CASS	43,400	789	9	548	8	18.2	11.4	12.6	14.6
CEDAR	10,200	125		203	1	12.3		19.9	4.9
CHARITON	10,600	115		2		10.8		.2	
CHRISTIAN	17,400	311				17.9			
CLARK	8,100	126	3			15.6	22.8		
CLAY	130,400	2,046	19	1,483	14	15.7	9.3	11.4	9.4
CLINTON	13,300	199	3	140	2	15.0	15.1	10.5	14.3
COLE	47,800	705	13	1,397	19	14.7	18.4	29.2	13.6
COOPER	14,800	187	3	117	2	12.6	16.0	7.9	17.1
CRAWFORD	15,500	267	1	261	1	17.2	2.7	16.8	3.8
DADE	7,300	74				10.1			
DALLAS	10,800	123	1	1		11.4	8.1	.1	
DAVISS	8,800	109	3	22	1	12.4	27.5	2.5	45.5
DE KALE	7,800	99	1			12.7	10.1		
DENT	12,100	150	1	75	1	15.7	5.3	6.2	13.3

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1972 (SEE PP IV).

TABLE 4 (CONT) RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1972

COUNTIES	POPULATION	NUMBER		RATES		RATES		RATES	
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
COCLAS	10,400	138	2	3	1	13.3	14.5	.3	333.3
CLARKLIN	35,300	560	6	477	7	15.9	10.7	13.5	14.7
FRANKLIN	58,400	1,009	11	568	6	17.3	10.9	9.7	10.6
GASCONADE	12,400	175	3	109	2	14.1	17.1	8.8	18.3
GENTRY	8,300	98	1	142		11.8	10.2	17.1	
GREENE	160,200	2,499	26	3,933	39	15.6	10.4	24.6	9.9
GRUNDY	11,600	154	1	165	2	13.3	6.5	14.2	12.1
HARRISON	10,200	103	2	64	1	10.1	19.4	6.3	15.6
HENRY	19,500	275	5	400	5	14.1	18.2	20.5	12.5
HICKORY	5,100	47	1	12		9.2	21.3	2.4	
HOLT	6,800	91		2		13.4		.3	
HOWARD	10,900	143	1	144	2	13.1	7.0	13.2	13.9
HOWELL	24,300	381	2	569	6	15.7	5.2	23.4	10.5
IRON	10,100	182	3	147	5	18.0	16.5	14.6	34.0
JACKSON	660,700	10,539	158	13,541	170	16.0	15.0	20.5	12.6
JASPER	82,200	1,273	13	1,478	17	15.5	10.2	18.0	11.5
JEFFERSON	111,700	2,074	21	465	6	18.6	10.1	4.2	12.9
JOHNSON	36,200	615	10	650	9	17.0	16.3	18.0	13.8
KNOX	5,900	68				11.5			
LACLEDE	20,800	314	4	330	3	15.1	12.7	15.9	9.1
LAFAYETTE	27,600	379	6	351	4	13.7	15.8	12.7	11.4
LAWRENCE	26,300	383	3	331	1	14.6	7.8	12.6	3.0
LEWIS	10,700	140	1	1		13.1	7.1	.1	
LINCOLN	18,700	277	2	178	1	14.8	7.2	9.5	5.6
LIAM	15,200	189	6	254	5	12.4	31.7	16.7	19.7
LIVINGSTON	15,800	247	1	341	5	15.6	4.0	21.6	14.7
MC DONALD	14,100	242	2			17.2	8.3		
MACK	15,100	209	2	199	1	13.8	9.6	13.2	5.0
MADISON	9,200	127	2	79	3	13.8	15.7	8.6	38.0
MARIES	7,100	101				14.2			
MARION	28,200	423	4	656	7	15.0	9.5	23.3	10.7
MERCER	4,500	45		29		10.0		6.4	
MILLER	15,700	259	1	127	1	16.5	3.9	8.1	7.9

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1972 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1972

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
MISSISSIPPI	16,500	328	6	171	2	19.9	18.3	10.4	11.7
MCNITEAL	11,000	149		5		13.5		.5	
MCNARCE	9,600	107		2		11.1		.2	
MCNTGCMERY	11,100	154	4			13.9	26.0		
MORGAN	11,600	155	3	1		13.4	19.4	.1	
NEW MADRID	24,700	441	10	30	1	17.9	22.7	1.2	33.3
NEWTON	34,800	530	9	667	12	15.2	17.0	19.2	18.0
NORRIS	22,700	287	2	255	3	12.6	7.0	11.2	11.8
OSAGE	9,900	110		21		11.1		2.1	
OSAGE	11,200	173	1	1		15.4	5.8	.1	
OSAGE	7,200	83	1	2		11.5	12.0	.3	
PEMISCOT	26,900	533	7	615	7	19.8	13.1	22.9	11.4
PERRY	15,000	217	2	185	2	14.5	9.2	12.3	10.8
PETTIS	35,300	498	2	623	5	14.1	4.0	17.6	8.0
PHILIPS	32,600	482	6	680	8	14.8	12.4	20.9	11.8
PIKE	17,000	252	6	234	3	14.8	23.8	13.8	12.8
PLATTE	34,500	518	4	1		15.0	7.7		
PLATTE	16,600	233	5	13		14.0	21.5	.8	
POLK	41,900	664	9	1,057	9	15.8	13.6	25.2	8.5
PLUMMER	5,900	66	1	82	2	11.2	15.2	13.9	24.4
RALLS	7,800	90	2			11.5	22.2		
RANDOLPH	22,600	326	3	280	2	14.4	9.2	12.4	7.1
RAY	18,000	300	5	172	2	16.7	16.7	9.6	11.6
REYNOLDS	6,000	82		2		13.7		.3	
RIPLEY	11,200	143	3	56	3	12.8	21.0	5.0	53.6
ST. CHARLES	101,800	1,936	15	1,309	11	19.0	7.7	12.9	8.4
ST. CLAIR	8,100	106	2	49		13.1	18.9	6.0	
ST. FRANCIS	38,500	605	8	933	7	15.7	13.2	24.2	7.5
ST. GENEVIEVE	13,500	190		157		14.1		11.6	
ST. LOUIS CITY	586,900	10,210	157	13,900	204	17.4	15.4	23.7	14.7
ST. LOUIS COUNTY	957,600	12,994	123	12,803	116	13.6	9.5	13.4	9.1
SALINE	24,400	307	2	239	2	12.6	6.5	9.8	8.4
SCHUYLER	4,800	77				16.0			

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1972 (SEE PP 1-).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1972

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
SCOTLAND	5,700	57	2	72	3	10.0	35.1	12.6	41.7
SCOTT	34,200	647	5	766	12	18.9	7.7	22.4	15.7
SHANNON	7,200	110	3			15.3	27.3		
SHELBY	8,000	112	1			14.0	8.9		
STODDARD	26,600	409	5	535	4	15.4	12.2	20.1	7.5
STONE	10,900	164	2	2		15.0	12.2	.2	
SULLIVAN	7,700	91	5	39	3	11.8	54.9	5.1	76.9
TANEY	14,600	194	1	192		13.3	5.2	13.2	
TEXAS	20,100	264	5	291	2	13.1	18.9	14.5	6.9
VERNON	19,600	222	2	192	3	11.3	9.0	9.8	15.6
WARREN	10,500	179				17.0			
WASHINGTON	15,400	341	5	175	4	22.1	14.7	11.4	22.9
WAYNE	9,600	118	3	3		12.3	25.4	.3	
WEBSTER	16,800	289	6	10	1	17.2	20.8	.6	100.0
WORTH	3,300	30				9.1			
WRIGHT	14,500	197	2	169	1	13.6	10.2	11.7	5.9

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,
POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1972 (SEE PP IV).

TABLE 5

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
TOTAL CITIES 2,500 POP. & OVER	42,578	555	70,471	813
TOTAL CITIES 10,000 POP. & OVER	34,628	456	52,540	649
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000	7,950	99	17,931	164
CITIES OVER 10,000 POP.				
BALLWIN	180			
BELLEFONTAINE NEIGHBORS	35			
BERKELEY	240	1	1	
BRENTWOOD	120	1		
BRIDGETON	249	3	1	
CAPE GIRARDEAU	453	4	1,343	9
CARTHAGE	155	3	254	4
CLAYTON	66		998	9
COLUMBIA	757	5	2,064	26
CRESTWOOD	92			
FERGUSON	297	3		
FLORISSANT	847	9	1,727	22
FULTON	129	1	147	
GLADSTONE	313	2		
GRANDVIEW	369	6		
HANNIBAL	286	3	655	7
MARION CO. PART	284	3	655	7
RALLS CO. PART	2			
HAZELWOOD	224	4		
INDEPENDENCE	1,834	22	1,465	17
JEFFERSON CITY	419	6	1,397	19
JENNINGS	170	3		
JCPLIN	636	3	1,429	20
JASPER CO. PART	600	2	1,146	13
NEWTON CO. PART	36	1	283	7
KANSAS CITY	8,181	129	12,076	155
JACKSON CO. PART	6,966	118	12,074	153
CLAY CO. PART	1,010	11	1	2
PLATTE CO. PART	205		1	
KIRKSVILLE	254		610	4

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES OVER 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
KIRKWOOD	295	1	1,220	11
LADUE	34	1		
LEE'S SUMMIT	321	1	1	
LIBERTY	221	3	2	
MAPLEWOOD	142			
MARSHALL	158	2	203	2
MEXICO	159	1	465	4
MCBERLY	188	2	278	2
OVERLAND	349	2		
POPLAR BLUFF	268	2	896	11
RAYTOWN	313	5	1	
RICHMOND HEIGHTS	124	2	2,125	21
ROLLA	178	3	679	8
ST. ANN	230	4	1	
ST. CHARLES	624	2	1,307	11
ST. JOSEPH	1,076	18	1,822	22
ST. LOUIS CITY	10,210	157	13,900	204
SEDALIA	312	2	621	5
SIKESTON	312	3	563	11
SCOTT CO. PART	308	3	563	11
NEW MADRID CO. PART	4			
SPRINGFIELD	1,994	21	3,932	39
UNIVERSITY CITY	421	9	1	
WARRENSBURG	172	3	356	6
WEBSTER GROVES	221	4		
CITIES OVER 2,500 POP. LESS THAN 10,000 POP.				
AURORA	95		278	1
BEL-RIDGE	41	1		
BELTON	240	5	7	
BETHANY	31	1	63	1
BLUE SPRINGS	227	2		
BCLIVER	59	3		
BONNE TERRE	57	1	175	1
BONNVILLE	97	1	116	2
BOWLING GREEN	45	1	1	

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
BRECKENRIDGE HILLS	35			
BROCKFIELD	77	2	192	5
BUTLER	50	3	182	5
CALIFORNIA	49		5	
CAMERON	72	1	140	2
CLINTON CO. PART	64	1	140	2
DE KALB CO. PART	8			
CANTON	28		1	
CARROLLTON	64	1	67	2
CARUTHERSVILLE	155		2	
CENTRALIA	64		1	
CHAFFEE	41		184	1
CHARLESTON	123	2	164	2
CHILLICOTHE	151		339	5
CLINTON	104	4	343	3
CREVE COEUR	116		4,517	33
CRYSTAL CITY	43	1		
DELLWOOD	39	1		
DESOTO	51			
DES PERES	87	1		
DESLOGE	32	1		
DEXTER	103	2	524	4
EAST PRAIRIE	74		5	
ELDON	50		1	
ELDORADO SPRINGS	46		201	1
ELLISVILLE	43			
EXCELSIOR SPRINGS	188	2	239	2
CLAY CO. PART	186	2	239	2
RAY CO. PART	2			
FARMINGTON	92	2	757	6
FAYETTE	42		144	2
FESTUS	91	3		
FLAT RIVER	93			
FREDERICKTOWN	51	1	79	3
FRONTENAC	12			
GLENDALE	56	1		
HARRISONVILLE	91	2	382	6

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	NUMBER		NUMBER	
	RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS
HAYTI	68	3	613	7
HERMANN	23	1	109	2
HIGGINSVILLE	47	1		
HILLSDALE VILLAGE	30	2		
JACKSON	86	1		
KENNETT	165	1	475	7
KINLOCH	119			
LAMAR	43		83	
LEBANON	127	2	329	3
LEXINGTON	89	1	230	2
LOUISIANA	57	2	221	3
MACON	85		195	1
MALDEN	113	1		
MANCHESTER	103	2		
MARCELINE	19		62	
MARSHFIELD	54	2		
MARYVILLE	123	1	254	3
MCLINE ACRES	11			
MCNETT	110	1	228	
BARRY CO. PART	67		175	
LAWRENCE CO. PART	43	1	53	
MOUNTAIN GROVE	20			
MT. VERNON	34		49	
NEOSHO	137	3	249	3
NEVADA	106	1	192	3
NEW MADRID	60			
NORMANDY	88	1	538	4
NORTH KANSAS CITY	75		981	7
NORTHWCDS	36	1		
OCESSA	63			
O'FALLON	121	2		
CLIVETTE	55	1		
PACIFIC	86	1		
FRANKLIN CO. PART	84	1		
ST. LOUIS CO. PART	2			
PAGEDALE	39			
PALMYRA	39			

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
PERRYVILLE	70		185	2
PINELAWN	66			
PLEASANT HILL	62			
PORTAGEVILLE	62	2	4	
POTOSI	46	1		
RICHMOND	87	1	42	
RIVERVIEW	24	1	1	
ROCK HILL	50	1		
ST. CLAIR	47	1		
ST. JAMES	39	1		
ST. JOHN	88			
STE. GENEVIEVE	67		157	
SALEM	84			
SAVANNAH	51		1	
SHREWSBURY	64			
SLATER	29		1	
SUGAR CREEK	67	1		
SULLIVAN	84	1	261	1
CRAWFORD CO. PART	16		261	1
FRANKLIN CO. PART	68	1		
SUNSET HILLS	20			
TOWN AND COUNTRY	9		1,667	15
TRENTON	96	1	163	2
TRCY	37		178	1
UNION	81	1		
VALLEY PARK	66	1		
VANDALIA	45	1		
VINITA PARK	25			
WARSON WOODS	21			
WASHINGTON	118		568	6
WAYNESVILLE	112	4	212	1
WEBB CITY	83	3	77	
WELLSTON	144			
WENTZVILLE	53			
WEST PLAINS	117	1	441	2
WINDSOR	43	1	56	2
WOODSON TERRACE	57			


TABLE 6

RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,
SEX AND COLOR OF CHILD, MISSOURI 1972

AGE OF MOTHER

URBAN	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ALL AGES	34,628	12,653	11,873	5,159	4,943
10-14 YEARS	231	31	20	84	96
15-19 YEARS	8,066	2,338	2,163	1,816	1,749
20-24 YEARS	12,371	4,745	4,413	1,645	1,568
25-29 YEARS	8,565	3,496	3,383	862	824
30-34 YEARS	3,577	1,373	1,300	463	441
35-39 YEARS	1,371	499	458	212	202
40-44 YEARS	409	152	125	73	59
45-49 YEARS	28	12	9	3	4
50 YEARS AND OVER					
UNKNOWN	10	7	2	1	
RURAL					
ALL AGES	37,969	18,335	17,508	1,070	1,056
10-14 YEARS	97	30	34	15	18
15-19 YEARS	7,216	3,356	3,260	326	274
20-24 YEARS	13,413	6,538	6,228	309	338
25-29 YEARS	10,461	5,140	4,877	222	222
30-34 YEARS	4,419	2,143	2,026	118	132
35-39 YEARS	1,823	894	814	63	52
40-44 YEARS	496	224	239	15	18
45-49 YEARS	33	8	21	2	2
50 YEARS AND OVER					
UNKNOWN	11	2	9		
COMBINED TOTALS					
ALL AGES	72,597	30,988	29,381	6,229	5,999
10-14 YEARS	328	61	54	99	114
15-19 YEARS	15,282	5,694	5,423	2,142	2,023
20-24 YEARS	25,784	11,283	10,641	1,954	1,906
25-29 YEARS	19,026	8,636	8,260	1,084	1,046
30-34 YEARS	7,996	3,516	3,326	581	573
35-39 YEARS	3,194	1,393	1,272	275	254
40-44 YEARS	905	376	364	88	77
45-49 YEARS	61	20	30	5	6
50 YEARS AND OVER					
UNKNOWN	21	9	11	1	

GRAPH B.
FETAL DEATH RATES 1932-1972
(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1947	20.8	18.8	44.7	1962	15.1	13.2	26.5
1933	37.5	34.2	88.9	1948	20.7	18.7	42.7	1963	13.9	12.1	24.7
1934	33.9	31.3	73.9	1949	19.3	17.5	35.9	1964	15.5	13.3	28.7
1935	38.5	35.8	79.2	1950	19.2	17.2	37.2	1965	14.3	12.8	23.0
1936	36.0	33.4	74.7	1951	18.2	16.4	34.3	1966	13.3	11.7	21.7
1937	33.9	31.3	70.1	1952	17.5	16.1	29.7	1967	13.8	12.6	20.5
1938	35.0	32.0	76.4	1953	17.8	15.9	33.1	1968	15.1	13.4	24.9
1939	30.7	27.8	71.3	1954	17.2	15.9	27.7	1969	13.2	12.1	19.6
1940	32.5	29.8	69.5	1955	16.7	14.9	29.8	1970	13.8	12.7	19.8
1941	32.5	29.7	71.4	1956	16.6	15.4	25.4	1971	12.5	11.8	16.2
1942	28.9	26.2	65.0	1957	16.5	15.7	22.1	1972	12.1	10.9	18.2
1943	26.1	23.6	59.0	1958	16.1	14.7	24.8				
1944	26.1	23.3	59.8	1959	15.4	14.0	24.2				
1945	24.1	21.7	53.2	1960	15.2	13.8	24.3				
1946	23.6	21.4	51.2	1961	14.7	12.8	27.0				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded data and 1945 to date are resident.

TABLE 7

RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI 1972

WEIGHT	TOTAL	RESIDENT		TOTAL	RECORDED	
		WHITE	NON-WHITE		WHITE	NON-WHITE
2 POUNDS 3 OUNCES OR LESS	219	153	66	189	129	60
2 POUNDS 4 OUNCES - 3 POUNDS 4 OUNCES	64	44	20	66	44	22
3 POUNDS 5 OUNCES - 4 POUNDS 6 OUNCES	61	34	27	65	38	27
4 POUNDS 7 OUNCES - 5 POUNDS 8 OUNCES	72	48	24	76	50	26
5 POUNDS 9 OUNCES - 6 POUNDS 9 OUNCES	53	44	9	56	47	9
6 POUNDS 10 OUNCES - 7 POUNDS 11 OUNCES	86	67	21	94	74	20
7 POUNDS 12 OUNCES - 8 POUNDS 13 OUNCES	43	35	8	41	33	8
8 POUNDS 14 OUNCES - 9 POUNDS 14 OUNCES	23	16	7	25	17	8
9 POUNDS 15 OUNCES OR MORE	35	27	8	30	22	8
UNKNOWN OR NOT STATED	222	190	32	233	199	34
TOTALS	880	658	222	875	653	222

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1972

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
STATE TOTAL	72,597	60,369	56,677	93.9	3,608	6.0	12,228	6,007	49.1	6,191	50.6
CITIES OVER 10,000	34,628	24,526	22,609	92.2	1,880	7.7	10,102	4,745	47.0	5,329	52.8
RURAL	37,969	35,843	34,068	95.0	1,728	4.8	2,126	1,262	59.4	862	40.5
COUNTIES INCL.											
CITIES OVER 10,000											
ADAIR	351	339	320	94.4	18	5.3	12	9	75.0	3	25.0
ANDREW	149	147	141	95.9	6	4.1	2	2	100.0	-	-
ATCHISON	124	123	115	93.5	8	6.5	1	1	100.0	-	-
AUDRAIN	401	369	347	94.0	22	6.0	32	19	59.4	13	40.6
BARRY	314	311	293	94.2	16	5.1	3	3	100.0	-	-
BARTON	113	113	108	95.6	5	4.4	-	-	-	-	-
BATES	214	213	206	96.7	7	3.3	1	1	100.0	-	-
BENTON	120	120	113	94.2	7	5.8	-	-	-	-	-
BOLLINGER	118	118	108	91.5	10	8.5	-	-	-	-	-
BONE	1,252	1,114	1,051	94.3	63	5.7	138	86	62.3	51	37.0
BUCHANAN	1,323	1,251	1,129	90.2	122	9.8	72	32	44.4	40	55.6
BUTLER	514	464	414	89.2	50	10.8	50	23	46.0	27	54.0
CALDWELL	84	84	83	98.8	1	1.2	-	-	-	-	-
CALLAWAY	391	368	342	92.9	24	6.5	23	13	56.5	9	39.1
CAMDEN	172	172	164	95.3	8	4.7	-	-	-	-	-
CAPE GIRARDEAU	754	706	667	94.5	39	5.5	48	18	37.5	30	62.5
CARROLL	155	150	140	93.3	10	6.7	5	2	40.0	3	60.0
CARTER	54	54	50	92.6	4	7.4	-	-	-	-	-
CASS	789	773	737	95.3	35	4.5	16	15	93.8	1	6.3
CEDAR	125	125	117	93.6	8	6.4	-	-	-	-	-
CHARITON	115	108	106	98.1	1	.9	7	3	42.9	4	57.1
CHRISTIAN	311	311	295	94.9	14	4.5	-	-	-	-	-
CLARK	126	125	118	94.4	7	5.6	1	1	100.0	-	-
CLAY	2,046	2,020	1,922	95.1	95	4.7	26	23	88.5	3	11.5
CLINTON	199	198	193	97.5	5	2.5	1	1	100.0	-	-
COLE	705	675	639	94.7	33	4.9	30	19	63.3	11	36.7
COOPER	187	170	166	97.6	4	2.4	17	7	41.2	10	58.8
CRAWFORD	267	267	253	94.8	14	5.2	-	-	-	-	-
DADE	74	74	67	90.5	6	8.1	-	-	-	-	-
DALLAS	123	121	113	93.4	8	6.6	2	2	100.0	-	-
DAVIESS	109	109	104	95.4	4	3.7	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1972

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
DE KALB	99	99	95	96.0	4	4.0	-	-	-	-	-
DENT	190	189	180	95.2	9	4.8	1	1	100.0	-	-
DOUGLAS	138	138	130	94.2	8	5.8	-	-	-	-	-
DUNKLIN	560	501	460	91.8	41	8.2	59	26	44.1	33	55.9
FRANKLIN	1,009	999	954	95.5	44	4.4	10	8	80.0	2	20.0
GASCONADE	175	173	164	94.8	9	5.2	2	2	100.0	-	-
GENTRY	98	98	91	92.9	7	7.1	-	-	-	-	-
GREENE	2,499	2,441	2,271	93.0	166	6.8	58	38	65.5	20	34.5
GRUNDY	154	153	143	93.5	10	6.5	1	1	100.0	-	-
HARRISON	103	103	99	96.1	4	3.9	-	-	-	-	-
HENRY	275	275	261	94.9	14	5.1	-	-	-	-	-
HICKORY	47	47	45	95.7	2	4.3	-	-	-	-	-
HOLT	91	90	81	90.0	9	10.0	1	1	100.0	-	-
HOWARD	143	131	125	95.4	6	4.6	12	4	33.3	8	66.7
HOWELL	381	380	355	93.4	23	6.1	1	1	100.0	-	-
IRON	182	182	170	93.4	12	6.6	-	-	-	-	-
JACKSON	10,539	7,754	7,156	92.3	585	7.5	2,785	1,445	51.9	1,326	47.6
JASPER	1,273	1,246	1,149	92.2	95	7.6	27	15	55.6	12	44.4
JEFFERSON	2,074	2,056	1,957	95.2	96	4.7	18	10	55.6	8	44.4
JOHNSON	615	568	555	97.7	13	2.3	47	44	93.6	3	6.4
KNOX	68	68	66	97.1	2	2.9	-	-	-	-	-
LACLEDE	314	313	294	93.9	18	5.8	1	1	100.0	-	-
LAFAYETTE	379	364	346	95.1	18	4.9	15	11	73.3	4	26.7
LAWRENCE	383	380	365	96.1	14	3.7	3	3	100.0	-	-
LEWIS	140	132	126	95.5	6	4.5	8	5	62.5	3	37.5
LINCOLN	277	265	258	97.4	7	2.6	12	6	50.0	6	50.0
LINN	189	184	176	95.7	8	4.3	5	2	40.0	3	60.0
LIVINGSTON	247	244	220	90.2	24	9.8	3	2	66.7	1	33.3
MC DONALD	242	237	211	89.0	26	11.0	5	5	100.0	-	-
MACON	209	204	195	95.6	9	4.4	5	3	60.0	2	40.0
MADISON	127	126	115	91.3	10	7.9	1	1	100.0	-	-
MARIES	101	101	93	92.1	8	7.9	-	-	-	-	-
MARION	423	390	362	92.8	28	7.2	33	18	54.5	15	45.5
MERCER	45	45	41	91.1	4	8.9	-	-	-	-	-
MILLER	259	254	235	90.7	24	9.3	-	-	-	-	-
MISSISSIPPI	328	220	194	88.2	25	11.4	108	33	30.6	75	69.4

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1972

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE				NCN WHITE				
			LEGITIMATE		ILLEGITIMATE		LEGITIMATE		ILLEGITIMATE		
			NO.	PER- CENT	NO.	PER- CENT	WHITE TOTAL	NO.	PER- CENT	NO.	PER- CENT
MCNITEAU	149	145	139	95.9	6	4.1	4	2	50.0	2	50.0
MCNRGE	107	101	95	94.1	6	5.9	6	4	66.7	2	33.3
MONTGOMERY	154	140	132	94.3	7	5.0	14	5	35.7	9	64.3
MORGAN	155	152	143	94.1	9	5.9	3	3	100.0	-	-
NEW MADRID	441	322	299	92.9	23	7.1	119	58	48.7	60	50.4
NEWTON	530	527	494	93.7	31	5.9	3	2	66.7	1	33.3
NODAWAY	287	284	271	95.4	13	4.6	3	3	100.0	-	-
OREGON	110	110	102	92.7	8	7.3	-	-	-	-	-
OSAGE	173	173	170	98.3	3	1.7	-	-	-	-	-
OZARK	83	82	77	93.9	3	3.7	1	1	100.0	-	-
PEMISCO	533	311	278	89.4	33	10.6	222	68	30.6	154	69.4
PERRY	217	216	210	97.2	6	2.8	1	1	100.0	-	-
PETTIS	498	476	451	94.7	25	5.3	22	9	40.9	13	59.1
PHELPS	482	476	444	93.3	25	5.3	6	6	100.0	-	-
PIKE	252	230	217	94.3	13	5.7	22	10	45.5	12	54.5
PLATTE	518	512	492	96.1	19	3.7	6	5	83.3	1	16.7
POLK	232	231	223	96.5	8	3.5	2	2	100.0	-	-
PULASKI	664	601	566	94.2	33	5.5	63	51	81.0	12	19.0
PUTNAM	66	66	64	97.0	2	3.0	-	-	-	-	-
RALLS	90	88	79	89.8	9	10.2	2	2	100.0	-	-
RANDOLPH	326	307	289	94.1	18	5.9	19	11	57.9	8	42.1
RAY	300	295	282	95.6	13	4.4	5	5	100.0	-	-
REYNOLDS	82	82	79	96.3	3	3.7	-	-	-	-	-
RIPLEY	142	143	128	89.5	14	9.8	-	-	-	-	-
ST. CHARLES	1,936	1,895	1,828	96.5	66	3.5	41	31	75.6	10	24.4
ST. CLAIR	106	106	97	91.5	9	8.5	-	-	-	-	-
ST. FRANCIS	605	604	561	92.9	43	7.1	1	-	-	1	100.0
ST. GENEVIEVE	190	189	182	96.3	7	3.7	1	1	100.0	-	-
ST. LOUIS COUNTY	12,994	11,411	10,966	96.1	433	3.8	1,583	1,071	67.7	509	32.2
ST. LOUIS CITY	10,210	4,009	3,547	88.5	459	11.4	6,201	2,615	42.2	3,576	57.7
SALINE	307	290	270	93.1	19	6.6	17	7	41.2	10	58.8
SCHUYLER	77	77	76	98.7	1	1.3	-	-	-	-	-
SCOTLAND	57	57	55	96.5	2	3.5	-	-	-	-	-
SCOTT	647	546	507	92.9	39	7.1	101	37	36.6	64	63.4
SHANNON	110	110	105	95.5	5	4.5	-	-	-	-	-
SHELBY	112	110	103	93.6	6	5.5	2	2	100.0	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
 BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1972

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
STODDARD	409	381	347	91.1	34	8.9	28	12	42.9	16	57.1
STONE	164	162	155	95.7	7	4.3	2	2	100.0	-	-
SULLIVAN	91	90	85	94.4	4	4.4	1	1	100.0	-	-
TANEY	194	191	183	95.8	8	4.2	3	3	100.0	-	-
TEXAS	264	264	252	95.5	12	4.5	-	-	-	-	-
VERNON	222	219	203	92.7	16	7.3	3	3	100.0	-	-
WARREN	179	169	163	96.4	6	3.6	10	6	60.0	4	40.0
WASHINGTON	341	340	319	93.8	18	5.3	1	1	100.0	-	-
WAYNE	118	118	106	89.8	12	10.2	-	-	-	-	-
WEBSTER	289	288	275	95.5	13	4.5	1	-	-	1	100.0
WORTH	30	30	27	90.0	3	10.0	-	-	-	-	-
WRIGHT	197	196	182	92.9	14	7.1	1	1	100.0	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1972

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
BALLWIN	180	176	170	96.6	6	3.4	4	4	100.0		
BELLEFONTAINE NEIGHBORS	35	35	34	97.1	1	2.9					
BERKELEY	240	186	173	93.0	13	7.0	54	32	59.3	22	40.7
BRENTWOOD	120	97	92	94.8	5	5.2	23	19	82.6	4	17.4
BRIDGETON	249	244	238	97.5	5	2.0	5	4	80.0	1	20.0
CAPE GIRARDEAU	453	410	380	92.7	30	7.3	43	16	37.2	27	62.8
CARTHAGE	155	152	140	92.1	12	7.9	3	2	66.7	1	33.3
CLAYTON	66	65	63	96.9	2	3.1	1	1	100.0		
COLUMBIA	757	626	588	93.9	38	6.1	131	81	61.8	49	37.4
CRESTWOOD	92	91	85	93.4	6	6.6	1	1	100.0		
FERGUSON	297	287	264	92.0	22	7.7	10	8	80.0	2	20.0
FLORISSANT	847	830	806	97.1	24	2.9	17	14	82.4	3	17.6
FULTON	129	113	101	89.4	11	9.7	16	7	43.8	8	50.0
GLADSTONE	313	310	297	95.8	13	4.2	3	3	100.0		
GRANDVIEW	369	354	336	94.9	18	5.1	15	11	73.3	4	26.7
HANNIBAL	286	255	232	91.0	23	9.0	31	17	54.8	14	45.2
HAZELWOOD	224	207	200	96.6	7	3.4	17	14	82.4	3	17.6
INDEPENDENCE	1,834	1,807	1,707	94.5	98	5.4	27	19	70.4	8	29.6
JEFFERSON CITY	419	389	359	92.3	27	6.9	30	19	63.3	11	36.7
JENNINGS	170	159	145	91.2	14	8.8	11	10	90.9	1	9.1
JOPLIN	636	614	560	91.2	53	8.6	22	11	50.0	11	50.0
KANSAS CITY	8,181	5,450	4,970	91.2	469	8.6	2,731	1,407	51.5	1,310	48.0
KIRKSVILLE	254	242	224	92.6	17	7.0	12	9	75.0	3	25.0
KIRKWOOD	295	236	228	96.6	7	3.0	59	37	62.7	22	37.3
LADUE	34	34	34	100.0							
LEE'S SUMMIT	321	317	305	96.2	12	3.8	4	4	100.0		
LIBERTY	221	215	199	92.6	15	7.0	6	4	66.7	2	33.3
MARSHALL	158	149	138	92.6	10	6.7	9	4	44.4	5	55.6
MAPLEWOOD	142	128	114	89.1	13	10.2	14	13	92.9	1	7.1
MEXICO	159	141	130	92.2	11	7.8	18	9	50.0	9	50.0
MCDERLY	188	174	161	92.5	13	7.5	14	9	64.3	5	35.7
OVERLAND	349	335	308	91.9	26	7.8	14	11	78.6	3	21.4
POPULAR BLUFF	268	236	206	87.3	30	12.7	32	14	43.8	18	56.3
RAYTOWN	313	312	308	98.7	4	1.3	1			1	100.0
RICHMOND HEIGHTS	124	95	91	95.8	4	4.2	29	18	62.1	11	37.9
ROLLA	178	174	158	90.8	12	6.9	4	4	100.0		
ST. ANN	230	224	212	94.6	12	5.4	6	6	100.0		
ST. CHARLES	824	608	580	95.4	28	4.6	16	12	75.0	4	25.0
ST. JOSEPH	1,078	1,004	898	89.4	106	10.6	72	32	44.4	40	55.6
ST. LOUIS CITY	10,210	4,009	3,947	88.5	459	11.4	6,201	2,615	42.2	3,576	57.7
SEALIA	312	262	279	95.5	13	4.5	20	8	40.0	12	60.0

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1972

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
SIKESTON	312	238	216	90.8	22	9.2	74	27	36.5	47	63.5
SPRINGFIELD	1,994	1,938	1,789	92.3	146	7.5	56	36	64.3	20	35.7
UNIVERSITY CITY	421	214	203	94.9	11	5.1	207	146	70.5	59	28.5
WARRENSBURG	172	155	148	95.5	7	4.5	17	14	82.4	3	17.6
WEBSTER GROVES	221	199	193	97.0	5	2.5	22	13	59.1	9	40.9
INCLUDED IN CITIES OVER 10,000											
FANNIBAL-RALLS	2	2	1	50.0	1	50.0					
JEPLIN-NEWTON	36	36	33	91.7	3	8.3					
KANSAS CITY-CLAY	1,010	1,001	963	96.2	37	3.7	9	9	100.0		
SIKESTON-NEW MADRID	4	4	4	100.0							
KANSAS CITY-PLATTE	205	203	194	95.6	9	4.4	2	2	100.0		

GRAND TOTAL INCLUDES NOT STATED

TABLE 9

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI 1972

RANK	CAUSE OF DEATH	TOTAL	RATES	WHITE	NONWHITE
1.	HEART DISEASE (390-398,402,404,410-429)	20,149	423.8	18,550	1,599
2.	MALIGNANT NEOPLASMS (140-209)	8,973	188.7	8,083	890
3.	CEREBROVASCULAR DISEASE (430-438)	6,203	130.5	5,622	581
4.	ACCIDENTS (E800-E807,E810-E823,E825-E949)	2,783	58.5	2,514	269
5.	INFLUENZA & PNEUMONIA (470-474,480-486)	1,650	34.7	1,495	155
6.	ARTERIOSCLEROSIS (440)	1,050	22.1	977	73
7.	DIABETES MELLITUS (250)	1,011	21.3	870	141
8.	BRONCHITIS,EMPHYSEMA & ASTHMA (490-493)	770	16.2	726	44
9.	DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	757	15.9	531	226
10.	CIRRHOSIS OF LIVER (571)	559	11.8	477	82
	ALL OTHER CAUSES	8,382		7,165	1,217
	TOTALS	52,287		47,010	5,277

TOTAL RESIDENT DEATHS - 52,287

PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1972 (SEE PP IV) - 4,755,000.

DEATH RATES ARE PER 100,000 POP.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1972

CAUSE BY AGE GROUPS	DEATHS
UNDER 1 YEAR	
1 DISEASES OF EARLY INFANCY (760-769.2) (769.4-772,774-778)	757
2 CONGENITAL ANOMALIES (740-759)	218
3 INFLUENZA/PNEUMONIA (470-474,480-486)	98
4 ACCIDENTS (E800-E949)	52
5 HEART DIS. (390-398,402,404,410-429)	12
1-4 YEARS	
1 ACCIDENTS (E800-E949)	95
2 CONGENITAL ANOMALIES (740-759)	29
3 MALIGNANT NEOPLASMS (140-209)	18
4 INFLUENZA/PNEUMONIA (470-474,480-486)	15
5 HOMICIDE (E960-E978)	6
5-14 YEARS	
1 ACCIDENTS (E800-E949)	172
2 MALIGNANT NEOPLASMS (140-209)	42
3 CONGENITAL ANOMALIES (740-759)	20
4 INFLUENZA/PNEUMONIA (470-474,480-486)	13
5 HOMICIDE (E960-E978)	10
15-24 YEARS	
1 ACCIDENTS (E800-E949)	614
2 HOMICIDE (E960-E978)	116
3 MALIGNANT NEOPLASMS (140-209)	61
4 SUICIDE (E950-E959)	55
5 INFLUENZA/PNEUMONIA (470-474,480-486)	18
25-34 YEARS	
1 ACCIDENTS (E800-E949)	302
2 HOMICIDE (E960-E978)	104
3 MALIGNANT NEOPLASMS (140-209)	99
4 SUICIDE (E950-E959)	80
5 HEART DIS. (390-398,402,404,410-429)	61


NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 1C (CONT)

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1972

CAUSE BY AGE GROUPS	DEATHS
35-44 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	310
2 HEART DIS. (390-398,402,404,410-429)	298
3 ACCIDENTS (E800-E949)	230
4 SUICIDE (E950-E959)	76
5 CEREBROVASCULAR DISEASE (430-438)	72
45-54 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	1,154
2 MALIGNANT NEOPLASMS (140-209)	1,006
3 ACCIDENTS (E800-E949)	257
4 CEREBROVASCULAR DISEASE (430-438)	205
5 CIRRHOSIS OF LIVER (571)	143
55-64 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	2,694
2 MALIGNANT NEOPLASMS (140-209)	1,939
3 CEREBROVASCULAR DISEASE (430-438)	505
4 ACCIDENTS (E800-E949)	277
5 CIRRHOSIS OF LIVER (571)	159
65-74 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	5,132
2 MALIGNANT NEOPLASMS (140-209)	2,676
3 CEREBROVASCULAR DISEASE (430-438)	1,343
4 DIABETES MELLITUS (250)	312
5 ACCIDENTS (E800-E949)	304
75-84 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	6,711
2 CEREBROVASCULAR DISEASE (430-438)	2,402
3 MALIGNANT NEOPLASMS (140-209)	2,164
4 INFLUENZA/PNEUMONIA (470-474,480-486)	507
5 ARTERIOSCLEROSIS (440)	387
85-YEARS & OVER	
1 HEART DIS. (390-398,402,404,410-429)	4,058
2 CEREBROVASCULAR DISEASE (430-438)	1,637
3 MALIGNANT NEOPLASMS (140-209)	654
4 ARTERIOSCLEROSIS (440)	481
5 INFLUENZA/PNEUMONIA (470-474,480-486)	413

GRAPH C.
MATERNAL DEATH RATES 1932-1972
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1947	12.9	11.8	26.2	1962	4.6	4.2	6.9
1933	51.6	50.0	77.9	1948	10.1	8.9	23.4	1963	3.7	2.8	8.8
1934	58.5	55.3	109.6	1949	8.5	7.2	20.2	1964	4.1	2.6	12.6
1935	57.0	55.0	87.0	1950	8.2	6.8	20.5	1965	2.7	2.5	4.0
1936	61.0	60.0	85.0	1951	7.6	6.7	15.7	1966	2.1	1.8	3.3
1937	51.3	49.9	71.2	1952	7.1	6.1	16.3	1967	2.4	1.9	5.2
1938	38.2	36.6	61.3	1953	6.6	5.4	16.2	1968	2.0	1.4	5.3
1939	37.0	35.4	59.9	1954	4.9	4.1	11.0	1969	1.9	1.7	2.5
1940	36.5	35.0	56.7	1955	4.7	4.0	9.7	1970	3.3	2.7	6.4
1941	31.7	28.6	75.1	1956	5.5	3.8	17.3	1971	1.5	1.4	2.3
1942	24.3	23.2	38.0	1957	3.3	2.5	8.7	1972	2.3	1.8	4.9
1943	22.7	21.9	33.7	1958	3.6	2.9	8.5				
1944	20.9	18.4	50.6	1959	3.8	3.3	6.7				
1945	16.9	15.3	36.1	1960	5.1	3.9	12.9				
1946	13.8	11.9	36.7	1961	2.4	1.7	6.8				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 11

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI 1972

CAUSE OF DEATH	NUMBER			RATES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES (630-678)	17	11	6	2.3	1.8	4.9
ECTOPIC PREGNANCY (631)	1		1	.1		.8
TOXEMIAS, EXCEPT ABCRTION (636-639)	4	3	1	.6	.5	.8
HEMCRRHAGE (632,651-653)	2	1	1	.3	.2	.8
ABORTIONS (640-645)						
SEPSIS (670,671,673)	5	3	2	.7	.5	1.6
ALL OTHER COMPLICATIONS (630,633-635, 654-662,672,674-678)	5	4	1	.7	.7	.8
DELIVERY WITHOUT MENTION OF COMPLICATION (650)						

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1972

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
TOTAL DEATHS	52,287	1,329	228	152	192	534	515	433	455	551	944
MALE	28,715	745	133	89	126	386	391	299	292	360	565
FEMALE	23,572	584	95	63	66	148	124	134	163	191	379
TOTAL WHITE	47,010	980	183	127	165	438	407	347	348	425	775
MALE	25,698	562	110	74	110	317	301	228	218	279	462
FEMALE	21,312	418	73	53	55	121	106	119	130	146	313
TOTAL NONWHITE	5,277	349	45	25	27	96	108	86	107	126	169
MALE	2,017	183	23	15	16	69	90	71	74	81	103
FEMALE	2,260	166	22	10	11	27	18	15	33	45	66
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	89								1	5	3
SYPHILIS AND ITS SEQUELAE (090-097)	5	1									
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	260	39	10	4	2	5	4	3	4	4	7
MALIGNANT NEOPLASMS (140-209)	8,973	3	18	20	22	29	32	41	58	92	218
DIGEST. ORGANS (150-159)	2,334	1		1		2	1	4	8	13	37
RESPIRATORY SYSTEM (160-163)	2,062					1		1	4	22	57
BREAST (174)	755							4	6	13	41
GENITAL ORGANS (180-187)	1,141					3	5	8	16	15	25
URINARY ORGANS (188-189)	431		1			1				1	2
LEUKEMIA (204-207)	386	1	8	12	11	8	8	8	5	5	8
OTHER REMAINDER OF (140-209)	1,864	1	9	7	11	14	18	16	19	23	48
DIABETES MELLITUS (250)	1,011	2		1			2	3	7	6	19
MAJOR CARDIOVASCULAR DISEASE (390-448)	28,329	14	5		2	9	14	34	61	133	255
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	20,149	12	3			6	10	17	44	101	197
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	326					1	3	2	5	5	12
HYPERTENSIVE HEART (402, 404)	429									1	
ISCHEMIC HEART (410-414)	18,036	1				1	4	8	27	78	162
OTHER HEART DISEASE (420-429)	1,358	11	3			4	3	7	12	17	23

ALL AGES INCLUDES AGE UNKNOWN.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1972

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
HYPERTENSION (400,401,403)	225						2	1		1	5
CEREBROVASCULAR DISEASE (430-438)	6,203	2	2		2	3	1	13	15	25	47
ARTERIOSCLEROSIS (440)	1,050							1		1	2
OTHER CIRCULATORY (441-448)	702						1	2	2	5	4
INFLUENZA/PNEUMONIA (470-474,480-486)	1,650	98	15	7	6	10	8	13	7	18	18
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	770	1	1	1	3		2	2	2	4	9
PEPTIC ULCER (531-533)	239	1			1			1	2	2	5
CIRRHOSIS OF LIVER (571)	559		1		1	1		3	9	15	54
NEPHRITIS AND NEPHROSIS (580-584)	258			2	2	1	5	2	1	6	7
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	17					1	5	5	3	3	
CONGENITAL ANOMALIES (740-759)	313	218	29	12	8	9	3	3	4	4	1
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	757	757									
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,618	80	10	3	5	8	9	4	14	11	43
ALL OTHER DISEASES (RESIDUAL)	3,495	58	36	28	24	37	34	36	42	60	93
ACCIDENTAL DEATHS (E800-E849)	2,783	52	95	71	101	340	274	170	132	103	127
MOTOR VEHICLE (E810-E823)	1,460	14	29	34	45	253	211	124	85	65	74
OTHER TRANS. (E800-E807,E825-E845)	68		3	3	5	4	6	7	8	4	7
POISONING (E850-E877)	68		8			10	5	3	7	2	7
FALLS (E880-E887)	449	2	4	4	1	8	6	2	2	3	7
FIRES (E890-E899)	208	7	24	4	5	13	11	7	5	5	3
DROWNING & SUBMERSIONS (E910)	101		8	12	14	19	11	5	4	5	6
FIREARM MISSILES (E922)	65			5	14	15	13	4	4	1	1
INDUSTRIAL (E916-E921,E923-E928)	176		4	3	7	13	11	11	14	12	11
OTHER REMAINDER OF (E900-E949)	188	29	15	6	10	5		7	3	6	11
SUICIDE (E950-E959)	523				2	21	34	45	35	39	37
HOMICIDE (E960-E978)	428	2	6	3	7	45	71	50	54	33	34
ALL OTHER EXTERNAL CAUSES (E980-E999)	210	3	2		6	18	18	18	19	13	14

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1972

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER '94
TOTAL DEATHS	1,489	2,250	2,999	4,341	5,780	6,576	7,604	7,378	5,327	2,393	800
MALE	956	1,444	1,909	2,810	3,630	3,824	4,047	3,407	2,159	859	274
FEMALE	533	806	1,090	1,531	2,150	2,752	3,557	3,971	3,168	1,534	526
TOTAL WHITE	1,205	1,896	2,630	3,776	5,179	5,917	7,074	7,011	5,067	2,293	752
MALE	794	1,220	1,704	2,483	3,282	3,481	3,759	3,215	2,018	820	253
FEMALE	411	676	926	1,293	1,897	2,436	3,315	3,796	3,049	1,473	499
TOTAL NONWHITE	284	354	369	565	601	659	530	367	260	100	48
MALE	162	224	205	327	348	343	288	192	141	39	21
FEMALE	122	130	164	238	253	316	242	175	119	61	27
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	7	4	10	7	9	9	14	12	5	2	1
SYPHILIS AND ITS SEQUELAE (090-097)				1		1		2			
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	5	13	9	20	20	36	25	21	24	3	2
MALIGNANT NEOPLASMS (140-209)	389	617	833	1,106	1,368	1,308	1,274	890	477	144	33
DIGEST. ORGANS (150-159)	67	145	184	286	335	335	410	284	171	40	10
RESPIRATORY SYSTEM (160-163)	99	177	265	322	384	342	210	118	42	14	4
BREAST (174)	63	78	94	75	105	80	79	71	31	12	3
GENITAL ORGANS (180-187)	46	79	77	106	165	165	179	138	85	25	3
URINARY ORGANS (188-189)	5	19	34	39	70	71	77	59	39	12	1
LEUKEMIA (204-207)	17	5	23	29	50	46	63	42	26	9	2
OTHER REMAINDER OF (140-209)	92	114	156	249	259	269	256	178	83	32	10
DIABETES MELLITUS (250)	38	47	55	102	142	170	176	148	74	15	4
MAJOR CARDIOVASCULAR DISEASE (390-448)	538	875	1,298	2,060	3,075	3,773	4,770	5,060	3,891	1,849	602
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	429	725	1,066	1,628	2,370	2,762	3,286	3,425	2,490	1,181	387
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	17	41	45	53	50	30	25	22	10	4	1
HYPERTENSIVE HEART (402, 404)	4	11	10	20	38	56	66	83	75	44	21
ISCHEMIC HEART (410-414)	352	611	932	1,431	2,146	2,518	3,008	3,113	2,240	1,058	337
OTHER HEART DISEASE (420-429)	56	62	79	124	136	158	187	207	165	75	28

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1972

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
HYPERTENSION (400,401,403)	8	10	12	14	22	22	35	45	31	13	4
CEREBROVASCULAR DISEASE (430-438)	90	115	176	329	545	798	1,157	1,245	1,047	459	131
ARTERIOSCLEROSIS (440)	3	8	11	22	46	88	147	240	247	166	68
OTHER CIRCULATORY (441-448)	8	17	33	67	92	103	145	105	76	30	12
INFLUENZA/PNEUMONIA (470-474,480-486)	30	49	56	97	119	179	247	260	225	131	57
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	19	28	50	107	145	133	118	92	38	13	2
PEPTIC ULCER (531-533)	5	13	19	28	25	39	34	38	19	6	1
CIRRHOSIS OF LIVER (571)	65	78	73	86	79	39	30	15	9	1	
NEPHRITIS AND NEPHROSIS (580-584)	6	16	18	25	26	31	42	29	23	10	5
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)											
CONGENITAL ANOMALIES (740-759)	3	1	7	4	4	1	1		1		
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)											
SYMPTOMS & ILL-DEFINED COND. (780-796)	71	120	123	193	180	189	176	176	109	67	26
ALL OTHER DISEASES (RESIDUAL)	97	165	223	297	395	451	494	457	315	105	48
ACCIDENTAL DEATHS (E800-E949)	123	134	136	141	131	173	168	147	102	44	19
MOTOR VEHICLE (E810-E823)	67	69	78	68	64	69	66	31	12	2	
OTHER TRANS. (E800-E807,E825-E845)	7	4	2		3	4			1		
POISONING (E850-E877)	3	2	2	4	3	3	7	1	1		
FALLS (E880-E887)	12	16	17	22	25	58	57	80	72	33	18
FIRES (E890-E899)	8	15	8	15	17	15	15	19	7	3	1
DROWNING & SUBMERSIONS (E910)	4	3	3	2	1	2	1	1			
FIREARM MISSILES (E922)	1	3	2	1		1					
INDUSTRIAL (E916-E921,E923-E928)	11	13	13	16	8	11	10	5	2	1	
OTHER REMAINDER OF (E900-E949)	10	8	11	13	10	10	12	10	7	5	
SUICIDE (E950-E959)	44	50	48	42	42	34	21	17	10	1	
HOMICIDE (E960-E978)	38	25	20	13	9	6	5	7			
ALL OTHER EXTERNAL CAUSES (E980-E999)	11	15	21	12	11	4	9	7	5	2	

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1972

COUNTIES	POP.	NUMBER			RATE			RESIDENT INF.	MAT.	RESIDENT INF.	MAT.	RECORDED INF.	MAT.
		RESIDENT DTHS.	INFANT DTHS.	MAT. DTHS.	RESIDENT DTHS.	INFANT DTHS.	MAT. DTHS.						
STATE TOTAL	4,755,000	52,287	1,329	17	53,249	1,406	18	11.0	18.3	2.3	11.2	18.7	2.4
COUNTIES INCL. CITIES													
ADAIR	22,600	235	10	-	382	11	-	10.4	28.5	-	16.9	18.0	-
ANDREW	12,600	148	3	-	84	1	-	11.7	20.1	-	6.7	500.0	-
ATCHISON	9,600	136	2	-	178	1	-	14.2	16.1	-	18.5	5.2	-
AUDRAIN	26,000	295	5	1	366	5	-	11.3	12.5	24.9	14.1	10.1	-
BARRY	20,800	299	9	-	250	1	-	14.4	28.7	-	12.0	4.6	-
BARTON	10,900	158	3	-	110	1	-	14.5	26.5	-	10.1	11.9	-
BATES	15,500	232	4	-	175	3	-	15.0	18.7	-	11.3	16.5	-
BENTON	10,600	208	2	-	102	-	-	19.6	16.7	-	9.6	-	-
BOLLINGER	9,000	123	3	-	41	2	-	13.7	25.4	-	4.6	2000.0	-
BONNE	85,000	526	17	-	1,135	72	1	6.3	13.6	-	13.4	34.9	4.8
BUCHANAN	87,800	1,214	25	-	1,472	30	1	13.8	18.9	-	16.8	16.5	5.5
BUTLER	35,700	458	11	-	908	15	-	12.8	21.4	-	25.4	16.7	-
CALDWELL	8,900	146	-	-	68	-	-	16.4	-	-	7.6	-	-
CALLAWAY	27,200	294	9	-	339	1	-	10.8	23.0	-	12.5	6.8	-
CAMDEN	14,600	167	4	-	105	1	-	11.4	23.3	-	7.2	62.5	-
CAPE GIRARDEAU	51,800	507	14	-	664	13	1	9.8	18.6	-	12.8	9.7	7.4
CARROLL	12,800	186	-	1	108	-	2	14.5	-	64.5	8.4	-	294.1
CARTER	4,200	59	-	-	40	-	-	14.0	-	-	9.5	-	-
CASS	43,400	357	10	-	243	3	-	8.2	12.7	-	5.6	5.5	-
CECAR	10,200	162	4	-	145	4	-	15.9	32.0	-	14.2	19.7	-
CHARITON	10,600	172	-	1	71	-	-	16.2	-	87.0	6.7	-	-
CHRISTIAN	17,400	158	7	-	53	-	-	9.1	22.5	-	3.0	-	-
CLARK	8,100	113	1	-	46	-	-	14.0	7.9	-	5.7	-	-
CLAY	130,400	771	34	-	792	19	-	5.9	16.6	-	6.1	12.8	-
CLINTON	13,300	182	-	-	163	-	-	13.7	-	-	12.3	-	-
COLE	47,800	399	13	-	698	17	-	8.3	18.4	-	14.6	12.2	-
COOPER	14,800	210	5	-	171	3	-	14.2	26.7	-	11.6	25.6	-
CRAWFORD	15,500	222	5	-	184	-	-	14.3	18.7	-	11.9	-	-
CASE	7,300	114	1	-	85	-	-	15.6	13.5	-	11.6	-	-
DALLAS	10,800	149	1	-	83	-	-	13.8	8.1	-	7.7	-	-
DAVIESS	8,800	142	1	-	81	1	-	16.1	9.2	-	9.2	45.5	-
DE KALE	7,800	104	1	-	42	-	-	13.3	10.1	-	5.4	-	-
DENT	12,100	183	6	-	166	2	-	15.1	31.6	-	13.7	26.7	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1972 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1972

COUNTIES	PCP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
COCLAS	10,400	106	3	-	49	-	-	10.2	21.7	-	4.7	-	-
CLANKLIN	35,300	445	8	-	351	10	-	12.6	14.3	-	9.9	21.0	-
FRANKLIN	58,400	615	21	-	477	11	-	10.5	20.8	-	8.2	19.4	-
GASCONADE	12,400	210	3	-	185	1	-	16.9	17.1	-	14.9	9.2	-
GENTRY	8,300	123	2	1	138	2	-	16.0	20.4	102.0	16.6	14.1	-
GREENE	160,200	1,641	49	2	2,479	96	2	10.2	19.6	8.0	15.5	24.4	5.1
GRUNDY	11,600	202	1	-	197	1	-	17.4	6.5	-	17.0	6.1	-
HARRISON	10,200	153	4	-	115	2	-	15.0	38.8	-	11.3	31.3	-
HENRY	19,500	351	2	1	392	3	1	18.0	7.3	36.4	20.1	7.5	25.0
HICKORY	5,100	76	1	-	28	1	-	14.9	21.3	-	5.5	83.3	-
HOLT	6,800	137	3	-	57	-	-	20.1	33.0	-	8.4	-	-
HOWARD	10,900	166	3	-	157	1	-	15.2	21.0	-	14.4	6.9	-
HOWELL	24,300	338	7	-	366	8	-	13.9	18.4	-	15.1	14.1	-
IRON	10,100	126	4	-	155	1	-	12.5	22.0	-	15.3	6.8	-
JACKSON	660,700	6,660	193	-	7,535	247	-	10.1	18.3	-	11.4	18.2	-
JASPER	82,200	1,146	21	-	1,123	20	-	13.9	16.5	-	13.7	13.5	-
JEFFERSON	111,700	751	30	-	502	4	-	6.7	14.5	-	4.5	8.6	-
JOHNSON	36,200	284	11	-	265	9	-	7.8	17.9	-	7.3	13.8	-
KNOX	5,900	89	1	-	47	1	-	15.1	14.7	-	8.0	-	-
LACLEDE	20,800	286	5	-	268	2	-	13.8	15.9	-	12.9	6.1	-
LAFAYETTE	27,600	346	5	-	296	4	-	12.5	13.2	-	10.7	11.4	-
LAWRENCE	26,300	347	7	-	382	5	-	13.2	18.3	-	14.5	15.1	-
LEWIS	10,700	123	1	-	60	-	-	11.5	7.1	-	5.6	-	-
LINCOLN	18,700	264	1	-	256	2	-	14.1	3.6	-	13.7	11.2	-
LINN	15,200	279	3	-	291	3	-	18.4	15.9	-	19.1	11.8	-
LIVINGSTON	15,800	230	3	-	297	4	-	14.6	12.1	-	18.8	11.7	-
MC DONALD	14,100	188	3	-	47	1	-	13.3	12.4	-	3.3	-	-
MACON	15,100	251	2	-	205	1	-	16.6	9.6	-	13.6	5.0	-
MADISON	9,200	135	3	1	118	2	-	14.7	23.6	78.7	12.8	25.3	-
MARIES	7,100	71	2	-	17	-	-	10.0	19.8	-	2.4	-	-
MARION	28,200	375	9	-	430	8	1	13.3	21.3	-	15.2	12.2	15.2
MERCER	4,500	75	1	-	66	-	-	16.7	22.2	-	14.7	-	-
MILLER	15,700	227	6	-	112	1	-	14.5	23.2	-	7.1	7.9	-
MISSISSIPPI	16,500	208	2	1	109	-	-	12.6	6.1	30.5	6.6	-	-
MONTICELLO	11,000	180	1	1	77	-	-	16.4	6.7	67.1	7.0	-	-

DEATH RATES ARE PER 1,000 PCP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PREVISIONAL POPULATION ESTIMATES FOR JULY 1, 1972 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1972

COUNTIES	PCP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
MCARCE	9,600	156	-	-	79	-	-	16.3	-	-	8.2	-	-
MONTGOMERY	11,100	171	2	-	55	-	-	15.4	13.0	-	5.0	-	-
MORGAN	11,600	169	2	-	112	1	-	14.6	12.9	-	9.7	1000.0	-
NEW MADRID	24,700	305	6	-	159	3	-	12.3	13.6	-	6.4	100.0	-
NEWTON	34,800	366	7	-	426	9	-	10.5	13.2	-	12.2	13.5	-
NOLAN	22,700	318	4	-	267	4	-	14.0	13.9	-	11.8	15.7	-
OSAGE	9,900	152	1	-	78	1	-	15.4	9.1	-	7.9	47.6	-
OSAGE	11,200	122	4	-	42	-	-	10.9	23.1	-	3.8	-	-
OSAGE	7,200	90	1	-	39	-	-	12.5	12.0	-	5.4	-	-
PEMISCOT	26,900	376	16	2	320	16	2	14.0	30.0	37.5	11.9	26.0	32.5
PERRY	15,000	162	2	-	162	1	-	10.9	9.2	-	10.8	5.4	-
PETTIS	35,300	509	6	-	579	9	-	14.4	12.0	-	16.4	14.4	-
PHILIPS	32,600	305	10	-	332	6	-	9.4	20.7	-	10.2	8.8	-
PIKE	17,000	252	4	-	250	4	-	14.8	15.9	-	14.7	17.1	-
PLATTE	34,500	215	7	-	125	-	-	6.2	13.5	-	3.6	-	-
POPE	16,600	211	6	-	144	3	-	12.7	25.8	-	8.7	230.8	-
PULASKI	41,900	231	18	1	224	20	1	5.5	27.1	15.1	5.3	18.9	9.5
PUTNAM	5,900	115	2	-	113	2	-	19.5	30.3	-	19.2	24.4	-
RALLS	7,800	99	-	-	41	-	-	12.7	-	-	5.3	-	-
RANDOLPH	22,600	399	9	-	404	3	-	17.7	27.6	-	17.9	10.7	-
RAY	18,000	253	5	-	236	2	-	14.1	16.7	-	13.1	11.6	-
REYNOLDS	6,000	92	2	-	24	-	-	15.3	24.4	-	4.0	-	-
RIPLEY	11,200	149	6	-	102	2	-	13.3	42.0	-	9.1	35.7	-
ST. CHARLES	101,800	590	31	-	593	21	-	5.8	16.0	-	5.8	16.0	-
ST. CLAIR	8,100	158	2	-	141	1	-	19.5	18.9	-	17.4	20.4	-
ST. FRANCIS	38,500	591	17	-	665	16	-	15.4	28.1	-	17.3	17.1	-
STE. GENEVIEVE	13,500	143	3	1	119	1	1	10.6	15.8	52.6	8.8	6.4	63.7
ST. LOUIS COUNTY	957,600	7,236	181	1	5,941	126	1	7.6	13.9	.8	6.2	9.8	.8
ST. LOUIS CITY	586,900	8,830	267	2	11,603	450	3	15.0	26.2	2.0	19.8	32.4	2.2
SALINE	24,400	375	10	-	345	5	-	15.4	32.6	-	14.1	20.9	-
SCHUYLER	4,800	106	-	-	41	-	-	22.1	-	-	8.5	-	-
SCOTLAND	5,700	87	-	-	82	1	-	15.3	-	-	14.4	13.9	-
SCOTT	34,200	354	17	-	453	15	1	10.4	26.3	-	13.2	19.6	13.1
SHANNON	7,200	75	1	-	26	1	-	10.4	9.1	-	3.6	-	-
SHELBY	8,000	150	1	-	62	-	-	18.8	8.9	-	7.9	-	-

DEATH RATES ARE PER 1,000 PCP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1972 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1972

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DETHS.	DETHS.	DETHS.	DETHS.	DETHS.	DETHS.	DETHS.	DETHS.	DETHS.	DETHS.	DETHS.	DETHS.
STODDARD	26,600	344	8	-	224	8	-	12.9	19.6	-	8.4	15.0	-
STONE	10,900	136	3	-	50	-	-	12.5	18.3	-	4.6	-	-
SULLIVAN	7,700	156	2	-	119	-	-	20.3	22.0	-	15.5	-	-
TANEY	14,600	184	1	-	174	1	-	12.6	5.2	-	11.9	5.2	-
TEXAS	20,100	248	4	-	231	5	-	12.3	15.2	-	11.5	17.2	-
VERNON	19,600	279	7	-	352	5	-	14.2	31.5	-	18.0	26.0	-
WARREN	10,500	146	5	-	70	-	-	13.9	27.9	-	6.7	-	-
WASHINGTON	15,400	169	3	-	114	2	-	11.0	8.8	-	7.4	11.4	-
WAYNE	9,600	147	3	-	57	-	-	15.3	25.4	-	5.9	-	-
WEBSTER	16,800	218	6	-	93	1	-	13.0	20.8	-	5.5	100.0	-
WRIGHT	3,300	60	-	-	30	-	-	18.2	-	-	9.1	-	-
WRIGHT	14,500	234	6	-	151	4	-	16.1	30.5	-	10.4	23.7	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1972 (SEE PP IV)

TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
TOTAL CITIES 2,500 POP. AND OVER	32,849	899	7	43,588	1,309	17
TOTAL CITIES 10,000 POP. AND OVER	25,733	721	3	33,976	1,090	9
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	7,116	178	4	9,612	219	8
CITIES 10,000 POP. AND OVER						
BALLWIN	67	3	-	15	-	-
BELLEFONTAINE NEIGHBORS	125	1	-	29	-	-
BERKELEY	82	2	-	11	-	-
BRENTWOOD	80	2	-	6	-	-
BRIDGETON	91	1	-	14	-	-
CAPE GIRARDEAU	291	11	-	586	13	1
CARTHAGE	187	-	-	215	1	-
CLAYTON	199	1	-	929	18	-
COLUMBIA	314	11	-	1,023	71	1
CRESTWOOD	95	1	-	11	-	-
FERGUSON	214	2	-	36	-	-
FLORISSANT	351	18	-	502	21	-
FULTON	139	4	-	271	-	-
GLADSTONE	63	4	-	13	-	-
GRANDVIEW	97	8	-	23	-	-
HANNIBAL	276	6	-	387	8	1
MARION CO. PART	273	6	-	387	8	1
RALLS CO. PART	3	-	-	-	-	-
HAZELWOOD	86	5	-	6	-	-
INDEPENDENCE	869	20	-	748	10	-
JEFFERSON CITY	287	7	-	677	17	-
JENNINGS	249	1	-	26	-	-
JOPLIN	555	11	-	849	19	-
JASPER CO. PART	538	11	-	734	17	-
NEWTON CO. PART	17	-	-	115	2	-
KANSAS CITY	5,416	170	-	6,724	237	-
CLAY CO. PART	267	20	-	53	-	-
JACKSON CO. PART	5,112	148	-	6,656	237	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES 10,000 POP. AND OVER	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
PLATTE CO. PART	37	2	-	15	-	-
KIRKSVILLE	155	9	-	357	11	-
KIRKWOOD	331	4	-	550	9	-
LACUE	68	-	-	9	-	-
LEE'S SUMMIT	134	6	-	61	-	-
LIBERTY	112	1	-	119	-	-
MAPLEWOOD	156	3	-	17	-	-
MARSHALL	153	6	-	234	4	-
MEXICO	138	1	-	305	5	-
MOBERLY	264	4	-	359	2	-
OVERLAND	240	10	-	36	-	-
POPLAR BLUFF	264	7	-	864	15	-
RAYTOWN	181	2	-	10	-	-
RICHMOND HEIGHTS	177	6	-	568	11	-
ROLLA	103	3	-	258	5	-
ST. ANN	105	4	-	7	-	-
ST. CHARLES	280	11	-	498	20	-
ST. JOSEPH	1,100	23	-	1,448	30	1
ST. LOUIS CITY	8,830	267	2	11,603	450	3
SEDALIA	390	4	-	527	8	-
SIKESTON	149	7	-	314	7	-
NEW MADRID CO. PART	1	-	-	-	-	-
SCOTT CO. PART	148	7	-	314	7	-
SPRINGFIELD	1,336	40	1	2,366	95	2
UNIVERSITY CITY	546	8	-	109	-	-
WARRENSBURG	102	2	-	204	3	-
WEBSTER GROVES.	286	4	-	52	-	-
CITIES OVER 2,500 POPULATION LESS THAN 10,000						
AURORA	68	3	-	107	4	-
BEL-RIDGE	38	2	-	2	-	-
BELTON	71	5	-	14	1	-
BETHANY	59	3	-	92	2	-
BLUE SPRINGS	42	3	-	3	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT	MATERNAL	DEATHS	RECORDED	MATERNAL
		INFANT DEATHS			INFANT DEATHS	
BOLIVAR	77	2	-	57	1	-
BONNE TERRE	68	4	-	154	7	-
BOSNVILLE	105	3	-	137	3	-
BOWLING GREEN	59	1	-	50	1	-
BRECKENRIDGE HILLS	15	1	-	1	-	-
BROOKFIELD	112	2	-	176	2	-
BUTLER	80	2	-	133	3	-
CALIFORNIA	54	-	-	32	-	-
CAMERON	68	1	-	94	-	-
CLINTON CO. PART	64	-	-	94	-	-
CLAY CO. PART	4	1	-	-	-	-
CANTON	29	1	-	8	-	-
CARROLLTON	70	-	-	77	-	2
CARTHERSVILLE	106	3	1	17	3	-
CENTRALIA	65	1	-	38	1	-
CHAFFEE	33	-	-	84	5	1
CHARLESTON	88	-	1	66	-	-
CHILLICOTHE	144	2	-	235	3	-
CLINTON	128	1	-	299	3	1
CREVE COEUR	169	10	-	1,049	48	-
CRYSTAL CITY	31	1	-	6	-	-
DELLWOOD	39	-	-	1	-	-
DESGO	88	3	-	34	-	-
DES PERES	32	1	-	53	-	-
DESLOGE	39	-	-	5	-	-
DEXTER	93	5	-	143	7	-
EAST PRAIRIE	42	-	-	7	-	-
ELDON	70	2	-	19	-	-
ELDORADO SPRINGS	78	2	-	118	4	-
ELLISVILLE	22	-	-	67	1	-
EXCELSIOR SPRINGS	108	4	-	105	1	-
CLAY CO. PART	108	4	-	105	1	-
RAY CO. PART	-	-	-	-	-	-
FARMINGTON	126	2	-	325	8	-
FAYETTE	55	-	-	132	1	-
FESTUS	89	1	-	20	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
FLAT RIVER	74	1	-	14	-	-
FREDERICKTOWN	79	1	1	104	2	-
FRONTENAC	19	-	-	3	-	-
GLENDALE	61	-	-	1	-	-
HARRISONVILLE	56	1	-	141	2	-
HAYTI	68	4	-	254	13	2
HERMANN	49	-	-	87	-	-
HIGGINSVILLE	64	-	-	37	-	-
HILLSDALE VILLAGE	22	1	-	1	-	-
JACKSON	92	1	-	38	-	-
KENNETT	112	1	-	238	9	-
KINLOCH	48	1	-	2	-	-
LAMAR	76	2	-	89	1	-
LEBANON	160	2	-	223	1	-
LEXINGTON	81	2	-	130	4	-
LOUISIANA	64	1	-	161	3	-
MACON	89	-	-	128	1	-
MALDEN	67	2	-	35	1	-
MANCHESTER	52	3	-	71	-	-
MARCELINE	61	-	-	91	1	-
MARSHFIELD	52	1	-	33	-	-
MARYVILLE	121	3	-	219	4	-
MOLINE ACRES	46	-	-	2	-	-
MONETT	93	2	-	128	-	-
BARRY CO. PART	78	2	-	125	-	-
LAWRENCE CO. PART	15	-	-	3	-	-
MOUNTAIN GROVE	81	-	-	37	-	-
MT. VERNON	63	-	-	25	-	-
NECSHC	123	3	-	186	2	-
NEVADA	158	5	-	226	5	-
NEW MADRID	36	-	-	14	-	-
NORMANCY	111	1	-	409	8	-
NORTH KANSAS CITY	53	2	-	286	16	-
NORTHWOODS	23	2	-	1	-	-
OCESSA	31	1	-	4	-	-
O'FALLON	45	4	-	8	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
CLIVETTE	58	-	-	2	-	-
PACIFIC	30	2	-	8	1	-
FRANKLIN CO. PART	29	2	-	8	1	-
ST. LOUIS CO. PART	1	-	-	-	-	-
PAGEDALE	41	4	-	3	-	-
PALMYRA	37	1	-	20	-	-
PERRYVILLE	74	1	-	133	1	-
PINELAWN	76	5	-	16	-	-
PLEASANT HILL	43	1	-	10	-	-
PORTAGEVILLE	44	-	-	29	-	-
POTOSI	32	-	-	9	-	-
RICHMOND	85	1	-	69	1	-
RIVERVIEW	21	-	-	2	-	-
ROCK HILL	49	-	-	4	-	-
ST. CLAIR	31	2	-	4	-	-
ST. JAMES	47	-	-	36	-	-
ST. JOHN	62	-	-	4	-	-
STE. GENEVIEVE	63	2	1	110	1	1
SALEM	93	3	-	39	-	-
SAVANNAH	57	1	-	29	-	-
SHREWSBURY	37	2	-	5	-	-
SLATER	57	-	-	17	-	-
SUGAR CREEK	26	3	-	3	-	-
SULLIVAN	62	7	-	117	1	-
CRAWFORD CO. PART	11	1	-	113	-	-
FRANKLIN CO. PART	51	6	-	4	1	-
SUNSET HILLS	21	-	-	7	-	-
TOWN AND COUNTRY	20	1	-	279	8	-
TRENTON	128	1	-	175	1	-
TRCY	40	-	-	159	2	-
UNION	52	2	-	22	1	-
VALLEY PARK	28	-	-	54	-	-
VANDALIA	45	-	-	10	-	-
VINITA PARK	22	2	-	-	-	-
WARSON WOODS	13	1	-	2	-	-
WASHINGTON	110	4	-	370	8	-


TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1972

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
WAYNESVILLE	36	3	-	99	3	1
WEBB CITY	99	2	-	60	2	-
WELLSTON	61	2	-	5	-	-
WENTZVILLE	27	1	-	11	-	-
WEST PLAINS	104	6	-	238	7	-
WINDSOR	68	-	-	63	-	-
WOODSON TERRACE	27	-	-	3	-	-

INFANT DEATH TRENDS

Year	Total	White	Nonwhite
1932	57.4	53.9	112.9
1933	56.8	54.5	94.3
1934	62.3	59.4	107.6
1935	56.9	55.2	83.1
1936	57.9	55.7	90.0
1937	64.0	61.7	96.5
1938	51.1	48.1	93.0
1939	45.0	42.2	83.8
1940	47.0	44.7	78.4
1941	46.8	44.2	83.0
1942	39.0	37.1	64.8
1943	39.8	37.5	69.5
1944	37.3	35.1	63.7
1945	37.5	35.1	65.8
1946	33.0	31.1	55.8
1947	32.4	30.1	59.9
1948	30.4	28.6	49.3
1949	30.0	28.7	43.4
1950	29.2	27.1	49.0
1951	27.7	25.8	45.0
1952	28.3	25.9	49.4
1953	27.7	25.4	46.9
1954	26.8	24.2	46.6
1955	25.3	23.1	41.7
1956	24.5	22.4	38.9
1957	24.8	22.4	40.5
1958	26.4	23.2	46.9
1959	24.5	21.5	43.6
1960	24.7	21.4	45.9
1961	24.5	21.9	41.6
1962	25.5	23.2	40.0
1963	24.3	21.5	41.5
1964	24.4	21.2	43.2
1965	25.4	22.2	42.7
1966	23.4	19.8	43.0
1967	22.6	19.1	41.9
1968	21.3	19.1	33.9
1969	21.3	18.6	36.4
1970	19.5	17.0	33.6
1971	20.2	18.6	28.0
1972	18.3	16.2	28.5

GRAPH D.
INFANT DEATH RATES BY COLOR 1932-1972
(per 1,000 live births)

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U. S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

TABLE 15 RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI 1972

CAUSE	COLOR	NUMBER	RATE	UNDER 1 HR.		OVER 1 HR.	OVER 1 DAY	OVER 7 DAS	OVER 28 DAS	OVER 3 MOS	OVER 6 MOS	OVER 1 YEAR
				1 HR.	1 DAY	7 DAS	28 DAS	3 MOS	6 MOS	1 YEAR		
ALL CAUSES	WHITE	980	16.2	80	305	253	76	125	74	64		
	NONWHITE	349	28.5	32	117	99	22	43	20	16		
	TOTAL	1,329	18.3	112	422	352	98	168	94	80		
GASTRO-INTESTINAL DISEASES (004,006-009,535,561,563)	WHITE	4	.1			1	1	2				
	NONWHITE	4	.3				2	1	1			
	TOTAL	8	.1			1	3	3	1			
INFLUENZA & PNEUMONIA (470-474,480-486)	WHITE	66	1.1		3	6	8	24	14	11		
	NONWHITE	32	2.6		2	1	2	16	8	3		
	TOTAL	98	1.3		5	7	10	40	22	14		
CONGENITAL ANOMALIES (740-759)	WHITE	188	3.1	24	33	40	29	29	15	16		
	NONWHITE	30	2.5	6	7	8	5	1	2	1		
	TOTAL	218	3.0	30	40	48	34	30	17	17		
BIRTH INJURIES (764-768 (.0-.3),772)	WHITE	34	.6	1	9	20	4					
	NONWHITE	16	1.3		5	9	2					
	TOTAL	50	.7	1	14	29	6					
ASPHYXIA OF NEWBORN, UNSPECIFIED (776.9)	WHITE	94	1.6	10	51	25	6	2				
	NONWHITE	64	5.2	9	40	14		1				
	TOTAL	158	2.2	19	91	39	6	3				
IMMATURITY, UNQUALIFIED (777)	WHITE	61	1.0	11	37	12						
	NONWHITE	19	1.6	4	11	3		1				
	TOTAL	80	1.1	15	48	15		1				
OTHER DISEASES OF EARLY INFANCY (REMAINDER OF 760-778)	WHITE	342	5.7	31	162	135	12	2				
	NONWHITE	127	10.4	12	50	57	5	3				
	TOTAL	469	6.5	43	212	192	17	5				
ALL OTHER CAUSES (RESIDUAL)	WHITE	191	3.2	3	10	14	16	66	45	37		
	NONWHITE	57	4.7	1	2	7	6	20	9	12		
	TOTAL	248	3.4	4	12	21	22	86	54	49		

INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS.

NUMBER IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, ADAPTED.

NUMBER INCLUDES AGE UNKNOWN.

TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

PROVISIONAL EST. POP. JULY 1, 1972 (SEE PP IV) MISSOURI - 4,755,000	STATE TOTAL				UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	72,597	15.3	60,369	12,228	28,743	1,276	2,920	218
ATTENDED BY M.D.	64,003		52,449	11,554	24,309	1,084	2,251	187
ATTENDED BY D.O.	8,435		7,818	617	4,343	169	666	29
ATTENDED BY MIDWIFE	120		67	53	65	20	1	2
OTHERS OR UNSPECIFIED	39		35	4	26	3	2	
TOTAL FETAL DEATHS	880	12.1	658	222	310	15	41	5
ATTENDED BY M.D.	772		565	207	263	10	33	4
ATTENDED BY D.O.	94		85	9	44	5	8	1
ATTENDED BY MIDWIFE	3		2	1	2			
OTHERS OR UNSPECIFIED	11		6	5	1			
TOTAL DEATHS	52,287	11.0	47,010	5,277	18,969	469	2,932	143
UNDER ONE YEAR OF AGE	1,329	18.3	980	349	406	24	56	7
NEONATAL DEATHS	984	13.6	714	270	286	13	39	6
MATERNAL DEATHS	17	2.3	11	6	8	2	2	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	89	1.9	71	18	29		3	2
SYPHILIS AND ITS SEQUELAE (090-097)	5	.1	2	3				
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	260	5.5	218	42	95	3	19	3
MALIGNANT NEOPLASMS (140-209)	8,973	188.7	8,083	890	3,085	72	485	29
DIGEST. ORGANS (150-159)	2,334	49.1	2,097	237	793	22	122	6
RESPIRATORY SYSTEM (160-163)	2,062	43.4	1,864	198	685	19	114	4
BREAST (174)	755	15.9	683	72	232	5	30	4
GENITAL ORGANS (180-187)	1,141	24.0	988	153	382	18	78	7
URINARY ORGANS (188-189)	431	9.1	403	28	154	3	24	2
LEUKEMIA (204-207)	386	8.1	355	31	133	2	22	2
OTHER REMAINDER OF (140-209)	1,864	39.2	1,693	171	706	3	95	4
DIABETES MELLITUS (250)	1,011	21.3	870	141	322	10	55	4
MAJOR CARDIOVASCULAR DISEASE (390-448)	28,329	595.8	25,988	2,341	10,431	214	1,703	70
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	20,149	423.8	18,550	1,599	7,449	145	1,142	53

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)	326	6.9	311	15	112	2
HYPERTENSIVE HEART (402,404)	429	9.0	352	77	167	9
ISCHEMIC HEART (410-414)	18,036	379.3	16,701	1,335	6,601	126
OTHER HEART DISEASE (420-429)	1,358	28.6	1,186	172	569	8
HYPERTENSION (400,401,403)	225	4.7	183	42	90	5
CEREBROVASCULAR DISEASE (430-438)	6,203	130.5	5,622	581	2,320	61
ARTERIOSCLEROSIS (440)	1,050	22.1	977	73	360	3
OTHER CIRCULATORY (441-448)	702	14.8	656	46	262	
INFLUENZA/PNEUMONIA (470-474,480-486)	1,650	34.7	1,495	155	626	22
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	770	16.2	726	44	300	5
PEPTIC ULCER (531-533)	239	5.0	220	19	92	1
CIRRHOSIS OF LIVER (571)	559	11.8	477	82	150	2
NEPHRITIS AND NEPHROSIS (580-584)	258	5.4	208	50	90	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	17	.4	11	6	8	2
CONGENITAL ANOMALIES (740-759)	313	6.6	271	42	107	4
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	757	15.9	531	226	216	8
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,618	34.0	1,388	230	535	34
ALL OTHER DISEASES (RESIDUAL)	3,495	73.5	3,086	409	1,193	34
ACCIDENTAL DEATHS						
(E800-E949)	2,782	58.5	2,514	269	1,306	31
MOTOR VEHICLE (E810-E823)	1,460	30.7	1,345	115	771	18
OTHER TRANS. (E800-E807,E825-E845)	68	1.4	67	1	38	
POISONING (E850-E877)	68	1.4	59	9	11	
FALLS (E880-E887)	449	9.4	411	38	145	2
FIRES (E890-E899)	208	4.4	160	48	84	4
DROWNING & SUBMERSIONS (E910)	101	2.1	87	14	43	1
FIREARM MISSILES (E922)	65	1.4	52	13	34	2
INDUS. TYPE (E916-E921,E923-E928)	176	3.7	165	11	109	1
OTHER REMAINDER OF (E900-E949)	188	4.0	168	20	71	3
SUICIDE (E950-E959)	523	11.0	498	25	203	2
HOMICIDE (E960-E978)	428	9.0	190	238	69	19
ALL OTHER EXTERNAL CAUSES (E980-E999)	210	4.4	163	47	62	4

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	4,180	632	2,107	244	3,486	213	3,269	410
ATTENDED BY M.D.	3,456	518	1,834	179	3,050	179	2,927	383
ATTENDED BY D.O.	721	114	273	35	436	34	340	27
ATTENDED BY MIDWIFE				30				
OTHERS OR UNSPECIFIED	3						2	
TOTAL FETAL DEATHS	50	3	20	9	27	2	31	6
ATTENDED BY M.D.	43	3	16	7	25	2	28	6
ATTENDED BY D.O.	7		4	1	2		3	
ATTENDED BY MIDWIFE				1				
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	3,805	236	1,905	134	2,444	63	2,816	155
UNDER ONE YEAR OF AGE	101	14	39	6	57	10	49	11
NEONATAL DEATHS	84	8	31	6	38	8	35	9
MATERNAL DEATHS		2						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	6	1	4	1			3	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	13	2	10	1	9	1	8	2
MALIGNANT NEOPLASMS (140-209)	646	36	308	19	440	12	573	18
DIGEST. ORGANS (150-159)	188	7	81	2	123	7	153	5
RESPIRATORY SYSTEM (160-163)	151	8	73	4	99	1	138	8
BREAST (174)	53	3	34	2	44	1	47	
GENITAL ORGANS (180-187)	66	2	36	6	44	1	73	3
URINARY ORGANS (188-189)	19	2	9		25		33	1
LEUKEMIA (204-207)	28	2	10		13		30	1
OTHER REMAINDER OF (140-209)	141	12	65	5	92	2	99	
DIABETES MELLITUS (250)	78	8	23	3	48	2	45	10
MAJOR CARDIOVASCULAR DISEASE (390-448)	2,117	105	1,103	76	1,333	20	1,547	68
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	1,506	72	777	53	955	17	1,136	47

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	25		13		18		17	
HYPERTENSIVE HEART (402,404)	36	2	16	3	15	2	16	
ISCHEMIC HEART (410-414)	1,358	61	706	47	860	13	1,068	46
OTHER HEART DISEASE (420-429)	87	9	42	3	62	2	35	1
HYPERTENSION (400,401,403)	10		10		1		6	
CEREBROVASCULAR DISEASE (430-438)	483	25	234	21	298	3	306	20
ARTERIOSCLEROSIS (440)	62	3	55	1	54		45	
OTHER CIRCULATORY (441-448)	56	5	27	1	25		54	1
INFLUENZA/PNEUMONIA (470-474,480-486)	146	5	75	3	74	2	65	6
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	58	3	25	2	33	1	36	2
PEPTIC ULCER (531-533)	11	1	12		17		10	
CIRRHOSIS OF LIVER (571)	33	5	12	2	25		32	
NEPHRITIS AND NEPHROSIS (580-584)	17		8		12	2	11	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		2						
CONGENITAL ANOMALIES (740-759)	30		13	1	18		14	2
DISEASES OF EARLY INFANCY (760-769,770,771,772,773-778)	58	7	21	4	32	8	26	7
SYMPTOMS & ILL-DEFINED COND. (780-796)	103	14	47	5	60	7	74	8
ALL OTHER DISEASES (RESIDUAL)	254	21	141	5	167	4	189	15
ACCIDENTAL DEATHS								
(E800-E949)	174	9	78	9	123	1	130	6
MOTOR VEHICLE (E810-E823)	90	5	36	1	65	1	72	3
OTHER TRANS. (E800-E807,E825-E845)	4		3		2		3	1
POISONING (E850-E877)	5		6	1	7		6	1
FALLS (E880-E887)	26	1	18		16		22	
FIRES (E890-E899)	14	1	1	6	8		5	
DROWNING & SUBMERSIONS (E910)	6	1	4		6		5	
FIREARM MISSILES (E922)	4		1		3			
INDUSTRIAL (E916-E921,E923-E928)	11		2		7		4	
OTHER REMAINDER OF (E900-E949)	14	1	7	1	9		13	1
SUICIDE (E950-E959)	47	1	16		34		33	1
HOMICIDE (E960-E978)	9	12	4	3	9	3	10	8
ALL OTHER EXTERNAL CAUSES (E980-E999)	5	4	5		10		10	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 -LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	2,460	220	1,938	56	7,257	2,758	4,009	6,201
ATTENDED BY M.D.	2,403	217	1,917	55	6,341	2,567	3,961	6,185
ATTENDED BY D.O.	55	3	20	1	916	191	48	14
ATTENDED BY MIDWIFE			1					1
OTHERS OR UNSPECIFIED	2							1
TOTAL FETAL DEATHS	28	4	18	3	90	61	43	114
ATTENDED BY M.D.	27	4	17	3	75	59	38	109
ATTENDED BY D.O.	1		1		15	2		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							5	5
TOTAL DEATHS	1,671	94	1,303	33	5,122	1,163	6,043	2,787
UNDER ONE YEAR OF AGE	46	6	40		115	75	71	196
NEONATAL DEATHS	37	5	29		83	54	52	161
MATERNAL DEATHS			1					2
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		2		5	7	17	7
SYPHILIS AND ITS SEQUELAE (090-097)					1	3	1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	5	1	11		28	7	20	22
MALIGNANT NEOPLASMS (140-209)	337	19	198	8	929	204	1,082	473
DIGEST. ORGANS (150-159)	83	5	51	4	230	53	273	126
RESPIRATORY SYSTEM (160-163)	66	5	43	2	219	48	276	99
BREAST (174)	34		23		79	19	107	38
GENITAL ORGANS (180-187)	47	4	23		113	34	126	78
URINARY ORGANS (188-189)	21		13		42	7	63	13
LEUKEMIA (204-207)	14		2		49	8	54	16
OTHER REMAINDER OF (140-209)	72	5	43	2	197	35	183	103
DIABETES MELLITUS (250)	29	8	15		100	26	155	70
MAJOR CARDIOVASCULAR DISEASE (390-448)	866	33	692	17	2,600	440	3,546	1,298
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	615	26	471	13	1,821	303	2,678	870

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	50,000 - LESS THAN 75,000 NON- WHITE WHITE		75,000 - LESS THAN 100,000 NON- WHITE WHITE		100,000 - LESS THAN 500,000 NON- WHITE WHITE		500,000 AND OVER WHITE NON- WHITE	
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	10		7		42	5	50	8
HYPERTENSIVE HEART (402,404)	10		6	1	21	10	33	37
ISCHEMIC HEART (410-414)	568	22	445	11	1,577	212	2,504	759
OTHER HEART DISEASE (420-429)	27	4	13	1	181	76	91	66
HYPERTENSION (400,401,403)	5		4	1	21	10	25	25
CEREBROVASCULAR DISEASE (430-438)	188	4	180	1	581	98	598	335
ARTERIOSCLEROSIS (440)	35	2	28	1	109	20	157	40
OTHER CIRCULATORY (441-448)	23	1	9	1	68	9	88	28
INFLUENZA/PNEUMONIA (470-474,480-486)	43	4	44	1	148	27	178	81
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	35		22		91	9	81	22
PEPTIC ULCER (531-533)	6		4		20	9	32	7
CIRRHOSIS OF LIVER (571)	15	1	13		91	19	93	52
NEPHRITIS AND NEPHROSIS (580-584)	7	2	5		16	10	24	33
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					2
CONGENITAL ANOMALIES (740-759)	15		13		34	10	22	24
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	23	4	19		66	44	37	140
SYMPTOMS & ILL-DEFINED COND. (780-796)	76	3	78	3	291	128	40	16
ALL OTHER DISEASES (RESIDUAL)	102	9	93	2	354	94	412	221
ACCIDENTAL DEATHS (E800-E949)	79	6	63	2	239	70	193	131
MOTOR VEHICLE (E810-E823)	42	1	29		119	23	61	62
OTHER TRANS. (E800-E807,E825-E845)	5		1		6		3	
POISONING (E850-E877)		2	4		7	2	9	3
FALLS (E880-E887)	14	1	12	1	61	10	65	23
FIRES (E890-E899)	7		3		12	16	19	20
DROWNING & SUBMERSIONS (E910)	3	1	1		7	6	9	5
FIREARM MISSILES (E922)	2	1			5	3		7
INDUSTRIAL (E916-E921,E923-E928)	1		8		9	5	4	4
OTHER REMAINDER OF (E900-E949)	5		5	1	13	5	23	7
SUICIDE (E950-E959)	20		14		61	7	41	13
HOMICIDE (E960-E978)	4	3	5		30	43	43	144
ALL OTHER EXTERNAL CAUSES (E980-E999)	7	1	11		18	6	26	31

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	339	12	147	2	123	1	369	32
ATTENDED BY M.D.	22		143	2	123	1	241	21
ATTENDED BY D.O.	317	12	4				104	10
ATTENDED BY MIDWIFE							24	
OTHERS OR UNSPECIFIED								1
TOTAL FETAL DEATHS	1		1		1		3	
ATTENDED BY M.D.			1		1		1	
ATTENDED BY D.O.	1						2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	234	1	148		136		268	27
UNDER ONE YEAR OF AGE	10		3		2		5	
NEONATAL DEATHS	8		2		1		4	
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1					
MALIGNANT NEOPLASMS (140-209)	35		20		20		39	6
DIGEST. ORGANS (150-159)	10		8		9		12	1
RESPIRATORY SYSTEM (160-163)	8		1		6		6	1
BREAST (174)	2		1				6	1
GENITAL ORGANS (180-187)	4		4		2		5	2
URINARY ORGANS (188-189)	1				1		2	
LEUKEMIA (204-207)	2		1				1	
OTHER REMAINDER OF (140-209)	8		5		2		7	1
DIABETES MELLITUS (250)	1		2		2		3	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	135	1	86		94		160	16
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	102	1	68		73		110	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-399)							2	
HYPERTENSIVE HEART (402,404)	1				1		9	1
ISCHEMIC HEART (410-414)	93	1	65		71		92	7
OTHER HEART DISEASE (420-429)	8		3		1		7	1
HYPERTENSION (400,401,403)			1		1			
CEREBROVASCULAR DISEASE (430-438)	25		14		15		29	6
ARTERIOSCLEROSIS (440)	6		1		1		18	
OTHER CIRCULATORY (441-448)	2		2		4		3	1
INFLUENZA/PNEUMONIA (470-474,480-486)	10		10		2		12	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3		2		6	1
PEPTIC ULCER (531-533)	1		1		1		3	
CIRRHOSIS OF LIVER (571)			1				1	
NEPHRITIS AND NEPHROSIS (580-584)	2		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)	3				1			
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	6		2				3	
SYMPTOMS & ILL-DEFINED COND. (780-796)							7	1
ALL OTHER DISEASES (RESIDUAL)	21		9		5		20	
ACCIDENTAL DEATHS (E800-E949)	14		9		6		9	1
MOTOR VEHICLE (E810-E823)	9		8		3		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	1		1		2		1	
FIRES (E890-E899)							1	1
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	1						1	
INDUSTRIAL (E916-E921,E923-E928)	1						1	
OTHER REMAINDER OF (E900-E949)	2				1		1	
SUICIDE (E950-E959)	2		3		1		3	
HOMICIDE (E960-E978)					1			1
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	311	3	113		213	1	120	
ATTENDED BY M.D.	256	2	110		184	1	72	
ATTENDED BY D.O.	55	1	2		29		48	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	2				7		3	
ATTENDED BY M.D.	1				7		3	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	299		158		227	5	208	
UNDER ONE YEAR OF AGE	9		3		4		2	
NEONATAL DEATHS	6		2		3		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2						1	
MALIGNANT NEOPLASMS (140-209)	59		21		36	2	26	
DIGEST. ORGANS (150-159)	22		4		10		8	
RESPIRATORY SYSTEM (160-163)	6		6		5		6	
BREAST (174)	2		1		3			
GENITAL ORGANS (180-187)	7		2		8	2	3	
URINARY ORGANS (188-189)	2		2		2		3	
LEUKEMIA (204-207)	1		2		3		1	
OTHER REMAINDER OF (140-209)	19		4		5		5	
DIABETES MELLITUS (250)	10		2		6		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	151		99		116	1	124	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	102		69		78		83	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3				2		1	
HYPERTENSIVE HEART (402,404)	2				1		1	
ISCHEMIC HEART (410-414)	91		64		68		66	
OTHER HEART DISEASE (420-429)	6		5		7		15	
HYPERTENSION (400,401,403)	1		1		3			
CEREBROVASCULAR DISEASE (430-438)	37		23		29	1	37	
ARTERIOSCLEROSIS (440)	8		3		4		1	
OTHER CIRCULATORY (441-448)	3		3		2		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	11		5		8		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		9		5		4	
PEPTIC ULCER (531-533)	2				2			
CIRRHOSIS OF LIVER (571)	4		2		2		3	
NEPHRITIS AND NEPHROSIS (580-584)	2		1		2		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1							
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	6		2		3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	11		4		12	1	4	
ALL OTHER DISEASES (RESIDUAL)	20		8		17	1	14	
ACCIDENTAL DEATHS (E800-E949)	16		1		16		18	
MOTOR VEHICLE (E810-E823)	10		1		6		9	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	2				3		1	
FIRES (E890-E899)					1		5	
DROWNING & SUBMERSIONS (E910)	1						1	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1				5		1	
OTHER REMAINDER OF (E900-E949)	2				1			
SUICIDE (E950-E959)			4		1			
HOMICIDE (E960-E978)					1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	BOLLINGER		ROONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	113		1,114	138	1,251	72	464	50
ATTENDED BY M.D.	75		1,083	136	1,238	72	390	44
ATTENDED BY D.O.	42		30	2	12		73	6
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1		1		1		1	
TOTAL FETAL DEATHS	2		8	3	21	1	3	
ATTENDED BY M.D.	1		8	2	20	1	3	
ATTENDED BY D.O.	1			1	1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	123		488	48	1,160	54	426	32
UNDER ONE YEAR OF AGE	3		12	5	24	1	7	4
NEONATAL DEATHS	1		8	4	16	1	4	3
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					2		1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1	2	4		1	
MALIGNANT NEOPLASMS (140-209)	22		94	10	215	11	62	6
DIGEST. ORGANS (150-159)	5		23	2	53	3	17	3
RESPIRATORY SYSTEM (160-163)	7		18	1	43	4	16	1
BREAST (174)	1		7	2	23		4	
GENITAL ORGANS (180-187)	2		12	3	29	1	4	2
URINARY ORGANS (188-189)			3		14		4	
LEUKEMIA (204-207)	3		7		6		4	
OTHER REMAINDER OF (140-209)	4		24	2	47	3	13	
DIABETES MELLITUS (250)	1		9	3	19	4	11	
MAJOR CARDIOVASCULAR DISEASE (390-448)	71		263	14	624	23	224	12
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	48		181	10	441	18	149	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		5		1	
HYPERTENSIVE HEART (402,404)	3		1		8			
ISCHEMIC HEART (410-414)	40		164	9	407	15	135	6
OTHER HEART DISEASE (420-429)	5		15	1	21	3	13	1
HYPERTENSION (400,401,403)	1		2		3		1	
CEREBROVASCULAR DISEASE (430-438)	20		69	3	138	3	62	5
ARTERIOSCLEROSIS (440)			5		26	2	9	
OTHER CIRCULATORY (441-448)	2		6	1	16		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		21	2	31	3	17	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		9		24		8	
PEPTIC ULCER (531-533)			1		5		2	
CIRRHOSIS OF LIVER (571)			3		7	1	7	
NEPHRITIS AND NEPHROSIS (580-584)			4	2	3		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			5		5		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1		4	3	14	1	4	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		1		75	3	28	9
ALL OTHER DISEASES (RESIDUAL)	9		32	6	62	4	28	1
ACCIDENTAL DEATHS (E800-E949)	8		32	3	48	3	21	
MOTOR VEHICLE (E810-E823)	2		19		22	1	11	
OTHER TRANS. (E800-E807,E825-E845)			3		2			
POISONING (E850-E877)				2				
FALLS (E880-E887)	1		5		10	1	3	
FIRES (E890-E899)	2		3		6		3	
DROWNING & SUBMERSIONS (E910)			1	1	2		3	
FIREARM MISSILES (E922)	1				1	1	1	
INDUSTRIAL (E916-E921,E923-E928)			1		1			
OTHER REMAINDER OF (E900-E949)	2				4			
SUICIDE (E950-E959)	1		8		15		3	
HOMICIDE (E960-E978)				3	3		3	1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		4	1	2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	84		368	23	172		706	48
ATTENDED BY M.D.	50		262	18	134		671	43
ATTENDED BY D.O.	34		106	5	37		35	5
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		4		3		7	
ATTENDED BY M.D.	2		3		2		7	
ATTENDED BY D.O.			1		1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	146		261	33	166	1	484	23
UNDER ONE YEAR OF AGE			8	1	4		11	3
NEONATAL DEATHS			5	1	2		9	2
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1			1				
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			5		1			
MALIGNANT NEOPLASMS (140-209)	19		37	5	35	1	73	1
DIGEST. ORGANS (150-159)	5		8	2	6		22	
RESPIRATORY SYSTEM (160-163)	3		9		10		18	1
BREAST (174)	1		5		2		5	
GENITAL ORGANS (180-187)	5		8	3	6	1	9	
URINARY ORGANS (188-189)	1		2		2		1	
LEUKEMIA (204-207)			1		1		8	
OTHER REMAINDER OF (140-209)	4		4		8		10	
DIABETES MELLITUS (250)	2		3	1			7	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	90		131	14	85		279	9
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	71		94	8	60		189	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		2	1	2		1	
HYPERTENSIVE HEART (402,404)	1		6		2		6	
ISCHEMIC HEART (410-414)	66		82	7	52		179	7
OTHER HEART DISEASE (420-429)	2		4		4		3	
HYPERTENSION (400,401,403)	1				1		2	
CEREBROVASCULAR DISEASE (430-438)	12		26	6	18		65	2
ARTERIOSCLEROSIS (440)	3		6		2		9	
OTHER CIRCULATORY (441-448)	3		5		4		14	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		12		8		12	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		7		1		9	1
PEPTIC ULCER (531-533)					1		2	
CIRRHOSIS OF LIVER (571)	1				2		3	
NEPHRITIS AND NEPHROSIS (580-584)	2		2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			2		1		6	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3	1	1		4	2
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		15	2	4		25	2
ALL OTHER DISEASES (RESIDUAL)	9		20	3	12		33	3
ACCIDENTAL DEATHS (E800-E949)	13		21	5	9		20	
MOTOR VEHICLE (E810-E823)	6		4		6		9	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)			1	1			2	
FALLS (E880-E887)			5				4	
FIRES (E890-E899)	4		1	4	1		1	
DROWNING & SUBMERSIONS (E910)			2				1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			3		2		2	
OTHER REMAINDER OF (E900-E949)			5				1	
SUICIDE (E950-E959)			2		5		5	
HOMICIDE (E960-E978)	1			1			3	1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	150	5	54		773	16	125	
ATTENDED BY M.D.	80	1	47		587	15	103	
ATTENDED BY D.O.	69	4	7		186	1	21	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1						1	
TOTAL FETAL DEATHS	4		2		9			
ATTENDED BY M.D.	3		2		6			
ATTENDED BY D.O.	1				3			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	182	4	59		356	1	162	
UNDER ONE YEAR OF AGE					10		4	
NEONATAL DEATHS					9		3	
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				3			
MALIGNANT NEOPLASMS (140-209)	27	1	9		62		25	
DIGEST. ORGANS (150-159)	7	1	2		16		11	
RESPIRATORY SYSTEM (160-163)	2		4		12		5	
BREAST (174)	3				4			
GENITAL ORGANS (180-187)	2		1		5		1	
URINARY ORGANS (188-189)	1		1		2		2	
LEUKEMIA (204-207)	1				3			
OTHER REMAINDER OF (140-209)	11		1		20		6	
DIABETES MELLITUS (250)	3		4		5		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	117	2	32		193	1	92	
DISEASES OF HEART								
(390-398,402,404,410-429)	83	2	26		118		57	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					5		1	
HYPERTENSIVE HEART (402,404)	2				1			
ISCHEMIC HEART (410-414)	68	2	26		106		53	
OTHER HEART DISEASE (420-429)	13				6		3	
HYPERTENSION (400,401,403)	2				3		1	
CEREBROVASCULAR DISEASE (430-438)	24		6		58	1	31	
ARTERIOSCLEROSIS (440)	8				10		2	
OTHER CIRCULATORY (441-448)					4		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	5	1	3		11		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		1		4		2	
PEPTIC ULCER (531-533)					4		1	
CIRRHOSIS OF LIVER (571)	2				2		2	
NEPHRITIS AND NEPHROSIS (580-584)	1				2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)					1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)					9		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		6		7		1	
ALL OTHER DISEASES (RESIDUAL)	12		1		14		14	
ACCIDENTAL DEATHS								
(E800-E949)	5		3		29		11	
MOTOR VEHICLE (E810-E823)	3				13		1	
OTHER TRANS. (E800-E807,E825-E845)	1				1			
POISONING (E850-E877)					4			
FALLS (E880-E887)	1		1		3		2	
FIRES (E890-E899)					2			
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)			1				3	
INDUSTRIAL (E916-E921,E923-E928)					4		2	
OTHER REMAINDER OF (E900-E949)					2		3	
SUICIDE (E950-E959)	1				6		3	
HOMICIDE (E960-E978)					3			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	108	7	311		125	1	2,020	26
ATTENDED BY M.D.	73	4	303		89		1,821	24
ATTENDED BY D.O.	34	3	8		36	1	199	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS					3		17	2
ATTENDED BY M.D.					2		17	2
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	157	15	158		113		764	7
UNDER ONE YEAR OF AGE			7		1		34	
NEONATAL DEATHS			5		1		25	
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (C90-C97)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (C00-136)	1		1		1		4	
MALIGNANT NEOPLASMS (140-209)	26	1	23		15		142	
DIGEST. ORGANS (150-159)	9	1	6		6		30	
RESPIRATORY SYSTEM (160-163)	4		4		2		28	
BREAST (174)	2		1		1		13	
GENITAL ORGANS (180-187)	4		6		1		18	
URINARY ORGANS (188-189)	1		1				3	
LEUKEMIA (204-207)	1		1				12	
OTHER REMAINDER OF (140-209)	5		4		5		38	
DIABETES MELLITUS (250)	3	1	1		3		17	
MAJOR CARDIOVASCULAR DISEASE (390-448)	83	12	86		67		402	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	57	7	55		55		263	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2				4	
HYPERTENSIVE HEART (402,404)							6	
ISCHEMIC HEART (410-414)	54	7	51		46		240	3
OTHER HEART DISEASE (420-429)	3		2		9		18	
HYPERTENSION (400,401,403)	2						5	
CEREBROVASCULAR DISEASE (430-438)	18	5	26		10		100	1
ARTERIOSCLEROSIS (440)	4		2		2		15	
OTHER CIRCULATORY (441-448)	2		3				14	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		5		1		16	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3		2		16	1
PEPTIC ULCER (531-533)					1		4	
CIRRHOSIS OF LIVER (571)	1		1		1		9	1
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)			2		1		11	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			4		1		20	
SYMPTOMS & ILL-DEFINED COND. (780-796)	10	1	3		2		10	
ALL OTHER DISEASES (RESIDUAL)	9		14		10		55	
ACCIDENTAL DEATHS (E800-E949)	17		12		8		42	
MOTOR VEHICLE (E810-E823)	9		9		6		26	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)							2	
FALLS (E880-E887)	4						2	
FIRES (E890-E899)	2		1		2		4	
DROWNING & SUBMERSIONS (E910)							3	
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)	2						1	
OTHER REMAINDER OF (E900-E949)			1				3	
SUICIDE (E950-E959)			1				12	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1				2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	198	1	675	30	170	17	267	
ATTENDED BY M.D.	132		505	18	164	17	194	
ATTENDED BY D.O.	66	1	170	12	5		73	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS	3		12	1	3		1	
ATTENDED BY M.D.	2		10	1	3		1	
ATTENDED BY D.O.	1		2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	179	3	382	17	190	20	222	
UNDER ONE YEAR OF AGE			13		5		5	
NEONATAL DEATHS			10		5		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (C10-C19)			1				1	
SYPHILIS AND ITS SEQUELAE (C90-C97)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (C00-C136)	2		2	1	2		3	
MALIGNANT NEOPLASMS (140-209)	34		80	3	29	3	31	
DIGEST. ORGANS (150-159)	10		17		5	1	6	
RESPIRATORY SYSTEM (160-163)	6		21	2	10	1	5	
BREAST (174)	3		6		3		3	
GENITAL ORGANS (180-187)	5		12	1	5		4	
URINARY ORGANS (188-189)			2				2	
LEUKEMIA (204-207)			6				1	
OTHER REMAINDER OF (140-209)	10		16		6	1	10	
DIABETES MELLITUS (250)	1		5	1	3		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	109	3	209	7	117	13	132	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	78	2	155	4	94	12	97	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		5		1		1	
HYPERTENSIVE HEART (402,404)			2				3	
ISCHEMIC HEART (410-414)	64	2	140	4	87	8	79	
OTHER HEART DISEASE (420-429)	12		8		6	4	14	
HYPERTENSION (400,401,403)	2		2				1	
CEREBROVASCULAR DISEASE (430-438)	20		36	3	18	1	25	
ARTERIOSCLEROSIS (440)	7	1	5		2		5	
OTHER CIRCULATORY (441-448)	2		11		3		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		7	1	6		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		8		4		4	
PEPTIC ULCER (531-533)							2	
CIRRHOSIS OF LIVER (571)			3		1			
NEPHRITIS AND NEPHROSIS (580-584)							2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			2		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			8		3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		1		2		1	
ALL OTHER DISEASES (RESIDUAL)	8		31	2	8	3	18	
ACCIDENTAL DEATHS								
(E800-E849)	12		21		12	1	9	
MOTOR VEHICLE (E810-E823)	5		13		6		5	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			1					
FALLS (E880-E887)	6		2		1		2	
FIRES (E890-E899)	1					1		
DROWNING & SUBMERSIONS (E910)			1		3			
FIREARM MISSILES (E922)			1				2	
INDUSTRIAL (E916-E921,E923-E928)			2		2			
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	2		3	1			3	
HOMICIDE (E960-E978)			1	1			2	
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	DADE		DALLAS		DAVIESS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	74		121	2	109		99	
ATTENDED BY M.D.	70		109	2	65		57	
ATTENDED BY D.O.	4		11		44		42	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS			1		3		1	
ATTENDED BY M.D.			1		1		1	
ATTENDED BY D.O.					2			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	111	3	149		141	1	104	
UNDER ONE YEAR OF AGE	1		1		1		1	
NEONATAL DEATHS	1		1				1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1					
MALIGNANT NEOPLASMS (140-209)	13		17		21		16	
DIGEST. ORGANS (150-159)			4		9		5	
RESPIRATORY SYSTEM (160-163)	1		4		2		2	
BREAST (174)	1		1		1		1	
GENITAL ORGANS (180-187)	2				2		2	
URINARY ORGANS (188-189)	2		1		1		3	
LEUKEMIA (204-207)	1		1		1			
OTHER REMAINDER OF (140-209)	6		6		5		3	
DIABETES MELLITUS (250)	2				3		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	53	2	95		90	1	63	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	35	1	62		64		42	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	DADE		DALLAS		DAVIESS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)							1	
HYPERTENSIVE HEART (402,404)	1		5		4		1	
ISCHEMIC HEART (410-414)	30	1	54		58		36	
OTHER HEART DISEASE (420-429)	4		3		2		4	
HYPERTENSION (400,401,403)			6		1			
CEREBROVASCULAR DISEASE (430-438)	14	1	21		21	1	15	
ARTERIOSCLEROSIS (440)	1		3		3		4	
OTHER CIRCULATORY (441-448)	3		3		1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		5		6		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		6		3		3	
PEPTIC ULCER (531-533)			1		1		2	
CIRRHOSIS OF LIVER (571)								
NEPHRITIS AND NEPHROSIS (580-584)	1				1			
COMPLICATIONS OF PREG, CHILD BIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1							
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3	1	4					
ALL OTHER DISEASES (RESIDUAL)	12		11		9		6	
ACCIDENTAL DEATHS (E800-E949)	13		3		4		7	
MOTOR VEHICLE (E810-E823)	10				1		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			1					
FALLS (E880-E887)	1				1		3	
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1							
OTHER REMAINDER OF (E900-E949)	1		1		1			
SUICIDE (E950-E959)	1		2		2		2	
HOMICIDE (E960-E978)	1		1					
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	189	1	138		501	59	999	10
ATTENDED BY M.D.	96	1	91		452	31	851	9
ATTENDED BY D.O.	93		44		48	28	148	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			3		1			
TOTAL FETAL DEATHS	1		2		5	1	10	1
ATTENDED BY M.D.	1		1		5	1	10	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE			1					
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	183		106		433	12	606	9
UNDER ONE YEAR OF AGE	6		3		6	2	19	2
NEONATAL DEATHS	4		2		4	1	15	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1		5	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		1		1	
MALIGNANT NEOPLASMS (140-209)	24		16		68	3	86	
DIGEST. ORGANS (150-159)	5		9		17		23	
RESPIRATORY SYSTEM (160-163)	6		1		17	2	25	
BREAST (174)	3		1		4		5	
GENITAL ORGANS (180-187)	4		1		7		7	
URINARY ORGANS (188-189)	1		1		3	1	3	
LEUKEMIA (204-207)					3		3	
OTHER REMAINDER OF (140-209)	5		3		17		20	
DIABETES MELLITUS (250)	1				6		12	
MAJOR CARDIOVASCULAR DISEASE (390-448)	112		64		214	4	338	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	75		38		159	2	267	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2				6	
HYPERTENSIVE HEART (402,404)	2				3		6	
ISCHEMIC HEART (410-414)	67		33		149	2	237	2
OTHER HEART DISEASE (420-429)	5		3		7		18	
HYPERTENSION (400,401,403)					1		3	
CEREBROVASCULAR DISEASE (430-438)	25		22		47	2	52	1
ARTERIOSCLEROSIS (440)	7		3		3		3	
OTHER CIRCULATORY (441-448)	5		1		4		8	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		3		24		19	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		3		9		10	
PEPTIC ULCER (531-533)	1		1		3		2	
CIRRHOSIS OF LIVER (571)	1		1		1		2	1
NEPHRITIS AND NEPHROSIS (580-584)					8		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		2		3	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2				3	1	9	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	12		1		25	1	22	1
ALL OTHER DISEASES (RESIDUAL)	10		6		35	1	38	1
ACCIDENTAL DEATHS								
(E800-E949)	8		6		25	1	46	
MOTOR VEHICLE (E810-E823)	6		5		13	1	25	
OTHER TRANS. (E800-E807,E825-E845)	1				2			
POISONING (E850-E877)								
FALLS (E880-E887)					3		7	
FIRES (E890-E899)			1		4		3	
DROWNING & SUBMERSIONS (E910)					1		4	
FIREARM MISSILES (E922)					2		1	
INDUSTRIAL (E916-E921,E923-E928)	1						4	
OTHER REMAINDER OF (E900-E949)							2	
SUICIDE (E950-E959)	1		1		6	1	6	
HOMICIDE (E960-E978)	1				1		2	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	173	2	98		2,441	58	153	1
ATTENDED BY M.D.	89	2	94		2,412	57	132	1
ATTENDED BY D.O.	84		4		28	1	21	
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	3		1		23	3	1	
ATTENDED BY M.D.	2		1		22	3	1	
ATTENDED BY D.O.	1				1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	210		133		1,606	35	202	
UNDER ONE YEAR OF AGE	3		2		49		1	
NEONATAL DEATHS	2		2		36		1	
MATERNAL DEATHS			1		2			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					3			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2		16		1	
MALIGNANT NEOPLASMS (140-209)	39		23		255	8	44	
DIGEST. ORGANS (150-159)	14		8		63	4	17	
RESPIRATORY SYSTEM (160-163)	4		1		60	2	9	
BREAST (174)	2		3		27		4	
GENITAL ORGANS (180-187)	6		4		32		6	
URINARY ORGANS (188-189)	1		1		16		3	
LEUKEMIA (204-207)	1		2		3		1	
OTHER REMAINDER OF (140-209)	11		4		54	2	4	
DIABETES MELLITUS (250)	9		5		21		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	124		73		436	18	113	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	87		55		575	13	82	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				10			
HYPERTENSIVE HEART (402,404)			1		8	1	13	
ISCHEMIC HEART (410-414)	83		47		538	11	65	
OTHER HEART DISEASE (420-429)	2		7		19	1	4	
HYPERTENSION (400,401,403)	2		1		4	1		
CEREBROVASCULAR DISEASE (430-438)	25		15		208	2	28	
ARTERIOSCLEROSIS (440)	3		1		36	1	3	
OTHER CIRCULATORY (441-448)	7		1		13	1		
INFLUENZA/PNEUMONIA (470-474,480-486)	4		5		49	2	10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		4		26		3	
PEPTIC ULCER (531-533)					6			
CIRRHOSIS OF LIVER (571)	1		1		13		2	
NEPHRITIS AND NEPHROSIS (580-584)			1		7		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1		2			
CONGENITAL ANOMALIES (740-759)	1		1		15			
DISEASES OF EARLY INFANCY (760-769,770-772,774-778)	1		1		24		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		1		92	3	1	
ALL OTHER DISEASES (RESIDUAL)	8		7		115	2	16	
ACCIDENTAL DEATHS (E800-E949)	10		7		93	2	6	
MOTOR VEHICLE (E810-E823)	7		4		54		2	
OTHER TRANS. (E800-E807,E825-E845)	1				1			
POISONING (E850-E877)					4			
FALLS (E880-E887)			1		13	1	3	
FIRES (E890-E899)					3			
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	1				10		1	
OTHER REMAINDER OF (E900-E949)			2		7	1		
SUICIDE (E950-E959)	4		1		17			
HOMICIDE (E960-E978)					5			
ALL OTHER EXTERNAL CAUSES (E980-E999)					11			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	103		275		47		90	1
ATTENDED BY M.D.	81		94		34		90	1
ATTENDED BY D.O.	22		181		13			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		5		1			
ATTENDED BY M.D.	1		4		1			
ATTENDED BY D.O.	1		1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	153		349	2	76		136	1
UNDER ONE YEAR OF AGE	4		2		1		3	
NEONATAL DEATHS	3		2		1		1	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2					
MALIGNANT NEOPLASMS (140-209)	23		57		11		17	
DIGEST. ORGANS (150-159)	7		14		6		7	
RESPIRATORY SYSTEM (160-163)	3		19		1		2	
BREAST (174)	3		2				2	
GENITAL ORGANS (180-187)	3		7		1		2	
URINARY ORGANS (188-189)	2		1		2			
LEUKEMIA (204-207)	3		2				1	
OTHER REMAINDER OF (140-209)	2		12		1		3	
DIABETES MELLITUS (250)	2		3					
MAJOR CARDIOVASCULAR DISEASE (390-448)	94		185	1	44		87	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	70		140		25		64	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2					
HYPERTENSIVE HEART (402,404)	3		1		5			
ISCHEMIC HEART (410-414)	60		121		17		54	
OTHER HEART DISEASE (420-429)	6		16		3		10	
HYPERTENSION (400,401,403)	1		1		1		1	
CEREBROVASCULAR DISEASE (430-438)	14		36	1	15		19	
ARTERIOSCLEROSIS (440)	5		3				3	
OTHER CIRCULATORY (441-448)	4		5		3			
INFLUENZA/PNEUMONIA (470-474,480-486)	2		11		2		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		8	1	1			
PEPTIC ULCER (531-533)			1		1		1	1
CIRRHOSIS OF LIVER (571)	1		2				1	
NEPHRITIS AND NEPHROSIS (580-584)	6		2				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	1				1			
DISEASES OF EARLY INFANCY (760-769,770-772,774-778)	1		2				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		17		7			
ALL OTHER DISEASES (RESIDUAL)	6		26		5		8	
ACCIDENTAL DEATHS								
(E800-E849)	8		24		3		9	
MOTOR VEHICLE (E810-E823)	4		10				6	
OTHER TRANS. (E800-E807,E825-E845)			1				1	
POISONING (E850-E877)							1	
FALLS (E880-E887)	2		3		1		1	
FIRES (E890-E899)			9					
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E910-E921,E923-E928)	2		1		1			
OTHER REMAINDER OF (E900-E949)					1			
SUICIDE (E950-E959)	3		7		1		4	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)	2							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	131	12	380	1	182		7,754	2,785
ATTENDED BY P.D.	130	12	370	1	150		6,771	2,587
ATTENDED BY D.O.	1		10		32		983	197
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								1
TOTAL FETAL DEATHS	1		2		3		95	63
ATTENDED BY M.D.	1		2		2		78	61
ATTENDED BY D.O.					1		17	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	153	13	338		126		5,488	1,172
UNDER ONE YEAR OF AGE	3		7		4		115	78
NEONATAL DEATHS	3		6		3		77	57
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							6	7
SYPHILIS AND ITS SEQUELAE (090-097)							1	3
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		3				30	7
MALIGNANT NEOPLASMS (140-209)	18	3	49		17		994	205
DIGEST. ORGANS (150-159)	5		13		3		247	53
RESPIRATORY SYSTEM (160-163)	5	2	14		6		232	48
BREAST (174)	2		1		1		82	19
GENITAL ORGANS (180-187)	3		3		3		119	35
URINARY ORGANS (188-189)		1	4		1		46	7
LEUKEMIA (204-207)	1		1				50	8
OTHER REMAINDER OF (140-209)	2		13		3		218	35
DIABETES MELLITUS (250)	1		3				102	26
MAJOR CARDIOVASCULAR DISEASE (290-448)	94	5	197		65		2,780	442
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	56	1	137		39		1,961	304

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		1		47	5
HYPERTENSIVE HEART (402,404)	3		1				21	10
ISCHEMIC HEART (410-414)	49	1	122		34		1,694	213
OTHER HEART DISEASE (420-429)	3		13		4		199	76
HYPERTENSION (400,401,403)		1	3		1		21	10
CEREBROVASCULAR DISEASE (430-438)	30	3	52		16		615	99
ARTERIOSCLEROSIS (440)	4		2		8		115	20
OTHER CIRCULATORY (441-448)	4		3		1		68	9
INFLUENZA/PNEUMONIA (470-474,480-486)	5		7		4		164	27
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		10		2		96	9
PEPTIC ULCER (531-533)			3		2		20	9
CIRRHOSIS OF LIVER (571)	1		1				92	19
NEPHRITIS AND NEPHROSIS (580-584)	3				1		19	10
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		2		1		33	10
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1		5		2		60	47
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	1	3		5		308	128
ALL OTHER DISEASES (RESIDUAL)	11	1	29		13		381	95
ACCIDENTAL DEATHS								
(E800-E949)	11	1	21		12		281	71
MOTOR VEHICLE (E810-E823)	6		10		6		144	24
OTHER TRANS. (E800-E807,E825-E845)			1				6	
POISONING (E850-E877)							8	2
FALLS (E880-E887)	2		1		3		64	10
FIRES (E890-E899)	2	1	1		1		15	16
DROWNING & SUBMERSIONS (E910)					1		8	6
FIREARM MISSILES (E922)			2				6	3
INDUSTRIAL (E916-E921,E923-E928)	1		5		1		11	5
OTHER REMAINDER OF (E900-E949)			1				19	5
SUICIDE (E950-E959)	1		4		1		62	7
HOMICIDE (E960-E978)		1	1		1		33	44
ALL OTHER EXTERNAL CAUSES (E980-E999)		1					26	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	1,246	27	2,956	18	568	47	68	
ATTENDED BY M.D.	991	17	2,010	18	506	43	9	
ATTENDED BY D.O.	255	10	46		62	4	59	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	13		20	1	7	3		
ATTENDED BY M.D.	11		19	1	6	3		
ATTENDED BY D.O.	2		1		1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	1,129	17	739	12	270	14	89	
UNDER ONE YEAR OF AGE	21		30		10	1	1	
NEONATAL DEATHS	12		24		8			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	5				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (100-136)	5		7		2			
MALIGNANT NEOPLASMS (140-209)	187		107	3	41		15	
DIGEST. ORGANS (150-159)	45		33		11		4	
RESPIRATORY SYSTEM (160-163)	48		23		9		2	
BREAST (174)	18		4		4		2	
GENITAL ORGANS (180-187)	27		10		4		4	
URINARY ORGANS (188-189)	11		6	1	3		1	
LEUKEMIA (204-207)	7		3		1			
OTHER REMAINDER OF (140-209)	31		28	2	9		2	
DIABETES MELLITUS (250)	19	2	20	3	1		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	619	6	391	4	150	9	58	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	449	5	300	2	101	7	43	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	5		6				1	
HYPERTENSIVE HEART (402,404)	11				3			
ISCHEMIC HEART (410-414)	419	5	281	2	90	6	39	
OTHER HEART DISEASE (420-429)	14		13		8	1	3	
HYPERTENSION (400,401,403)	2		1				2	
CEREBROVASCULAR DISEASE (430-438)	131	1	67	2	29	2	11	
ARTERIOSCLEROSIS (440)	26		16		15		1	
OTHER CIRCULATORY (441-448)	11		7		5		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	27	1	33		9		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	18	1	11		6			
PEPTIC ULCER (531-533)	4		6		1			
CIRRHOSIS OF LIVER (571)	12		5		3	1		
NEPHRITIS AND NEPHROSIS (580-584)	13	1	1				2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	9		8		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	8		18		4			
SYMPTOMS & ILL-DEFINED COND. (780-796)	50	6	6			1		
ALL OTHER DISEASES (RESIDUAL)	74		38		16		3	
ACCIDENTAL DEATHS (E800-E949)	60		73	2	29	2	4	
MOTOR VEHICLE (E810-E823)	29		47	2	20	1	3	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)			1					
FALLS (E880-E887)	13		7		5			
FIRES (E890-E899)	1		2					
DROWNING & SUBMERSIONS (E910)	1		6					
FIREARM MISSILES (E922)			4			1		
INDUSTRIAL (E916-E921,E923-E928)	5		3		2			
OTHER REMAINDER OF (E900-E949)	10		3		2		1	
SUICIDE (E950-E959)	14		9		3	1	2	
HOMICIDE (E960-E978)	3		5		1			
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	313	1	364	15	380	3	132	8
ATTENDED BY M.D.	286	1	245	13	362	3	118	8
ATTENDED BY D.O.	26		119	2	18		14	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	4		5	1	3		1	
ATTENDED BY M.D.	4		4	1	3		1	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	282	4	329	17	347		121	2
UNDER ONE YEAR OF AGE	5		5		7		1	
NEONATAL DEATHS	4		4		6			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2				2			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				1		1	
MALIGNANT NEOPLASMS (140-209)	40	1	63		66		14	
DIGEST. ORGANS (150-159)	8	1	14		15			
RESPIRATORY SYSTEM (160-163)	8		13		17		3	
BREAST (174)	4		6		4		2	
GENITAL ORGANS (180-187)	6		9		8		3	
URINARY ORGANS (188-189)	1		3		5		2	
LEUKEMIA (204-207)	3		4		4		1	
OTHER REMAINDER OF (140-209)	10		14		13		3	
DIABETES MELLITUS (250)	9		5	1	3		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	157	3	189	10	180		81	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	118	2	129	8	116		68	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				4		3	
HYPERTENSIVE HEART (402,404)	2		2		2			
ISCHEMIC HEART (410-414)	109	2	117	8	106		64	1
OTHER HEART DISEASE (420-429)	5		10		4		1	
HYPERTENSION (400,401,403)	2		1		1			
CEREBROVASCULAR DISEASE (430-438)	31	1	51	2	46		10	
ARTERIOSCLEROSIS (440)	4		7		9		1	
OTHER CIRCULATORY (441-448)	2		1		8		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		8		15		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		3		7		2	
PEPTIC ULCER (531-533)			1		1			
CIRRHOSIS OF LIVER (571)	2		2		4		2	
NEPHRITIS AND NEPHROSIS (580-584)	2		2		1		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		3		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		1		5		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		10	1	6		2	1
ALL OTHER DISEASES (RESIDUAL)	20		17	2	26		4	
ACCIDENTAL DEATHS (E800-E949)	17		21	1	25		6	
MOTOR VEHICLE (E810-E823)	5		10		18		4	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)							1	
FALLS (E880-E887)	3		6		2			
FIRES (E890-E899)	3				1		1	
DROWNING & SUBMERSIONS (E910)	2		1					
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	3		3		2			
OTHER REMAINDER OF (E900-E949)			1	1	1			
SUICIDE (E950-E959)	4		4	1	3		2	
HOMICIDE (E960-E978)				1				
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	265	12	184	5	244	3	237	5
ATTENDED BY M.D.	169	8	118	2	160	2	178	4
ATTENDED BY D.O.	95	4	66	3	84	1	59	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	2		6		1		2	
ATTENDED BY M.D.	1		4				1	
ATTENDED BY D.O.	1		2		1		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	256	8	273	6	225	5	188	
UNDER ONE YEAR OF AGE	1		3		3		3	
NEONATAL DEATHS			2		2		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1			1			1	
MALIGNANT NEOPLASMS (140-209)	29		45		39		36	
DIGEST. ORGANS (150-159)	7		15		9		6	
RESPIRATORY SYSTEM (160-163)	6		9		9		10	
BREAST (174)	1		1		1		1	
GENITAL ORGANS (180-187)	2		7		5		5	
URINARY ORGANS (188-189)	3		7		1		1	
LEUKEMIA (204-207)	2		3		2		2	
OTHER REMAINDER OF (140-209)	8		3		12		11	
DIABETES MELLITUS (250)	8		5		4		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	165	7	160	5	132	4	105	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	101	5	109	4	83	2	78	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4		1		1		1	
HYPERTENSIVE HEART (402,404)	3	1	2	1	2		2	
ISCHEMIC HEART (410-414)	87	3	96	3	69	2	54	
OTHER HEART DISEASE (420-429)	7	1	10		11		21	
HYPERTENSION (400,401,403)	1				2		2	
CEREBROVASCULAR DISEASE (430-438)	51	1	47	1	34	2	24	
ARTERIOSCLEROSIS (440)	5	1	2		5		1	
OTHER CIRCULATORY (441-448)	7		2		8			
INFLUENZA/PNEUMONIA (470-474,480-486)	4		10		12		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		4		4		4	
PEPTIC ULCER (531-533)	1						2	
CIRRHOSIS OF LIVER (571)	2		1				1	
NEPHRITIS AND NEPHROSIS (580-584)	2						3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		2			
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)			2		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	13	1					4	
ALL OTHER DISEASES (RESIDUAL)	12		33		11	1	12	
ACCIDENTAL DEATHS (E800-E949)	12		11		14		12	
MOTOR VEHICLE (E810-E823)	10		7		10		7	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)			1				4	
FIRES (E890-E899)	1				1			
DROWNING & SUBMERSIONS (E910)	1		1		1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			2		1			
OTHER REMAINDER OF (E900-E949)					1		1	
SUICIDE (E950-E959)	3		1		6		1	
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	204	5	126	1	101		390	33
ATTENDED BY M.D.	64	1	68	1	48		386	33
ATTENDED BY D.O.	140	4	58		53		4	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		2				4	
ATTENDED BY M.D.	1		1				4	
ATTENDED BY D.O.	1		1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	247	4	134	1	71		360	15
UNDER ONE YEAR OF AGE	2		3		2		7	2
NEONATAL DEATHS	1		2		1		7	1
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1							1
MALIGNANT NEOPLASMS (140-209)	31	2	17		7		56	3
DIGEST. ORGANS (150-159)	6		5		2		16	1
RESPIRATORY SYSTEM (160-163)	8	1	3				14	
BREAST (174)	1	1	3		1		1	1
GENITAL ORGANS (180-187)	6		4				6	
URINARY ORGANS (188-189)	4				1		8	
LEUKEMIA (204-207)	2						1	
OTHER REMAINDER OF (140-209)	4		2		3		10	1
DIABETES MELLITUS (250)			5		1		6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	165	2	77		33		200	7
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	123	1	47		25		146	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1						1	
HYPERTENSIVE HEART (402,404)	13		1				1	
ISCHEMIC HEART (410-414)	102		43		24		131	2
OTHER HEART DISEASE (420-429)	7	1	3		1		13	1
HYPERTENSION (400,401,403)							1	1
CEREBROVASCULAR DISEASE (430-438)	29		17		7		41	3
ARTERIOSCLEROSIS (440)	6		9				7	
OTHER CIRCULATORY (441-448)	7	1	4		1		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		3		5		20	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		2				3	1
PEPTIC ULCER (531-533)	2		1		1		1	
CIRRHOSIS OF LIVER (571)	2				1		3	
NEPHRITIS AND NEPHROSIS (580-584)	2		1				1	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	1		1				1	
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	1		1		1		6	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		7	1	2		13	1
ALL OTHER DISEASES (RESIDUAL)	13		12		6		23	
ACCIDENTAL DEATHS (E800-E949)	10		5		9		18	
MOTOR VEHICLE (E810-E823)	2		4		6		10	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	2							
FALLS (E880-E887)					3		4	
FIRES (E890-E899)							1	
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	1		1					
INDUSTRIAL (E916-E921,E923-E928)	3						3	
OTHER REMAINDER OF (E900-E949)	2							
SUICIDE (E950-E959)	7		1		3		8	
HOMICIDE (E960-E978)					2		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	45		259		220	108	145	4
ATTENDED BY M.D.	15		107		91	8	104	2
ATTENDED BY D.O.	30		152		129	99	41	1
ATTENDED BY MIDWIFE						1		
OTHERS OR UNSPECIFIED								1
TOTAL FETAL DEATHS			1		4	2		
ATTENDED BY M.D.					2			
ATTENDED BY D.O.			1		2	2		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	75		226	1	167	41	175	5
UNDER ONE YEAR OF AGE	1		6		1	1	1	
NEONATAL DEATHS	1		4				1	
MATERNAL DEATHS						1	1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1			1		
SYPHILIS AND ITS SEQUELAE (090-C97)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1		1	
MALIGNANT NEOPLASMS (140-209)	16		37		27	7	23	1
DIGEST. ORGANS (150-159)	5		8		7	2	4	1
RESPIRATORY SYSTEM (160-163)	1		7		10	1	4	
BREAST (174)	1		4		1			
GENITAL ORGANS (180-187)	3		6		3	3	5	
URINARY ORGANS (188-189)	3		2		1		1	
LEUKEMIA (204-207)			1		2		1	
OTHER REMAINDER OF (140-209)	3		9		3	1	8	
DIABETES MELLITUS (250)	6		3		2		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	39		126	1	81	15	106	4
DISEASES OF HEART (390-398, 402, 404, 410-429)	27		92	1	58	12	78	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		1		2	
HYPERTENSIVE HEART (402,404)	2		2		3	1	6	1
ISCHEMIC HEART (410-414)	21		81	1	44	9	66	3
OTHER HEART DISEASE (420-429)	4		7		10	2	4	
HYPERTENSION (400,401,403)			1					
CEREBROVASCULAR DISEASE (430-438)	8		25		19	3	25	
ARTERIOSCLEROSIS (440)	4		7		1		2	
OTHER CIRCULATORY (441-448)			1		3		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		11		10	2	9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		3		3		3	
PEPTIC ULCER (531-533)			4				1	
CIRRHOSIS OF LIVER (571)			1		4	1		
NEPHRITIS AND NEPHROSIS (580-584)			1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						1	1	
CONGENITAL ANOMALIES (740-759)								
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		4				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)			1		9	6	3	
ALL OTHER DISEASES (RESIDUAL)	6		15		12	1	12	
ACCIDENTAL DEATHS (E800-E949)	3		16		15	2	9	
MOTOR VEHICLE (E810-E823)			7		8	2	6	
OTHER TRANS. (E800-E807,E825-E845)	1				1			
POISONING (E850-E877)								
FALLS (E880-E887)	1		5		1		2	
FIRES (E890-E899)			1		1			
DROWNING & SUBMERSIONS (E910)			1		1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			2				1	
OTHER REMAINDER OF (E900-E949)	1				3			
SUICIDE (E950-E959)			1		1		1	
HOMICIDE (E960-E978)	1		1		1	5		
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	101	6	140	14	152	3	322	119
ATTENDED BY M.D.	90	6	84	10	131	2	251	71
ATTENDED BY D.O.	9		56	4	20	1	68	34
ATTENDED BY MIDWIFE	2						3	14
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS			3	1	3		9	1
ATTENDED BY M.D.			3		3		8	1
ATTENDED BY D.O.				1			1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	149	7	163	8	165	4	243	62
UNDER ONE YEAR OF AGE			2		1	1	3	3
NEONATAL DEATHS			2			1	2	2
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					2		1	1
MALIGNANT NEOPLASMS (140-209)	24	1	27	1	27	1	30	10
DIGEST. ORGANS (150-159)	8		7	1	5		6	4
RESPIRATORY SYSTEM (160-163)	3	1	5		6		13	2
BREAST (174)	2		2		3		2	1
GENITAL ORGANS (180-187)	3		2		4	1	2	2
URINARY ORGANS (188-189)	1				1		1	
LEUKEMIA (204-207)	1		2		4		2	
OTHER REMAINDER OF (140-209)	6		9		4		4	1
DIABETES MELLITUS (250)	1	2	4		2		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	98	3	98	5	93	1	120	24
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	76	3	70	4	62		82	18

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4		1		2		1	
HYPERTENSIVE HEART (402,404)			6		1		1	
ISCHEMIC HEART (410-414)	61	3	58	4	55		78	18
OTHER HEART DISEASE (420-429)	11		5		4		2	
HYPERTENSION (400,401,403)	3		3				1	
CEREBROVASCULAR DISEASE (430-438)	16		17	1	24	1	32	6
ARTERIOSCLEROSIS (440)	2		6		2		3	
OTHER CIRCULATORY (441-448)	1		2		5		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		2		7	1	9	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		3		2		5	1
PEPTIC ULCER (531-533)					3		2	
CIRRHOSIS OF LIVER (571)			4		2		2	
NEPHRITIS AND NEPHROSIS (580-584)	1				2		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)								
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			2			1	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	1	2	1	3		31	12
ALL OTHER DISEASES (RESIDUAL)	8		12		8		12	5
ACCIDENTAL DEATHS (E800-E949)	5		7	1	11		16	5
MOTOR VEHICLE (E810-E823)	4		5		6		10	4
OTHER TRANS. (E800-E807,E825-E845)					2		1	
POISONING (E850-E877)							1	
FALLS (E880-E887)			1	1	2			
FIRES (E890-E899)							2	1
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		1		1		1	
OTHER REMAINDER OF (E900-E949)							1	
SUICIDE (E950-E959)			1		1		2	
HOMICIDE (E960-E978)	1				1		2	1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	527	3	284	3	110		173	
ATTENDED BY M.D.	396	1	275	3	94		119	
ATTENDED BY D.O.	126	2	9		16		54	
ATTENDED BY MIDWIFE	5							
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	9		2				1	
ATTENDED BY M.D.	7		2					
ATTENDED BY D.O.	1						1	
ATTENDED BY MIDWIFE	1							
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	365	1	318		152		122	
UNDER ONE YEAR OF AGE	7		4		1		4	
NEONATAL DEATHS	5		4				3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2				1	
MALIGNANT NEOPLASMS (140-209)	62	1	34		21		24	
DIGEST. ORGANS (150-159)	13	1	11		4		6	
RESPIRATORY SYSTEM (160-163)	17		7		5		5	
BREAST (174)	6		4		2		5	
GENITAL ORGANS (180-187)	6		4		1		3	
URINARY ORGANS (188-189)	3				1			
LEUKEMIA (204-207)	4						1	
OTHER REMAINDER OF (140-209)	13		8		8		4	
DIABETES MELLITUS (250)	8		10		2		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	183		207		99		70	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	122		129		75		52	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		2				1	
HYPERTENSIVE HEART (402,404)			4					
ISCHEMIC HEART (410-414)	110		116		71		46	
OTHER HEART DISEASE (420-429)	10		7		4		5	
HYPERTENSION (400,401,403)	3		2					
CEREBROVASCULAR DISEASE (430-438)	46		62		20		15	
ARTERIOSCLEROSIS (440)	5		5		2		2	
OTHER CIRCULATORY (441-448)	7		9		2		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	20		13		4		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		4		2		1	
PEPTIC ULCER (531-533)			2		1			
CIRRHOSIS OF LIVER (571)	3		1		3		1	
NEPHRITIS AND NEPHROSIS (580-584)	3		2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2				2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		3				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	21						1	
ALL OTHER DISEASES (RESIDUAL)	21		14		6		5	
ACCIDENTAL DEATHS (E800-E949)	31		17		13		7	
MOTOR VEHICLE (E810-E823)	22		12		7		2	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	3		1		4		3	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)	2						1	
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	2		3		1		1	
OTHER REMAINDER OF (E900-E949)	1		1					
SUICIDE (E950-E959)	4		2				1	
HOMICIDE (E960-E978)			4					
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	82	1	311	222	216	1	476	22
ATTENDED BY M.D.	73	1	307	222	215	1	456	22
ATTENDED BY D.O.	8		4		1		20	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	1		6	1	2		2	
ATTENDED BY M.D.	1		6	1	2		2	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	90		274	102	163		491	18
UNDER ONE YEAR OF AGE	1		8	8	2		5	1
NEONATAL DEATHS	1		6	3	1		1	1
MATERNAL DEATHS				2				
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		2					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		1			
MALIGNANT NEOPLASMS (140-209)	17		38	11	33		79	4
DIGEST. ORGANS (150-159)	2		11	3	12		22	3
RESPIRATORY SYSTEM (160-163)	3		10	2	9		13	
BREAST (174)	3			1	2		5	
GENITAL ORGANS (180-187)	1		5	3	3		12	1
URINARY ORGANS (188-189)	1				1		6	
LEUKEMIA (204-207)			4		1		1	
OTHER REMAINDER OF (140-209)	7		8	2	5		19	
DIABETES MELLITUS (250)			8	3	3		10	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	47		143	44	95		295	5
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	32		103	37	70		200	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		2		2	
HYPERTENSIVE HEART (402,404)	1		8	13	4		8	1
ISCHEMIC HEART (410-414)	28		88	22	63		169	4
OTHER HEART DISEASE (420-429)	3		6	2	1		21	
HYPERTENSION (400,401,403)			1	1			1	
CEREBROVASCULAR DISEASE (430-438)	9		35	4	23		80	
ARTERIOSCLEROSIS (440)	5		2	2			12	
OTHER CIRCULATORY (441-448)	1		2		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)			6	7	2		12	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		1		10	
PEPTIC ULCER (531-533)							2	
CIRRHOSIS OF LIVER (571)	2		2		2		2	
NEPHRITIS AND NEPHROSIS (580-584)			3	1			3	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				2				
CONGENITAL ANOMALIES (740-759)			1	1			3	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1		6	2	1		1	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		32	14	5		5	
ALL OTHER DISEASES (RESIDUAL)	6		12	7	11		33	3
ACCIDENTAL DEATHS (E800-E949)	10		16	3	6		28	
MOTOR VEHICLE (E810-E823)	6		10	2	3		19	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)							2	
FALLS (E880-E887)	2		1	1			2	
FIRES (E890-E899)	1		1		1			
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)			1				1	
OTHER REMAINDER OF (E900-E949)			2		1		4	
SUICIDE (E950-E959)	1						7	
HOMICIDE (E960-E978)			1	6				
ALL OTHER EXTERNAL CAUSES (E980-E999)				1	3		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	476	6	230	22	512	6	231	2
ATTENDED BY M.D.	336	5	172	18	460	4	218	2
ATTENDED BY D.O.	139	1	48	4	52	2	12	
ATTENDED BY MIDWIFE			10					
OTHERS OR UNSPECIFIED	1						1	
TOTAL FETAL DEATHS	6		5	1	4		5	
ATTENDED BY M.D.	4		4		4		5	
ATTENDED BY D.O.	2		1	1				
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	304	1	228	24	212	3	211	
UNDER ONE YEAR OF AGE	10		3	1	7		6	
NEONATAL DEATHS	7		2	1	7		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		2	2			1	
MALIGNANT NEOPLASMS (140-209)	55		38	7	27	1	33	
DIGEST. ORGANS (150-159)	10		6	4	5		6	
RESPIRATORY SYSTEM (160-163)	13		11	1	7	1	10	
BREAST (174)	8		2		3		1	
GENITAL ORGANS (180-187)	9		5		3		5	
URINARY ORGANS (188-189)	1		2		1		2	
LEUKEMIA (204-207)	2		1	2	1		2	
OTHER REMAINDER OF (140-209)	12		11		7		7	
DIABETES MELLITUS (250)	10		3		3			
MAJOR CARDIOVASCULAR DISEASE (390-448)	144		134	11	104	2	117	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	111		86	9	63	1	77	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)							1	
HYPERTENSIVE HEART (402,404)	2		5	3				
ISCHEMIC HEART (410-414)	103		73	6	60	1	69	
OTHER HEART DISEASE (420-429)	6		8		3		7	
HYPERTENSION (400,401,403)	1				3			
CEREBROVASCULAR DISEASE (430-438)	25		35	1	29	1	33	
ARTERIOSCLEROSIS (440)	3		10	1	8			
OTHER CIRCULATORY (441-448)	4		3		1		7	
INFLUENZA/PNEUMONIA (470-474,480-486)	23	1	6	1	5		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		5		4		3	
PEPTIC ULCER (531-533)	1		1				2	
CIRRHOSIS OF LIVER (571)	1		4	1	2		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1				4	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4				1		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	5		2		5		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	13		4		25		11	
ALL OTHER DISEASES (RESIDUAL)	14		13	1	14		16	
ACCIDENTAL DEATHS (E800-E949)	21		12	1	15		13	
MOTOR VEHICLE (E810-E823)	13		4		9		13	
OTHER TRANS. (E800-E807,E825-E845)	1		1					
POISONING (E850-E877)								
FALLS (E880-E887)	3		3		2			
FIRES (E890-E899)					1			
DROWNING & SUBMERSIONS (E910)	3				1			
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)	1			1	2			
OTHER REMAINDER OF (E900-E949)			3					
SUICIDE (E950-E959)	5		2		4		1	
HOMICIDE (E960-E978)					3			
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	601	63	66		88	2	307	19
ATTENDED BY M.D.	445	56	9		83	2	212	13
ATTENDED BY D.O.	155	7	57		5		93	6
ATTENDED BY MIDWIFE							2	
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	9		1		2		3	
ATTENDED BY M.D.	8				2		1	
ATTENDED BY D.O.	1		1				2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	221	10	115		98	1	377	22
UNDER ONE YEAR OF AGE	15	3	2				8	1
NEONATAL DEATHS	11	1	2				5	1
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2						2	
MALIGNANT NEOPLASMS (140-209)	31		14		16		52	5
DIGEST. ORGANS (150-159)	8		2		3		17	1
RESPIRATORY SYSTEM (160-163)	6				3		14	
BREAST (174)			1		3		5	
GENITAL ORGANS (180-187)	2		4		4		4	1
URINARY ORGANS (188-189)			1					
LEUKEMIA (204-207)	2		1		1		1	
OTHER REMAINDER OF (140-209)	13		5		2		11	3
DIABETES MELLITUS (250)	6		1				7	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	105	2	74		54	1	231	12
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	80	1	46		34	1	151	10

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				1		1	
HYPERTENSIVE HEART (402,404)	4		2					
ISCHEMIC HEART (410-414)	69	1	34		26	1	137	9
OTHER HEART DISEASE (420-429)	6		10		7		13	1
HYPERTENSION (400,401,403)			1				2	
CEREBROVASCULAR DISEASE (430-438)	15	1	18		13		61	1
ARTERIOSCLEROSIS (440)	9		7		4		10	1
OTHER CIRCULATORY (441-448)	1		2		3		7	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		4		4		13	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		3		4		4	
PEPTIC ULCER (531-533)	1				1			
CIRRHOSIS OF LIVER (571)	2		2					
NEPHRITIS AND NEPHROSIS (580-584)			3		2		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	3		1		1		2	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	11	1	2				5	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	11	1			2		14	1
ALL OTHER DISEASES (RESIDUAL)	9		7		5		22	2
ACCIDENTAL DEATHS								
(E800-E949)	12	3	4		9		18	
MOTOR VEHICLE (E810-E823)	10	1	2		4		9	
OTHER TRANS. (E800-E807,E825-E845)							2	
POISONING (E850-E877)							1	
FALLS (E880-E887)	1				2		6	
FIRES (E890-E899)	2		1					
DROWNING & SUBMERSIONS (E910)	1	1						
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E925)	1				2			
OTHER REMAINDER OF (E900-E949)	2	1	1		1			
SUICIDE (E950-E959)	6						4	
HOMICIDE (E960-E978)		3						
ALL OTHER EXTERNAL CAUSES (E980-E999)	3						2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	295	5	82		143		1,895	41
ATTENDED BY M.D.	249	5	72		128		1,790	36
ATTENDED BY D.O.	46		8		11		103	5
ATTENDED BY MIDWIFE			1		1			
OTHERS OR UNSPECIFIED			1		3		2	
TOTAL FETAL DEATHS	4	1			3		14	1
ATTENDED BY M.D.	3	1			2		13	1
ATTENDED BY D.O.	1						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
TOTAL DEATHS	242	11	92		149		568	22
UNDER ONE YEAR OF AGE	5		2		6		31	
NEONATAL DEATHS	5				6		25	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					2			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				1		1	
MALIGNANT NEOPLASMS (140-209)	46	2	16		18		115	2
DIGEST. ORGANS (150-159)	15		3		4		18	1
RESPIRATORY SYSTEM (160-163)	7		4		6		38	1
BREAST (174)	6	1			2		15	
GENITAL ORGANS (180-187)	3		1		3		11	
URINARY ORGANS (188-189)	2		2		1		8	
LEUKEMIA (204-207)	4		1		1		4	
OTHER REMAINDER OF (140-209)	9	1	5		1		21	
DIABETES MELLITUS (250)	9	2			2		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	128	6	44		78		264	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	79	4	28		58		192	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				1		1	
HYPERTENSIVE HEART (402,404)								
ISCHEMIC HEART (410-414)	63	2	25		54		187	8
OTHER HEART DISEASE (420-429)	14	2	3		3		4	
HYPERTENSION (400,401,403)			1		1		2	
CEREBROVASCULAR DISEASE (430-438)	33	2	12		16		56	2
ARTERIOSCLEROSIS (440)	13		2		2		9	
OTHER CIRCULATORY (441-448)	3		1		1		5	1
INFLUENZA/PNEUMONIA (470-474,480-486)	9		8		6		27	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	8		1		3		4	
PEPTIC ULCER (531-533)	3				1			
CIRRHOSIS OF LIVER (571)			1				6	
NEPHRITIS AND NEPHROSIS (580-584)							2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		1		1		6	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2				4		20	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		2		9		21	3
ALL OTHER DISEASES (RESIDUAL)	11		9		14		35	3
ACCIDENTAL DEATHS (E800-E949)	15	1	7		10		47	1
MOTOR VEHICLE (E810-E823)	5		4		7		26	1
OTHER TRANS. (E800-E807,E825-E845)	2						4	
POISONING (E850-E877)							2	
FALLS (E880-E887)	3						6	
FIRES (E890-E899)					1		3	
DROWNING & SUBMERSIONS (E910)	3						2	
FIREARM MISSILES (E922)	1				2		1	
INDUSTRIAL (E916-E921,E923-E928)	1						1	
OTHER REMAINDER OF (E900-E949)		1	3				2	
SUICIDE (E950-E959)	4		1				12	
HOMICIDE (E960-E978)			1				2	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1				2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	106		604	1	189	1	11,411	1,583
ATTENDED BY M.D.	66		368	1	161	1	11,087	1,527
ATTENDED BY D.O.	39		234		28		324	56
ATTENDED BY MIDWIFE			2					
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	2		8				106	17
ATTENDED BY M.D.	2		5				104	17
ATTENDED BY D.O.			3				2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	157	1	590	1	142	1	6,833	403
UNDER ONE YEAR OF AGE	2		17		3		153	28
NEONATAL DEATHS	2		10		3		116	23
MATERNAL DEATHS					1			1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							3	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		1		27	4
MALIGNANT NEOPLASMS (140-209)	30		111		20		1,393	66
DIGEST. ORGANS (150-159)	6		22		7		387	12
RESPIRATORY SYSTEM (160-163)	5		31		5		320	18
BREAST (174)	2		7		1		145	7
GENITAL ORGANS (180-187)	4		15		2		152	10
URINARY ORGANS (188-189)	2		4		1		67	4
LEUKEMIA (204-207)	1		6		2		49	4
OTHER REMAINDER OF (140-209)	3		26		2		278	11
DIABETES MELLITUS (250)	1		12		2		143	15
MAJOR CARDIOVASCULAR DISEASE (390-448)	83	1	317	1	84	1	3,698	175
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	62	1	216		56	1	2,723	120

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2				68	1
HYPERTENSIVE HEART (402,404)		1	3		3		30	3
ISCHEMIC HEART (410-414)	56		202		53	1	2,515	110
OTHER HEART DISEASE (420-429)	6		9				110	6
HYPERTENSION (400,401,403)	1						21	3
CEREBROVASCULAR DISEASE (430-438)	17		75	1	26		724	44
ARTERIOSCLEROSIS (440)			14		1		125	4
OTHER CIRCULATORY (441-448)	3		12		1		105	4
INFLUENZA/PNEUMONIA (470-474,480-486)	7		24		5		167	13
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		1		79	3
PEPTIC ULCER (531-533)	1		6				42	1
CIRRHOSIS OF LIVER (571)			3				97	5
NEPHRITIS AND NEPHROSIS (580-584)	2		1				21	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			1
CONGENITAL ANOMALIES (740-759)	1		2				56	5
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		8		3		82	18
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		31		2		124	8
ALL OTHER DISEASES (RESIDUAL)	14		32		3		451	36
ACCIDENTAL DEATHS								
(E800-E949)	7		34		20		299	21
MOTOR VEHICLE (E810-E823)	5		22		13		154	11
OTHER TRANS. (E800-E807,E825-E845)							18	1
POISONING (E850-E877)			2				13	1
FALLS (E880-E887)			2		2		46	1
FIRES (E890-E899)	1		1				21	2
DROWNING & SUBMERSIONS (E910)							9	1
FIREARM MISSILES (E922)					3		4	1
INDUSTRIAL (E916-E921,E923-E928)	1		4		2		16	
OTHER REMAINDER OF (E900-E949)			3				18	3
SUICIDE (E950-E959)	3		2				32	1
HOMICIDE (E960-E978)			3				37	24
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						27	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	4,009	6,201	290	17	77		57	
ATTENDED BY M.D.	3,961	6,185	286	17	5		21	
ATTENDED BY D.O.	48	14	4		72		36	
ATTENDED BY MIDWIFE		1						
OTHERS OR UNSPECIFIED		1						
TOTAL FETAL DEATHS	43	114	2				2	
ATTENDED BY M.D.	38	109	2					
ATTENDED BY D.O.							2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	5	5						
TOTAL DEATHS	6,043	2,787	344	31	106		87	
UNDER ONE YEAR OF AGE	71	196	9	1				
NEONATAL DEATHS	52	161	5	1				
MATERNAL DEATHS		2						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	17	7		1				
SYPHILIS AND ITS SEQUELAE (090-097)	1							
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	20	22	4					
MALIGNANT NEOPLASMS (140-209)	1,082	473	66	6	22		11	
DIGEST. ORGANS (150-159)	273	126	16	1	3		4	
RESPIRATORY SYSTEM (160-163)	276	99	16	2	5		3	
BREAST (174)	107	38	1				1	
GENITAL ORGANS (180-187)	126	78	14	2	2		2	
URINARY ORGANS (188-189)	63	13	3		2			
LEUKEMIA (204-207)	54	16	1		2			
OTHER REMAINDER OF (140-209)	183	103	15	1	8		1	
DIABETES MELLITUS (250)	155	70	4					
MAJOR CARDIOVASCULAR DISEASE (390-448)	3,546	1,298	198	20	67		55	
DISEASES OF HEART								
(390-398,402,404,410-429)	2,678	870	151	13	50		41	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	50	8						
HYPERTENSIVE HEART (402,404)	33	37	3		2			
ISCHEMIC HEART (410-414)	2,504	759	137	12	34		39	
OTHER HEART DISEASE (420-429)	91	66	11	1	14		2	
HYPERTENSION (400,401,403)	25	25					1	
CEREBROVASCULAR DISEASE (430-438)	598	335	42	7	14		10	
ARTERIOSCLEROSIS (440)	157	40	2		2		2	
OTHER CIRCULATORY (441-448)	88	28	3		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	178	81	11	1	2		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	81	22	3	1	2		3	
PEPTIC ULCER (531-533)	32	7	7					
CIRRHOSIS OF LIVER (571)	93	52					1	
NEPHRITIS AND NEPHROSIS (580-584)	24	33	1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		2						
CONGENITAL ANOMALIES (740-759)	22	24	1	1				
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	37	140	5					
SYMPTOMS & ILL-DEFINED COND. (780-796)	40	16	3				1	
ALL OTHER DISEASES (RESIDUAL)	412	221	19	1	11		9	
ACCIDENTAL DEATHS (E800-E949)	193	131	17				5	
MOTOR VEHICLE (E810-E823)	61	62	7				3	
OTHER TRANS. (E800-E807,E825-E845)	3							
POISONING (E850-E877)	9	3						
FALLS (E880-E887)	65	23	4					
FIRES (E890-E899)	19	20	1					
DROWNING & SUBMERSIONS (E910)	9	5	1					
FIREARM MISSILES (E922)		7						
INDUSTRIAL (E916-E921,E923-E928)	4	4	1				1	
OTHER REMAINDER OF (E900-E949)	23	7	3				1	
SUICIDE (E950-E959)	41	13	5		1		1	
HOMICIDE (E960-E978)	43	144						
ALL OTHER EXTERNAL CAUSES (E980-E999)	26	31			1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	546	101	110		110	2	381	28
ATTENDED BY M.D.	388	29	103		80	2	209	6
ATTENDED BY D.O.	154	36	7		30		172	21
ATTENDED BY MIDWIFE	4	36						1
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2	3	3		1		5	
ATTENDED BY M.D.	1		2		1		4	
ATTENDED BY D.O.	1	2	1				1	
ATTENDED BY MIDWIFE		1						
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	318	36	75		147	3	338	6
UNDER ONE YEAR OF AGE	12	5	1		1		8	
NEONATAL DEATHS	9	3			1		6	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1						1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)		1					1	
MALIGNANT NEOPLASMS (140-209)	46	8	7		28		54	2
DIGEST. ORGANS (150-159)	18	3	2		10		14	
RESPIRATORY SYSTEM (160-163)	11	1	2		5		17	1
BREAST (174)	1				4		4	
GENITAL ORGANS (180-187)	5	2	1		2		4	
URINARY ORGANS (188-189)	1	1			1		2	
LEUKEMIA (204-207)	3				2		1	1
OTHER REMAINDER OF (140-209)	7	1	2		4		12	
DIABETES MELLITUS (250)	2	1	1				7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	185	18	48		91	2	189	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	132	14	31		61	1	125	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)							2	
HYPERTENSIVE HEART (402,404)	2	2			7	1	3	
ISCHEMIC HEART (410-414)	125	11	29		53		108	1
OTHER HEART DISEASE (420-429)	5	1	2		1		12	
HYPERTENSION (400,401,403)	2		2		4			
CEREBROVASCULAR DISEASE (430-438)	46	4	13		22	1	48	2
ARTERIOSCLEROSIS (440)	4				1		8	
OTHER CIRCULATORY (441-448)	1		2		3		8	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		5		3		12	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1	1	1				7	
PEPTIC ULCER (531-533)	3		1					
CIRRHOSIS OF LIVER (571)	2		1		1		2	
NEPHRITIS AND NEPHROSIS (580-584)	3		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4							
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5	1			1		6	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	1			2		12	
ALL OTHER DISEASES (RESIDUAL)	25	1	4		11	1	30	
ACCIDENTAL DEATHS (E800-E949)	27	3	6		7		16	1
MOTOR VEHICLE (E810-E823)	21		3		3		10	1
OTHER TRANS. (E800-E807,E825-E845)					2			
POISONING (E850-E877)	1							
FALLS (E880-E887)	1						3	
FIRES (E890-E899)	2	2	2					
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	2				1		3	
OTHER REMAINDER OF (E900-E949)		1	1					
SUICIDE (E950-E959)	1				2		1	
HOMICIDE (E960-E978)	3	1						
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	162	2	90	1	191	3	264	
ATTENDED BY M.D.	153	2	10		178	3	202	
ATTENDED BY D.O.	8		80	1	13		62	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	2		5		1		5	
ATTENDED BY M.D.	2				1		5	
ATTENDED BY D.O.			5					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	136		155	1	184		247	1
UNDER ONE YEAR OF AGE	3		2		1		4	
NEONATAL DEATHS	2		2		1		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3				4			
MALIGNANT NEOPLASMS (140-209)	25		21		36		33	
DIGEST. ORGANS (150-159)	5		9		9		9	
RESPIRATORY SYSTEM (160-163)	6		3		8		7	
BREAST (174)	3		1		3		3	
GENITAL ORGANS (180-187)	3		1		5		6	
URINARY ORGANS (188-189)					2		1	
LEUKEMIA (204-207)			3		1		1	
OTHER REMAINDER OF (140-209)	8		4		8		6	
DIABETES MELLITUS (250)	2		4		3		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	63		96		88		160	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	47		71		57		113	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2					
HYPERTENSIVE HEART (402,404)			5				11	
ISCHEMIC HEART (410-414)	43		49		52		97	1
OTHER HEART DISEASE (420-429)	3		15		5		5	
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	14		24		20		42	
ARTERIOSCLEROSIS (440)	1				8		2	
OTHER CIRCULATORY (441-448)	1		1		3		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		6		5		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		4		3		3	
PEPTIC ULCER (531-533)			2				1	
CIRRHOSIS OF LIVER (571)	1				2		3	
NEPHRITIS AND NEPHROSIS (580-584)			1				2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				1		2	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)			2		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	9		1		12		3	
ALL OTHER DISEASES (RESIDUAL)	12		9		13		14	
ACCIDENTAL DEATHS								
(E800-E949)	12		7	1	11		11	
MOTOR VEHICLE (E810-E823)	8		5	1	6		9	
OTHER TRANS. (E800-E807,E825-E845)			1				1	
POISONING (E850-E877)								
FALLS (E880-E887)	1				2			
FIRES (E890-E899)	1				1			
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)			1				1	
OTHER REMAINDER OF (E900-E949)	2				1			
SUICIDE (E950-E959)	2		2		4		1	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	219	3	169	10	340	1	118	
ATTENDED BY M.D.	200	3	139	9	255	1	95	
ATTENDED BY D.O.	19		30	1	74		23	
ATTENDED BY MIDWIFE					10			
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS	2				5		3	
ATTENDED BY M.D.	2				3		3	
ATTENDED BY D.O.					2			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	278	1	133	13	166	3	146	1
UNDER ONE YEAR OF AGE	7		4	1	3		3	
NEONATAL DEATHS	6		4	1	3		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (C10-C19)								
SYPHILIS AND ITS SEQUELAE (C90-C97)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (C00-136)	1				3		1	
MALIGNANT NEOPLASMS (140-209)	53		26	3	32		23	
DIGEST. ORGANS (150-159)	15		12	1	5		6	
RESPIRATORY SYSTEM (160-163)	11		4	2	5		7	
BREAST (174)	4		2		1		1	
GENITAL ORGANS (180-187)	6		1		3		5	
URINARY ORGANS (188-189)	2				4		1	
LEUKEMIA (204-207)	2				1			
OTHER REMAINDER OF (140-209)	12		7		8		3	
DIABETES MELLITUS (250)	3		3		3		1	
MAJOR CARDIOVASCULAR DISEASE (390-440)	159	1	77	4	67	1	73	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	110		61	3	45	1	50	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)					1			
HYPERTENSIVE HEART (402,404)	7							
ISCHEMIC HEART (410-414)	95		58	3	40	1	49	1
OTHER HEART DISEASE (420-429)	8		3		4		1	
HYPERTENSION (400,401,403)	2							
CEREBROVASCULAR DISEASE (430-438)	44	1	12	1	15		20	
ARTERIOSCLEROSIS (440)			3		5		1	
OTHER CIRCULATORY (441-448)	3		1		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		5		9	1	12	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		1	1	2		2	
PEPTIC ULCER (531-533)	1					1		
CIRRHOSIS OF LIVER (571)					1		3	
NEPHRITIS AND NEPHROSIS (580-584)	2		1		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		2	1				
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		3	1	3		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5				13		9	
ALL OTHER DISEASES (RESIDUAL)	19		4	1	10		5	
ACCIDENTAL DEATHS (E800-E949)	13		8	2	20		10	
MOTOR VEHICLE (E810-E823)	8		5	1	11		6	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	3		1		2		1	
FIRES (E890-E899)	1				3			
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)			2	1	2		2	
OTHER REMAINDER OF (E900-E949)	1				1		1	
SUICIDE (E950-E959)	1		1				2	
HOMICIDE (E960-E978)	1		2		2			
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	288	1	30		196	1
ATTENDED BY M.D.	250	1	20		122	
ATTENDED BY D.O.	32		10		74	1
ATTENDED BY MIDWIFE	1					
OTHERS OR UNSPECIFIED	5					
TOTAL FETAL DEATHS	6				2	
ATTENDED BY M.D.	6				1	
ATTENDED BY D.O.					1	
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED						
TOTAL DEATHS	218		60		233	1
UNDER ONE YEAR OF AGE	6				6	
NEONATAL DEATHS	6				3	
MATERNAL DEATHS						
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)	2					
SYPHILIS AND ITS SEQUELAE (090-097)						
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)	2		1		1	
MALIGNANT NEOPLASMS (140-209)	24		4		34	
DIGEST. ORGANS (150-159)	5				11	
RESPIRATORY SYSTEM (160-163)	6		1		6	
BREAST (174)	1					
GENITAL ORGANS (180-187)	5		3		5	
URINARY ORGANS (188-189)	1					
LEUKEMIA (204-207)					5	
OTHER REMAINDER OF (140-209)	6				7	
DIABETES MELLITUS (250)	2		4		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	139		38		136	1
DISEASES OF HEART						
(390-398, 402, 404, 410-429)	87		27		93	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)	2				4	
HYPERTENSIVE HEART (402,404)	1		1		4	
ISCHEMIC HEART (410-414)	77		26		77	1
OTHER HEART DISEASE (420-429)	7				8	
HYPERTENSION (400,401,403)					1	
CEREBROVASCULAR DISEASE (430-438)	44		9		34	
ARTERIOSCLEROSIS (440)	5				6	
OTHER CIRCULATORY (441-448)	3		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	10		4		8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		6	
PEPTIC ULCER (531-533)						
CIRRHOSIS OF LIVER (571)	1					
NEPHRITIS AND NEPHROSIS (580-584)						
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						
CONGENITAL ANOMALIES (740-759)						
DISEASES OF EARLY INFANCY (760-769,770-772,774-778)	6				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		1		13	
ALL OTHER DISEASES (RESIDUAL)	17		3		12	
ACCIDENTAL DEATHS (E800-E949)	10		2		15	
MOTOR VEHICLE (E810-E823)	6		1		9	
OTHER TRANS. (E800-E807,E825-E845)	1					
POISONING (E850-E877)						
FALLS (E880-E887)			1		3	
FIRES (E890-E899)						
DROWNING & SUBMERSIONS (E910)	1				3	
FIREARM MISSILES (E922)	1					
INDUSTRIAL (E916-E921,E923-E928)						
OTHER REMAINDER OF (E900-E949)	1					
SUICIDE (E950-E959)					2	
HOMICIDE (E960-E978)	2					
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	176	4	35		186	54	97	23
ATTENDED BY M.D.	173	4	33		169	45	97	23
ATTENDED BY D.O.	3		2		17	9		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS					1		1	
ATTENDED BY M.D.					1		1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	66	1	125		79	3	70	10
UNDER ONE YEAR OF AGE	3		1		2		2	
NEONATAL DEATHS	1		1		1		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							1	
MALIGNANT NEOPLASMS (140-209)	18	1	35		20		15	2
DIGEST. ORGANS (150-159)	5		12		6		3	
RESPIRATORY SYSTEM (160-163)	3		10		5		6	1
BREAST (174)			3		2		3	1
GENITAL ORGANS (180-187)	3		3		2		2	
URINARY ORGANS (188-189)	2		1		1			
LEUKEMIA (204-207)	1							
OTHER REMAINDER OF (140-209)	4	1	6		4		1	
DIABETES MELLITUS (250)	1		4		1	1		
MAJOR CARDIOVASCULAR DISEASE (390-448)	31		67		38	2	36	6
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	23		48		33	2	27	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1			
HYPERTENSIVE HEART (402,404)			1			1	1	
ISCHEMIC HEART (410-414)	22		42		30	1	23	4
OTHER HEART DISEASE (420-429)	1		4		2		3	
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	7		18		4		7	2
ARTERIOSCLEROSIS (440)	1						1	
OTHER CIRCULATORY (441-448)			1		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		5				1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		1		1		2	
PEPTIC ULCER (531-533)			1		1			
CIRRHOSIS OF LIVER (571)			1		2		1	
NEPHRITIS AND NEPHROSIS (580-584)			1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1							
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		1		2		1	1
ALL OTHER DISEASES (RESIDUAL)	1		3		7		6	
ACCIDENTAL DEATHS (E800-E949)	6		3		4		2	
MOTOR VEHICLE (E810-E823)	1		1		1			
OTHER TRANS. (E800-E807,E825-E845)			1		1			
POISONING (E850-E877)	1		1					
FALLS (E880-E887)	1						2	
FIRES (E890-E899)					2			
DROWNING & SUBMERSIONS (E910)	1							
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2							
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	1		1				2	
HOMICIDE (E960-E978)								1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	244	5	410	43	152	3	65	1
ATTENDED BY M.D.	231	5	393	40	136	3	65	1
ATTENDED BY D.O.	13		17	3	16			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	3		4		3			
ATTENDED BY M.D.	2		4		3			
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	90	1	272	19	186	1	198	1
UNDER ONE YEAR OF AGE	1		8	3			1	
NEONATAL DEATHS	1		8	2			1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1						1	
MALIGNANT NEOPLASMS (140-209)	17		42	1	22		49	
DIGEST. ORGANS (150-159)	3		11		5		15	
RESPIRATORY SYSTEM (160-163)	7		12	1	6		5	
BREAST (174)	2		3		3		6	
GENITAL ORGANS (180-187)			6		3		3	
URINARY ORGANS (188-189)			1		1		5	
LEUKEMIA (204-207)			4				2	
OTHER REMAINDER OF (140-209)	5		5		4		13	
DIABETES MELLITUS (250)	2		5	2	2		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	52		152	8	125		112	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	38		108	6	91		79	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3				2		2	
HYPERTENSIVE HEART (402,404)			4				2	
ISCHEMIC HEART (410-414)	33		104	6	87		75	1
OTHER HEART DISEASE (420-429)	2				2			
HYPERTENSION (400,401,403)			1		1			
CEREBROVASCULAR DISEASE (430-438)	8		31	2	22		25	
ARTERIOSCLEROSIS (440)	5		4		9		6	
OTHER CIRCULATORY (441-448)	1		8		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		6	1	2		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		6	1	4		2	
PEPTIC ULCER (531-533)	1		1				2	
CIRRHOSIS OF LIVER (571)	1		3		1		1	
NEPHRITIS AND NEPHROSIS (580-584)					3			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		4					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			4	2			1	
SYMPTOMS & ILL-DEFINED COND. (780-796)			11	1	9	1	1	
ALL OTHER DISEASES (RESIDUAL)	3	1	18	2	8		11	
ACCIDENTAL DEATHS (E800-E949)	5		13		9		4	
MOTOR VEHICLE (E810-E823)	4		6		3		1	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			2				2	
FALLS (E880-E887)			2		3			
FIRES (E890-E899)			1		1		1	
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		1		1			
OTHER REMAINDER OF (E900-E949)					1			
SUICIDE (E950-E959)	2		2				5	
HOMICIDE (E960-E978)			3	1			1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			2				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	626	131	91	1	287	10	830	17
ATTENDED BY M.D.	618	129	91	1	263	9	790	16
ATTENDED BY D.O.	7	2			24	1	40	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	3	2			3		8	1
ATTENDED BY M.D.	3	2			3		8	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	275	39	95		213	1	350	1
UNDER ONE YEAR OF AGE	6	5	1		2		18	
NEONATAL DEATHS	6	4	1		1		17	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)		1			1		1	
MALIGNANT NEOPLASMS (140-209)	53	8	19		48		81	
DIGEST. ORGANS (150-159)	14	2	3		13		18	
RESPIRATORY SYSTEM (160-163)	8	1	2		14		18	
BREAST (174)	3		4		4		10	
GENITAL ORGANS (180-187)	9	3	2		5		11	
URINARY ORGANS (188-189)	2		1		1		6	
LEUKEMIA (204-207)	6				2		2	
OTHER REMAINDER OF (140-209)	11	2	7		9		16	
DIABETES MELLITUS (250)	6	3	3		3		4	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	146	10	57		118		166	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	102	8	39		86		125	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				4	
HYPERTENSIVE HEART (402,404)	1						2	
ISCHEMIC HEART (410-414)	95	7	36		84		114	
OTHER HEART DISEASE (420-429)	5	1	2		2		5	
HYPERTENSION (400,401,403)	2				1		1	
CEREBROVASCULAR DISEASE (430-438)	37	1	14		17		28	
ARTERIOSCLEROSIS (440)	3		3		7		7	
OTHER CIRCULATORY (441-448)	2	1	1		7		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	11	1	2		5		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6				1		7	
PEPTIC ULCER (531-533)	1		1					
CIRRHOSIS OF LIVER (571)	2				4		7	
NEPHRITIS AND NEPHROSIS (580-584)	3	2			1		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4						7	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2	3	1		1		9	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		1		3		5	
ALL OTHER DISEASES (RESIDUAL)	20	5	4		20	1	24	
ACCIDENTAL DEATHS (E800-E949)	17	3	6		4		24	
MOTOR VEHICLE (E810-E823)	10		3		4		13	
OTHER TRANS. (E800-E807,E825-E845)							4	
POISONING (E850-E877)		2						
FALLS (E880-E887)	5		1				1	
FIRES (E890-E899)	1		1				2	
DROWNING & SUBMERSIONS (E910)	1	1						
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)							1	
OTHER REMAINDER OF (E900-E949)			1				2	
SUICIDE (E950-E959)	3		1		2		3	
HOMICIDE (E960-E978)		3			1		3	
ALL OTHER EXTERNAL CAUSES (E980-E999)							3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	113	16	310	3	354	15	255	31
ATTENDED BY M.D.	92	13	296	3	321	9	253	31
ATTENDED BY D.O.	21	3	14		33	6	2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1		2		4	2	3	
ATTENDED BY M.D.	1		2		3	2	3	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	120	19	63		92	5	262	14
UNDER ONE YEAR OF AGE	3	1	4		5	3	4	2
NEONATAL DEATHS	3	1	2		4	3	4	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)		1						
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3				1			1
MALIGNANT NEOPLASMS (140-209)	12	2	15		19		34	3
DIGEST. ORGANS (150-159)	2				5		10	1
RESPIRATORY SYSTEM (160-163)	3		4		7		9	
BREAST (174)	2		4		3		1	1
GENITAL ORGANS (180-187)	2	2	1		1		2	
URINARY ORGANS (188-189)	1						6	
LEUKEMIA (204-207)	1		1		1		1	
OTHER REMAINDER OF (140-209)	1		5		2		5	1
DIABETES MELLITUS (250)							5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	67	8	25		41		151	6
DISEASES OF HEART (390-398, 402, 404, 410-429)	42	6	20		35		106	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		2		1	
HYPERTENSIVE HEART (402,404)	4							
ISCHEMIC HEART (410-414)	36	6	19		31		95	2
OTHER HEART DISEASE (420-429)	1				2		10	1
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	16	2	5		4		34	3
ARTERIOSCLEROSIS (440)	5				1		7	
OTHER CIRCULATORY (441-448)	4				1		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		1		2		14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		2		3	1
PEPTIC ULCER (531-533)							1	
CIRRHOSIS OF LIVER (571)			1		1		2	
NEPHRITIS AND NEPHROSIS (580-584)	1						1	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2				1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1	1	2		4	3	4	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	2	2		2		8	1
ALL OTHER DISEASES (RESIDUAL)	11		7		6		20	
ACCIDENTAL DEATHS (E800-E949)	6	5	3		11	1	10	
MOTOR VEHICLE (E810-E823)	1		2		6	1	6	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)		1	1					
FALLS (E880-E887)	2						2	
FIRES (E890-E899)		4						
DROWNING & SUBMERSIONS (E910)	1				1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)					2		2	
OTHER REMAINDER OF (E900-E949)	2				1			
SUICIDE (E950-E959)			2				7	
HOMICIDE (E960-E978)					2	1	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	207	17	1,807	27	389	30	159	11
ATTENDED BY M.D.	195	16	1,552	23	277	18	146	10
ATTENDED BY D.O.	12	1	255	4	112	12	13	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2	2	21	1	5	1	3	
ATTENDED BY M.D.	2	2	17	1	4	1	3	
ATTENDED BY D.O.			4		1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	84	2	864	5	271	16	249	
UNDER ONE YEAR OF AGE	5		20		7		1	
NEONATAL DEATHS	3		13		5			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			7		1	1	1	
MALIGNANT NEOPLASMS (140-209)	14		170		58	3	51	
DIGEST. ORGANS (150-159)	4		34		13		17	
RESPIRATORY SYSTEM (160-163)	3		44		14	2	7	
BREAST (174)	1		14		6		6	
GENITAL ORGANS (180-187)	2		24		8	1	6	
URINARY ORGANS (188-189)	1		9		2		1	
LEUKEMIA (204-207)			10		4		3	
OTHER REMAINDER OF (140-209)	3		35		11		11	
DIABETES MELLITUS (250)	1		12		4	1	10	
MAJOR CARDIOVASCULAR DISEASE (390-448)	44	1	432	3	153	7	146	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	36		313	2	112	4	110	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		6		4		2	
HYPERTENSIVE HEART (402,404)			3		1		1	
ISCHEMIC HEART (410-414)	33		280	2	102	4	103	
OTHER HEART DISEASE (420-429)	1		24		5		4	
HYPERTENSION (400,401,403)	1		6		1			
CEREBROVASCULAR DISEASE (430-438)	5	1	96		28	3	29	
ARTERIOSCLEROSIS (440)	1		7	1	3		2	
OTHER CIRCULATORY (441-448)	1		10		9		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		26		5		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		21		6		5	
PEPTIC ULCER (531-533)			5	1			1	
CIRRHOSIS OF LIVER (571)	1		12		2		5	
NEPHRITIS AND NEPHROSIS (580-584)			1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		6		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		11		5			
SYMPTOMS & ILL-DEFINED COND. (780-796)			33		1		2	
ALL OTHER DISEASES (RESIDUAL)	8	1	61	1	16	2	11	
ACCIDENTAL DEATHS								
(E800-E949)	2		50		14		8	
MOTOR VEHICLE (E810-E823)	2		24		9		3	
OTHER TRANS. (E800-E807,E825-E845)			4					
POISONING (E850-E877)			2					
FALLS (E880-E887)			10		2		3	
FIRES (E890-E899)			3					
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)			3				1	
INDUSTRIAL (E916-E921,E923-E928)			3		2			
OTHER REMAINDER OF (E900-E949)					1		1	
SUICIDE (E950-E959)	1		10		3	1		
HOMICIDE (E960-E978)	1		4		1	1		
ALL OTHER EXTERNAL CAUSES (E980-E999)			3				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	614	22	5,450	2,731	4,246	2,720	1,001	9
ATTENDED BY M.D.	490	14	4,789	2,544	3,711	2,535	904	8
ATTENDED BY D.O.	124	8	661	187	535	185	97	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	3		69	60	58	60	11	
ATTENDED BY M.D.	2		58	58	47	58	11	
ATTENDED BY D.O.	1		11	2	11	2		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	539	16	4,258	1,158	3,954	1,158	267	
UNDER ONE YEAR OF AGE	11		95	75	73	75	20	
NEONATAL DEATHS	7		70	54	54	54	14	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		5	7	5	7		
SYPHILIS AND ITS SEQUELAE (090-097)			1	3	1	3		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		21	7	18	7	3	
MALIGNANT NEOPLASMS (140-209)	100		759	204	705	204	48	
DIGEST. ORGANS (150-159)	24		196	53	184	53	12	
RESPIRATORY SYSTEM (160-163)	28		175	48	165	48	7	
BREAST (174)	5		65	19	58	19	4	
GENITAL ORGANS (180-187)	14		89	34	84	34	5	
URINARY ORGANS (188-189)	8		33	7	33	7		
LEUKEMIA (204-207)	6		39	8	34	8	5	
OTHER REMAINDER OF (140-209)	15		162	35	147	35	15	
DIABETES MELLITUS (250)	9	2	88	26	82	26	6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	276	6	2,168	437	2,026	437	125	
DISEASES OF HEART (390-398,402,404,410-429)	199	5	1,508	301	1,411	301	87	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		36	5	35	5	1	
HYPERTENSIVE HEART (402,404)	8		18	10	16	10	2	
ISCHEMIC HEART (410-414)	183	5	1,297	210	1,208	210	80	
OTHER HEART DISEASE (420-429)	6		157	76	152	76	4	
HYPERTENSION (400,401,403)			15	10	13	10	2	
CEREBROVASCULAR DISEASE (430-438)	62	1	485	98	453	98	27	
ARTERIOSCLEROSIS (440)	10		102	19	97	19	4	
OTHER CIRCULATORY (441-448)	5		58	9	52	9	5	
INFLUENZA/PNEUMONIA (470-474,480-486)	12	1	122	27	117	27	4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	9	1	70	9	65	9	4	
PEPTIC ULCER (531-533)	3		15	8	14	8	1	
CIRRHOSIS OF LIVER (571)	4		79	19	75	19	4	
NEPHRITIS AND NEPHROSIS (580-584)	7	1	15	10	15	10		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		28	10	20	10	8	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	5		55	44	42	44	11	
SYMPTOMS & ILL-DEFINED COND. (780-796)	30	5	258	128	249	128	6	
ALL OTHER DISEASES (RESIDUAL)	43		293	93	268	93	23	
ACCIDENTAL DEATHS (E800-E949)	25		189	70	166	70	19	
MOTOR VEHICLE (E810-E823)	12		95	23	78	23	14	
OTHER TRANS. (E800-E807,E825-E845)			2		1		1	
POISONING (E850-E877)			5	2	5	2		
FALLS (E880-E887)	6		51	10	49	10	1	
FIRES (E890-E899)			9	16	8	16	1	
DROWNING & SUBMERSIONS (E910)	1		6	6	5	6	1	
FIREARM MISSILES (E922)			2	3	2	3		
INDUSTRIAL (E916-E921,E923-E928)			6	5	5	5	1	
OTHER REMAINDER OF (E900-E949)	6		13	5	13	5		
SUICIDE (E950-E959)	7		51	7	46	7	4	
HOMICIDE (E960-E978)	1		26	43	25	43	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		15	6	15	6		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LADUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	203	2	242	12	236	59	34	
ATTENDED BY M.D.	174	1	19		235	59	34	
ATTENDED BY D.O.	29	1	223	12	1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS					1		1	
ATTENDED BY M.D.					1		1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	37		154	1	299	32	67	1
UNDER ONE YEAR OF AGE	2		9		1	3		
NEONATAL DEATHS	2		8			3		
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)						1		
MALIGNANT NEOPLASMS (140-209)	6		21		60	4	18	
DIGEST. ORGANS (150-159)			7		16	2	2	
RESPIRATORY SYSTEM (160-163)	3		4		18	2	4	
BREAST (174)	3		2		3		3	
GENITAL ORGANS (180-187)			2		6			
URINARY ORGANS (188-189)			1		6			
LEUKEMIA (204-207)			2		3		2	
OTHER REMAINDER OF (140-209)			3		8		7	
DIABETES MELLITUS (250)			1		2	2		
MAJOR CARDIOVASCULAR DISEASE (390-448)	17		88	1	172	12	37	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	10		66	1	121	9	23	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LADUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					2			
HYPERTENSIVE HEART (402,404)					1			
ISCHEMIC HEART (410-414)	9		63	1	115	9	23	
OTHER HEART DISEASE (420-429)	1		3		3			
HYPERTENSION (400,401,403)							1	
CEREBROVASCULAR DISEASE (430-438)	5		17		39	3	11	1
ARTERIOSCLEROSIS (440)	1		4		7		1	
OTHER CIRCULATORY (441-448)	1		1		5		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		7		6	1		
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		1		4			
PEPTIC ULCER (531-533)			1					
CIRRHOSIS OF LIVER (571)					9			
NEPHRITIS AND NEPHROSIS (580-584)			1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			3		1	1		
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		6			2		
SYMPTOMS & ILL-DEFINED COND. (780-796)	3				4	1		
ALL OTHER DISEASES (RESIDUAL)	2		16		17	5	7	
ACCIDENTAL DEATHS (E800-E949)	4		9		17		4	
MOTOR VEHICLE (E810-E823)	3		6		11		1	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)								
FALLS (E880-E887)	1		1		2		2	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)					2			
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)			1		1		1	
SUICIDE (E950-E959)	1				4			
HOMICIDE (E960-E978)					1	3		
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	LEE'S SUMMIT		LIBERTY		MARSHALL		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	317	4	215	6	149	9	128	14
ATTENDED BY M.D.	298	4	184	5	146	9	126	14
ATTENDED BY D.O.	19		31	1	3		2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1		2	1	2			
ATTENDED BY M.D.	1		2	1	2			
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	134		108	4	137	16	153	3
UNDER ONE YEAR OF AGE	6		1		5	1	3	
NEONATAL DEATHS	2		1		3	1	1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1		2			
MALIGNANT NEOPLASMS (140-209)	18		17		27	3	23	
DIGEST. ORGANS (150-159)	10		2		9		8	
RESPIRATORY SYSTEM (160-163)	5		3		5	2	2	
BREAST (174)			3				3	
GENITAL ORGANS (180-187)	1		3		5	1	1	
URINARY ORGANS (188-189)					2			
LEUKEMIA (204-207)			2					
OTHER REMAINDER OF (140-209)	2		4		6		9	
DIABETES MELLITUS (250)	4		1				3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	68		65	2	79	10	82	2
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	48		42	1	62	6	60	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	LEE'S SUMMIT		LIBERTY		MARSHALL		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2					
HYPERTENSIVE HEART (402,404)	1		1				1	
ISCHEMIC HEART (410-414)	42		38	1	56	5	56	2
OTHER HEART DISEASE (420-429)	4		1		6	1	3	
HYPERTENSION (400,401,403)	1		1				2	
CEREBROVASCULAR DISEASE (430-438)	14		18	1	16	4	14	
ARTERIOSCLEROSIS (440)	4		1				5	
OTHER CIRCULATORY (441-448)	1		3		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		1	1	3		8	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			3		1	1	1	
PEPTIC ULCER (531-533)	1		1		5		2	
CIRRHOSIS OF LIVER (571)	2		1	1			2	
NEPHRITIS AND NEPHROSIS (580-584)	1							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4					1	2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		3		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3						7	
ALL OTHER DISEASES (RESIDUAL)	13		11		13	1	13	
ACCIDENTAL DEATHS (E800-E949)	9		4		3		4	
MOTOR VEHICLE (E810-E823)	8		2					
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			1				1	
FALLS (E880-E887)	1				1		1	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)			1		1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)							1	
OTHER REMAINDER OF (E900-E949)					1		1	
SUICIDE (E950-E959)	2		2		1		2	
HOMICIDE (E960-E978)							2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	141	18	174	14	335	14	236	32
ATTENDED BY M.D.	104	15	118	9	300	13	202	28
ATTENDED BY D.O.	37	3	56	5	35	1	34	4
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1		2		2		2	
ATTENDED BY M.D.					2		2	
ATTENDED BY D.O.	1		2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	119	19	246	18	237	3	246	18
UNDER ONE YEAR OF AGE	1		3	1	10		3	4
NEONATAL DEATHS	1		3	1	8		1	3
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		2		1	
MALIGNANT NEOPLASMS (140-209)	18	3	30	5	40	1	36	3
DIGEST. ORGANS (150-159)	7	1	10	1	8		11	3
RESPIRATORY SYSTEM (160-163)	1	1	9		13	1	11	
BREAST (174)			3		6		2	
GENITAL ORGANS (180-187)	4		3	1	5		2	
URINARY ORGANS (188-189)	2				1		1	
LEUKEMIA (204-207)			1		1		1	
OTHER REMAINDER OF (140-209)	4	1	4	3	6		8	
DIABETES MELLITUS (250)		1	6	1	5		6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	69	13	156	9	125	1	127	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	48	8	104	7	86	1	84	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		2			
HYPERTENSIVE HEART (402,404)	6	1			4			
ISCHEMIC HEART (410-414)	38	7	95	6	74	1	76	3
OTHER HEART DISEASE (420-429)	3		8	1	6		8	1
HYPERTENSION (400,401,403)			1					
CEREBROVASCULAR DISEASE (430-438)	9	4	38	1	31		36	
ARTERIOSCLEROSIS (440)	10		9	1	5		5	
OTHER CIRCULATORY (441-448)	2	1	4		3		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		12		3		11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4	1	1		2		3	
PEPTIC ULCER (531-533)	1				3		2	
CIRRHOSIS OF LIVER (571)	1				3		4	
NEPHRITIS AND NEPHROSIS (580-584)			1		1		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3	1	6		1	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		7	1	9		20	6
ALL OTHER DISEASES (RESIDUAL)	12		17	1	19		16	1
ACCIDENTAL DEATHS (E800-E949)	3	1	9		12		11	
MOTOR VEHICLE (E810-E823)	2		4		6		5	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)					1			
FALLS (E880-E887)			4		1		2	
FIRES (E890-E899)		1			2		1	
DROWNING & SUBMERSIONS (E910)					1		2	
FIREARM MISSILES (E922)	1						1	
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)					1			
SUICIDE (E950-E959)	1		2		4		2	
HOMICIDE (E960-E978)					1	1	2	1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	312	1	95	29	174	4	224	6
ATTENDED BY M.D.	294	1	95	29	150	4	205	5
ATTENDED BY D.O.	18				24		19	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	5		1	1	3		4	
ATTENDED BY M.D.	5		1	1	3		4	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	181		166	11	102	1	105	
UNDER ONE YEAR OF AGE	2		5	1	3		4	
NEONATAL DEATHS			4	1	3		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1			
MALIGNANT NEOPLASMS (140-209)	39		32	2	14		21	
DIGEST. ORGANS (150-159)	7		3		3		4	
RESPIRATORY SYSTEM (160-163)	5		11		3		7	
BREAST (174)	4		6	1	2			
GENITAL ORGANS (180-187)	6		3	1	2		4	
URINARY ORGANS (188-189)	1							
LEUKEMIA (204-207)	3		2		1			
OTHER REMAINDER OF (140-209)	13		7		3		6	
DIABETES MELLITUS (250)	1		2		4		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	88		92	4	46		45	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	69		64	3	35		35	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	RAYTOWN		RICHMOND HIGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		3				2	
HYPERTENSIVE HEART (402,404)					1		1	
ISCHEMIC HEART (410-414)	62		59	3	31		30	
OTHER HEART DISEASE (420-429)	6		2		3		2	
HYPERTENSION (400,401,403)			1		1			
CEREBROVASCULAR DISEASE (430-438)	18		20	1	8		8	
ARTERIOSCLEROSIS (440)	1		4		1		1	
OTHER CIRCULATORY (441-448)			3		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		7		11	1	3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2				1			
PEPTIC ULCER (531-533)					1		1	
CIRRHOSIS OF LIVER (571)			2		1		2	
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			4					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1	1	3		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	8		4		5		4	
ALL OTHER DISEASES (RESIDUAL)	17		13	2	5		11	
ACCIDENTAL DEATHS								
(E800-E949)	16		6	1	7		7	
MOTOR VEHICLE (E810-E823)	9		2	1	5		3	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)	1		2					
FALLS (E880-E887)	1		1				2	
FIRES (E890-E899)	2						1	
DROWNING & SUBMERSIONS (E910)	1				1		1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1							
OTHER REMAINDER OF (E900-E949)	1		1					
SUICIDE (E950-E959)	2		1		2		3	
HOMICIDE (E960-E978)			1	1			2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	608	16	1,004	72	4,009	6,201	292	20
ATTENDED BY M.D.	566	16	995	72	3,961	6,185	281	20
ATTENDED BY D.O.	40		8		48	14	11	
ATTENDED BY MIDWIFE						1		
OTHERS OR UNSPECIFIED	2		1			1		
TOTAL FETAL DEATHS	2		17	1	43	114	2	
ATTENDED BY M.D.	1		16	1	38	109	2	
ATTENDED BY D.O.	1		1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					5	5		
TOTAL DEATHS	269	11	1,046	54	6,043	2,787	374	16
UNDER ONE YEAR OF AGE	11		22	1	71	196	3	1
NEONATAL DEATHS	10		14	1	52	161	1	1
MATERNAL DEATHS						2		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2		17	7		
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		4		20	22		
MALIGNANT NEOPLASMS (140-209)	61	1	203	11	1,082	473	62	4
DIGEST. ORGANS (150-159)	11	1	51	3	273	126	19	3
RESPIRATORY SYSTEM (160-163)	20		40	4	276	99	10	
BREAST (174)	7		21		107	38	6	
GENITAL ORGANS (180-187)	6		27	1	126	78	10	1
URINARY ORGANS (188-189)	4		13		63	13	6	
LEUKEMIA (204-207)	2		6		54	16		
OTHER REMAINDER OF (140-209)	11		45	3	183	103	11	
DIABETES MELLITUS (250)	1		19	4	155	70	6	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	136	6	554	23	3,546	1,298	227	5
DISEASES OF HEART								
(390-398,402,404,410-429)	101	4	388	18	2,678	870	153	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			5		50	8		
HYPERTENSIVE HEART (402,404)			7		33	37	6	1
ISCHEMIC HEART (410-414)	98	4	359	15	2,504	759	131	4
OTHER HEART DISEASE (420-429)	3		17	3	91	66	16	
HYPERTENSION (400,401,403)	2		2		25	25		
CEREBROVASCULAR DISEASE (430-438)	29	2	123	3	598	335	62	
ARTERIOSCLEROSIS (440)	1		25	2	157	40	10	
OTHER CIRCULATORY (441-448)	3		16		88	28	2	
INFLUENZA/PNEUMONIA (470-474,480-486)	9	1	28	3	178	81	11	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		22		81	22	9	
PEPTIC ULCER (531-533)			5		32	7	2	
CIRRHOSIS OF LIVER (571)	3		6	1	93	52	1	
NEPHRITIS AND NEPHROSIS (580-584)			2		24	33	3	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						2		
CONGENITAL ANOMALIES (740-759)	2		4		22	24	2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	8		12	1	37	140	1	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	1	70	3	40	16	4	
ALL OTHER DISEASES (RESIDUAL)	13	2	58	4	412	221	22	2
ACCIDENTAL DEATHS (E800-E949)	18		38	3	193	131	18	
MOTOR VEHICLE (E810-E823)	11		19	1	61	62	10	
OTHER TRANS. (E800-E807,E825-E845)			1		3			
POISONING (E850-E877)	2				9	3	2	
FALLS (E880-E887)	3		8	1	65	23	2	
FIRES (E890-E899)	1		4		19	20		
DROWNING & SUBMERSIONS (E910)			2		9	5		
FIREARM MISSILES (E922)			1	1		7		
INDUSTRIAL (E916-E921,E923-E928)					4	4		
OTHER REMAINDER OF (E900-E949)	1		3		23	7	4	
SUICIDE (E950-E959)	5		14		41	13	5	
HOMICIDE (E960-E978)			1		43	144		
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		4	1	26	31	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	238	74	1,938	56	214	207	155	17
ATTENDED BY M.D.	184	26	1,917	55	213	204	140	13
ATTENDED BY D.O.	54	18	20	1	1	3	15	4
ATTENDED BY MIDWIFE		30	1					
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1	2	18	3	5	4		3
ATTENDED BY M.D.			17	3	5	4		3
ATTENDED BY D.O.	1	1	1					
ATTENDED BY MIDWIFE		1						
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	130	19	1,303	33	501	45	92	10
UNDER ONE YEAR OF AGE	5	2	40		3	5	2	
NEONATAL DEATHS	4	2	29		1	4	2	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2				1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)		1	11		1			
MALIGNANT NEOPLASMS (140-209)	18	2	198	8	110	7	13	
DIGEST. ORGANS (150-159)	8		51	4	39	1	3	
RESPIRATORY SYSTEM (160-163)	5		43	2	15	2	2	
BREAST (174)	1		23		11		1	
GENITAL ORGANS (180-187)		1	23		14	2	3	
URINARY ORGANS (188-189)			13		9	1	1	
LEUKEMIA (204-207)	1		2		2	1		
OTHER REMAINDER OF (140-209)	3	1	43	2	20		3	
DIABETES MELLITUS (250)		1	15		17	2		
MAJOR CARDIOVASCULAR DISEASE (390-448)	85	11	692	17	300	19	53	9
DISEASES OF HEART								
(390-398,402,404,410-429)	62	9	471	13	227	10	33	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			7		4			
HYPERTENSIVE HEART (402,404)		2	6	1			1	
ISCHEMIC HEART (410-414)	61	7	445	11	221	10	28	6
OTHER HEART DISEASE (420-429)	1		13	1	2		4	1
HYPERTENSION (400,401,403)	1		4	1	1			
CEREBROVASCULAR DISEASE (430-438)	20	2	180	1	51	8	12	2
ARTERIOSCLEROSIS (440)	1		28	1	8		7	
OTHER CIRCULATORY (441-448)	1		9	1	13	1	1	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		44	1	8	2	5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			22		3		1	
PEPTIC ULCER (531-533)	1		4		6			
CIRRHOSIS OF LIVER (571)			13		4		1	1
NEPHRITIS AND NEPHROSIS (580-584)	2		5		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	2		13		1	1	1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2	1	19		1	3	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		78	3	5			
ALL OTHER DISEASES (RESIDUAL)	9		93	2	25	2	5	
ACCIDENTAL DEATHS (E800-E949)	7	2	63	2	11	5	9	
MOTOR VEHICLE (E810-E823)	6		29		6	2	7	
OTHER TRANS. (E800-E807,E825-E845)			1			1		
POISONING (E850-E877)	1		4			1		
FALLS (E880-E887)			12	1	2		2	
FIRES (E890-E899)		1	3		1			
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			8					
OTHER REMAINDER OF (E900-E949)		1	5	1	2	1		
SUICIDE (E950-E959)			14		6		1	
HOMICIDE (E960-E978)		1	5		1	3		
ALL OTHER EXTERNAL CAUSES (E980-E999)			11		1	1	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

WEBSTER GROVES.

	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	199	22
ATTENDED BY M.D.	196	22
ATTENDED BY D.O.	3	
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED		
TOTAL FETAL DEATHS	3	1
ATTENDED BY M.D.	3	1
ATTENDED BY D.O.		
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED		
TOTAL DEATHS	271	15
UNDER ONE YEAR OF AGE	4	
NEONATAL DEATHS	3	
MATERNAL DEATHS		

CAUSE OF DEATH		
TUBERCULOSIS, ALL FORMS (010-019)		
SYPHILIS AND ITS SEQUELAE (090-097)		
OTHER INFECTIVE & PARASITIC DISEASES		
REMAINDER OF (000-136)		
MALIGNANT NEOPLASMS (140-209)	55	2
DIGEST. ORGANS (150-159)	19	1
RESPIRATORY SYSTEM (160-163)	12	1
BREAST (174)	4	
GENITAL ORGANS (180-187)	8	
URINARY ORGANS (188-189)	1	
LEUKEMIA (204-207)	4	
OTHER REMAINDER OF (140-209)	7	
DIABETES MELLITUS (250)	3	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	152	10
DISEASES OF HEART		
(390-398, 402, 404, 410-429)	113	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1972

WEBSTER GROVES.

	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC		
RHEUMATIC HEART DISEASE (390-398)	4	
HYPERTENSIVE HEART (402,404)	2	
ISCHEMIC HEART (410-414)	99	8
OTHER HEART DISEASE (420-429)	8	1
HYPERTENSION (400,401,403)		
CEREBROVASCULAR DISEASE (430-438)	31	1
ARTERIOSCLEROSIS (440)	4	
OTHER CIRCULATORY (441-448)	4	
INFLUENZA/PNEUMONIA (470-474,480-486)	9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2	
PEPTIC ULCER (531-533)		
CIRRHOSIS OF LIVER (571)	3	
NEPHRITIS AND NEPHROSIS (580-584)		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		
CONGENITAL ANOMALIES (740-759)	3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5	
ALL OTHER DISEASES (RESIDUAL)	20	1
ACCIDENTAL DEATHS (E800-E949)	12	1
MOTOR VEHICLE (E810-E823)	4	1
OTHER TRANS. (E800-E807,E825-E845)	2	
POISONING (E850-E877)	1	
FALLS (E880-E887)	4	
FIRES (E890-E899)		
DROWNING & SUBMERSIONS (E910)		
FIREARM MISSILES (E922)		
INDUSTRIAL (E916-E921,E923-E928)		
OTHER REMAINDER OF (E900-E949)	1	
SUICIDE (E950-E959)	2	
HOMICIDE (E960-E978)	2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 17

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1972

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEMLE	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. GRAND TOTAL	1,940	926	85	62	122	55	506	124	411	138	413	168	183	122	220	257
10. WORK TOTAL	145	6	-	-	2	-	23	1	44	2	54	3	13	-	9	-
11. AGRICULTURE	54	2	-	-	-	-	7	1	8	1	20	-	11	-	8	-
12. MINING, QUARRYING, OIL/GAS WELL	7	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-
13. CONSTRUCTION	22	-	-	-	1	-	5	-	11	-	5	-	-	-	-	-
14. MANUFACTURING	9	2	-	-	-	-	3	-	1	-	4	2	1	-	-	-
15. TRANS. AND PUBLIC UTILITIES	17	-	-	-	-	-	3	-	10	-	4	-	-	-	-	-
16. TRADE	11	-	-	-	-	-	1	-	5	-	5	-	-	-	-	-
17. SERVICE	9	1	-	-	-	-	1	-	3	-	5	1	-	-	-	-
18. GOVERNMENT	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
19. OTHER AND UNSPECIFIED INDUS.	13	1	-	-	1	-	1	-	3	1	6	-	1	-	1	-
20. HOME TOTAL	372	289	53	33	32	10	37	10	51	13	72	45	53	44	74	134
21. POISONINGS (GAS EXCEPTED)	18	10	6	3	-	-	4	-	5	4	2	3	-	-	1	-
22. POISONINGS BY GAS AND VAPOR	10	6	-	-	-	-	3	1	4	2	2	-	-	2	1	1
23. FALLS	120	159	6	1	2	2	4	-	5	2	28	21	31	25	44	108
24. FIRES	111	70	16	13	6	3	9	4	12	1	28	17	17	14	23	18
25. DROWNING	11	4	6	-	3	-	1	-	1	2	-	-	-	1	-	1
26. SUFFOCATION, INGESTED OBJECTS	11	7	6	5	1	1	-	-	1	1	2	-	1	-	-	-
27. SUFFOCATION, MECHANICAL	21	9	9	7	6	1	1	-	4	-	-	1	1	-	-	-
28. FIREARMS	32	7	-	-	10	2	12	4	7	1	3	-	-	-	-	-
29. OTHER AND UNSPECIFIED ACC.	38	17	4	4	4	1	3	1	12	-	7	3	3	2	5	6
30. MOTOR VEHICLE TOTAL	1,055	470	21	23	54	35	369	107	256	104	211	102	80	54	64	45
31. INJURY TO PEDESTRIAN	136	54	3	6	25	8	28	5	29	9	30	9	11	6	10	11
32. INJURY TO PEDAL CYCLIST	18	5	2	-	9	2	4	2	-	1	2	-	-	-	1	-
33. INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANIMAL-DRAWN VEHICLE	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
34. COLLISION WITH RAILROAD TRAIN	30	18	1	1	1	1	4	2	9	4	9	6	4	2	2	2
35. COLLISION WITH OTHER MOTOR V	445	263	7	13	12	19	160	58	98	57	90	61	41	32	37	23
36. COLLISION WITH FIXED OBJECT	277	89	1	1	1	4	113	26	85	22	53	19	15	10	9	7
37. NONCOLLISION	116	32	6	1	4	1	49	13	31	9	19	6	3	2	4	-
38. OTHER AND UNSPECIFIED ACC.	30	9	1	1	1	-	11	1	3	2	7	1	6	2	1	2

NOTE ALL AGES INCLUDES UNKNOWN AGE.
M = MALE F = FEMALE V = VEHICLE

TABLE 17 (CONT)

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1972


TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. PUBLIC NON-MOTOR VEHICLE TOTAL	368	161	11	6	34	10	77	6	60	19	76	18	37	24	73	78
51. RAILROAD NOT WITH MOTOR V	6	4	-	-	1	-	1	-	1	1	1	-	2	2	-	1
52. OTHER V NOT WITH MOTOR V	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
53. WATER TRANSPORT	2	4	-	-	-	2	-	1	1	1	1	-	-	-	-	-
54. AIR-TRANSPORT	17	6	1	-	-	-	3	1	7	4	6	-	-	1	-	-
55. FALLS	86	91	-	-	1	-	7	-	4	3	13	7	12	17	49	64
56. FIRES	19	3	-	-	-	-	9	1	5	1	2	-	2	-	1	1
57. DROWNING	91	8	2	-	18	5	33	1	19	1	16	-	3	1	-	-
58. FIREARMS	26	-	-	-	6	-	11	-	3	-	5	-	1	-	-	-
59. OTHER AND UNSPECIFIED ACC.	120	45	8	6	8	3	13	2	20	8	32	11	16	3	23	12
60. TYPE OF ACCIDENT UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE ALL AGES INCLUDES UNKNOWN AGE.

M = MALE F = FEMALE V = VEHICLE

MARRIAGES

GRAPH E.
MARRIAGE RATES 1949-1972
(per 1,000 population)



MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1962	35,192	8.1
1950	34,300	8.7	1963	37,667	8.6
1951	30,880	7.7	1964	38,802	8.7
1952	28,373	7.1	1965	39,882	8.9
1953	33,012	8.2	1966	42,597	9.4
1954	33,520	8.2	1967	44,055	9.7
1955	34,162	8.3	1968	48,155	10.5
1956	34,382	8.3	1969	50,411	10.9
1957	31,395	7.5	1970	50,224	10.7
1958	31,965	7.6	1971	51,048	10.8
1959	34,352	8.1	1972	53,372	11.2
1960	35,368	8.2			
1961	34,640	8.0			

SOURCE: Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates—Series P-25, No's 139, 304, 460, 488. Provisional estimate for July 1, 1972—see page iv.

TABLE 18

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1972

AGE OF GROOM	TOTAL	AGE OF BRIDE														
		15 AND UND.	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	53,372	840	2,038	3,195	5,980	6,343	5,468	4,720	4,097	3,035	2,115	1,841	1,375	939	806	766
15 AND UNDER	42	8	5	4	5	3	5	2		4	2					
16 YEARS	206	38	82	37	30	14	1			1			1	1		
17 YEARS	1,068	120	260	326	224	80	31	12	3	3	1		1			
18 YEARS	2,773	189	461	676	842	390	119	44	25	5	1	2	6	3	3	1
19 YEARS	4,060	159	396	624	1,188	1,027	400	119	56	25	22	11	10	5	1	8
20 YEARS	5,003	93	292	497	1,196	1,309	941	380	136	64	30	20	12	7	4	6
21 YEARS	5,183	66	204	370	865	1,076	1,052	891	333	142	56	40	22	19	10	2
22 YEARS	5,053	41	111	237	541	817	924	898	885	284	134	64	33	23	20	5
23 YEARS	4,310	33	72	147	394	502	628	720	742	566	218	94	73	25	25	10
24 YEARS	3,502	27	42	100	264	356	420	471	583	474	309	191	97	47	15	30
25 YEARS	2,956	18	30	51	152	273	304	352	415	405	298	259	132	74	55	40
26 YEARS	2,185	8	21	36	74	145	182	246	258	278	238	238	157	79	49	46
27 YEARS	1,539	10	12	29	43	78	124	140	153	158	167	179	120	98	52	45
28 YEARS	1,296	7	8	10	39	75	76	111	119	125	132	137	103	85	71	42
29 YEARS	1,219	1	5	11	22	48	60	66	94	117	120	124	107	82	87	73
30 YEARS	1,018	4	12	13	19	29	43	77	71	96	73	96	100	50	72	54
31 YEARS	822	4	2	9	12	30	31	40	45	61	60	62	65	60	58	49
32 YEARS	714	5	3	2	15	22	25	28	34	39	61	60	57	42	42	43
33 YEARS	570	2	5	3	7	12	25	24	16	30	27	49	43	28	35	41
34 YEARS	567	1	2	4	9	7	17	18	20	31	25	31	38	40	34	36
35-39 YEARS	2,235	1	7	3	26	24	35	48	68	72	84	112	117	93	85	120
40-44 YEARS	1,777	4	3	2	4	12	10	17	23	24	40	52	49	40	49	52
45-49 YEARS	1,473			3	5	7	9	9	8	22	8	11	18	26	20	41
50-54 YEARS	1,102		1		1	4	3	2	5	6	7	3	9	7	11	16
55-59 YEARS	803	1	1			1	1		4	2		2	3	4	5	3
60-64 YEARS	628		1		1					1	1	3	1		1	1
65-69 YEARS	544					1		2								1
70-74 YEARS	357												1			
75 YEARS AND OVER	350														1	
NOT STATED	17			1	2	1	2	3	1		1	1		1	1	1

TABLE 18 (CONT)

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1972

AGE OF GROOM	AGE OF BRIDE														NOT STAT- ED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	696	632	526	467	392	1,697	1,429	1,184	890	660	527	394	197	107	16
15 AND UNDER	1					1		1	1						
16 YEARS					1										
17 YEARS		1				3	1								2
18 YEARS	2	2													2
19 YEARS	1	1		3	1		1	1							1
20 YEARS	2		1		1	2	3	2	1						4
21 YEARS	7	5	4	1	3	10	5								
22 YEARS	10	10	5		1	5	2			1	2				
23 YEARS	21	7	6	5	6	11	3	2							
24 YEARS	28	15	9	6	6	7	3	1	1						
25 YEARS	23	23	9	10	6	13	11	2	1						
26 YEARS	40	21	24	5	13	18	6	2	1						
27 YEARS	24	30	17	16	6	28	7	2			1				
28 YEARS	39	24	21	14	12	30	14	1		1					
29 YEARS	48	30	28	26	12	38	17	2	1						
30 YEARS	48	34	26	23	20	36	15	3	1	2					1
31 YEARS	37	52	27	21	22	55	12	8							
32 YEARS	46	29	34	27	20	50	22	7	1						
33 YEARS	38	30	31	26	18	52	16	8	2	2					
34 YEARS	34	36	31	28	14	77	24	8	1	1					
35-39 YEARS	128	136	126	116	96	429	199	81	23	4	1				1
40-44 YEARS	69	87	67	73	74	437	351	162	54	17	5				
45-49 YEARS	28	36	31	41	41	233	349	324	136	53	9	4	1		
50-54 YEARS	13	17	18	19	15	89	212	277	215	96	34	14	3	2	3
55-59 YEARS	4	4	7	7	4	48	83	154	220	146	69	25	2	2	1
60-64 YEARS	3	1	2			17	41	75	132	159	127	56	4	1	
65-69 YEARS		1	1			7	22	43	67	102	140	119	32	6	
70-74 YEARS			1				6	8	19	44	75	103	74	26	
75 YEARS AND OVER	2					1	4	9	13	31	64	73	81	70	1
NOT STATED								1		1					

TABLE 19

REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS,
GROOM AND BRIDE , MISSOURI 1972

AGE	GROOM					BRIDE				
	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED
TOTAL	53,372	37,474	16	2,459	13,355	53,372	38,202	36	2,962	12,094
15 AND UNDER	42	34			8	840	824	2	2	11
16 YEARS	206	205			1	2,038	2,032			6
17 YEARS	1,068	1,064			2	3,195	3,146	3		46
18 YEARS	2,773	2,756	2	1	12	5,980	5,842	3	9	124
19 YEARS	4,060	4,021		1	37	6,343	6,073	3	3	259
20 YEARS	5,003	4,897	1	2	103	5,468	5,056	3	24	381
21 YEARS	5,183	4,993		5	184	4,720	4,167	3	18	531
22 YEARS	5,053	4,682	4	7	358	4,097	3,493	5	18	580
23 YEARS	4,310	3,809	1	7	489	3,035	2,329	3	28	673
24 YEARS	3,502	2,912	1	12	576	2,115	1,431	3	25	654
25 YEARS	2,956	2,210		14	728	1,841	1,092	2	42	701
26 YEARS	2,185	1,484	1	14	684	1,375	682		27	662
27 YEARS	1,539	931	1	15	590	939	394	2	38	502
28 YEARS	1,296	671		11	614	806	254		27	525
29 YEARS	1,219	520		11	685	766	231	1	29	502
30 YEARS	1,018	390	2	14	610	696	180		34	479
31 YEARS	822	275		15	532	632	161	1	34	434
32 YEARS	714	215		15	484	526	110	1	41	371
33 YEARS	570	158		12	398	467	103		21	341
34 YEARS	567	129		26	411	392	65		30	296
35-39 YEARS	2,235	445	1	106	1,674	1,697	204	1	172	1,312
40-44 YEARS	1,777	247	1	128	1,393	1,429	121		235	1,064
45-49 YEARS	1,473	172		213	1,081	1,184	75		338	767
50-54 YEARS	1,102	100	1	250	749	890	50		434	405
55-59 YEARS	803	51		309	442	660	39		392	227
60-64 YEARS	628	38		333	257	527	18		375	130
65-69 YEARS	544	33		372	137	394	18		304	69
70-74 YEARS	357	15		278	60	197	3		168	24
75 YEARS AND OVER	350	5		287	53	107	2		91	13
NOT STATED	17	12		1	3	16	7		3	5

TOTAL FOR GROOM AND BRIDE INCLUDES NOT STATED

TABLE 20

REPORTED MARRIAGES BY MARITAL STATUS,
MISSOURI 1972

GROOM	TOTAL	SINGLE	BRIDE			
			WIDOWED	DIVORCED	ANNULLED	NOT STATED
SINGLE	37,474	33,624	384	3,419	29	18
WIDOWED	2,459	273	1,373	808		5
DIVORCED	13,355	4,276	1,201	7,859	5	14
ANNULLED	16	11	1	2	2	
NOT STATED	68	18	3	6		41
TOTAL	53,372	38,202	2,962	12,094	36	78

TABLE 21

REPORTED MARRIAGES BY COLOR OF GROOM BY COLOR OF BRIDE, MISSOURI 1972

COLOR OF GROOM	TOTAL	COLOR OF BRIDE		
		WHITE	NONWHITE	NOT STATED
WHITE	48,350	48,176	141	33
NONWHITE	4,858	225	4,633	
NOT STATED	164	17		147
TOTAL	53,372	48,418	4,774	180

TABLE 22

REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI 1972

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED MARRIAGES NUMBER	RATE	COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED MARRIAGES NUMBER	RATE
STATE TOTAL	4,755,000	53,372	11.2				
ADAIR	22,600	396	17.5	DOUGLAS	10,400	112	10.8
ANDREW	12,600	110	8.7	DUNKLIN	35,300	582	16.5
ATCHISON	9,600	274	28.5	FRANKLIN	58,400	687	11.8
AUDRAIN	26,000	330	12.7	GASCONADE	12,400	122	9.8
BARRY	20,800	239	11.5	GENTRY	8,300	79	9.5
BARTON	10,900	109	10.0	GREENE	160,200	2,050	12.8
BATES	15,500	164	10.6	GRUNDY	11,600	157	13.5
BENTON	10,600	76	7.2	HARRISON	10,200	161	15.8
BOLLINGER	9,000	78	8.7	HENRY	19,500	260	13.3
BOONE	85,000	801	9.4	HICKORY	5,100	41	8.0
BUCHANAN	87,800	983	11.2	HOLT	6,800	54	7.9
BUTLER	35,700	559	15.7	HOWARD	10,900	101	9.3
CALDWELL	8,900	69	7.8	HOWELL	24,300	347	14.3
CALLAWAY	27,200	234	8.6	IRON	10,100	116	11.5
CAMDEN	14,600	165	11.3	JACKSON	660,700	8,342	12.6
CAPE GIRARDEAU	51,800	648	12.5	JASPER	82,200	1,037	12.6
CARROLL	12,800	129	10.1	JEFFERSON	111,700	894	8.0
CARTER	4,200	40	9.5	JOHNSON	36,200	388	10.7
CASS	43,400	552	12.7	KNOX	5,900	32	5.4
CEDAR	10,200	78	7.6	LACLEDE	20,800	290	13.9
CHARITON	10,600	98	9.2	LAFAYETTE	27,600	292	10.6
CHRISTIAN	17,400	170	9.8	LAWRENCE	26,300	310	11.8
CLARK	8,100	222	27.4	LEWIS	10,700	94	8.8
CLAY	130,400	1,024	7.9	LINCOLN	18,700	226	12.1
CLINTON	13,300	96	7.2	LINN	15,200	152	10.0
COLE	47,800	602	12.6	LIVINGSTON	15,800	207	13.1
COOPER	14,800	118	8.0	MC DONALD	14,100	179	12.7
CRAWFORD	15,500	177	11.4	MACON	15,100	173	11.5
DADE	7,300	60	8.2	MADISON	9,200	142	15.4
DALLAS	10,800	96	8.9	MARIES	7,100	54	7.6
DAVISS	8,800	52	5.9	MARION	28,200	527	18.7
DE KALB	7,800	80	10.3	MERCER	4,500	169	37.6
DENT	12,100	182	15.0	MILLER	15,700	164	10.4

MARRIAGE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.


TABLE 22 (CONT) REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI 1972

COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES		COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
MISSISSIPPI	16,500	286	17.3	ST. CHARLES	101,800	1,166	11.5
MONITEAU	11,000	137	12.5	ST. CLAIR	8,100	76	9.4
MONROE	9,600	72	7.5	ST. FRANCOIS	38,500	531	13.8
MONTGOMERY	11,100	100	9.0	STE. GENEVIEVE	13,500	130	9.6
MORGAN	11,600	115	9.9	ST. LOUIS CITY	586,900	7,172	12.2
NEW MADRID	24,700	236	9.6	ST. LOUIS COUNTY	957,600	8,422	8.8
NEWTON	34,800	385	11.1	SALINE	24,400	250	10.2
NODAWAY	22,700	241	10.6	SCHUYLER	4,800	169	35.2
OREGON	9,900	88	8.9	SCOTLAND	5,700	70	12.3
OSAGE	11,200	53	4.7	SCOTT	34,200	445	13.0
OZARK	7,200	76	10.6	SHANNON	7,200	78	10.8
PEMISCOT	26,900	418	15.5	SHELBY	8,000	64	8.0
PERRY	15,000	220	14.7	STODDARD	26,600	358	13.5
PETTIS	35,300	441	12.5	STONE	10,900	103	9.5
PHELPS	32,600	320	9.8	SULLIVAN	7,700	68	8.8
PIKE	17,000	207	12.2	TANEY	14,600	190	13.0
PLATTE	34,500	248	7.2	TEXAS	20,100	250	12.4
POLK	16,600	173	10.4	VERNON	19,600	242	12.3
PULASKI	41,900	518	12.4	WARREN	10,500	108	10.3
PUTNAM	5,900	144	24.4	WASHINGTON	15,400	200	13.0
RALLS	7,800	115	14.7	WAYNE	9,600	90	9.4
RANDOLPH	22,600	274	12.1	WEBSTER	16,800	170	10.1
RAY	18,000	224	12.4	WORTH	3,300	67	20.3
REYNOLDS	6,000	53	8.8	WRIGHT	14,500	157	10.8
RIPLEY	11,200	100	8.9				

MARRIAGE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.

DIVORCES

GRAPH F.
DIVORCE RATES 1949-1972
(per 1,000 population)



DIVORCES

Year	Number	Rate	Year	Number	Rate
1949	12,912	3.3	1962	11,882	2.7
1950	12,177	3.1	1963	12,652	2.9
1951	12,131	3.0	1964	12,785	2.9
1952	12,943	3.3	1965	13,261	3.0
1953	12,342	3.1	1966	13,758	3.0
1954	11,705	2.9	1967	14,520	3.2
1955	11,351	2.7	1968	16,473	3.6
1956	10,993	2.6	1969	17,578	3.8
1957	10,861	2.6	1970	17,852	3.8
1958	10,747	2.6	1971	19,643	4.2
1959	11,695	2.7	1972	20,699	4.4
1960	11,320	2.6			
1961	11,574	2.7			

SOURCE: Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates, Series P-25, No.'s 139, 304, 460, 488. Provisional estimate for July 1, 1972—see page iv.

TABLE 23

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES.
HUSBAND BY WIFE, MISSOURI 1972

		WIFE						
		DIVORCES						
HUSBAND	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
TOTAL	20,589	14,305	4,450	1,299	316	91	32	96
NONE	14,229	12,419	1,507	218	45	7	6	27
ONE	4,453	1,542	2,152	574	121	31	14	19
TWO	1,290	264	549	346	80	37	7	7
THREE	334	45	149	95	36	5	4	
FOUR	101	7	39	32	14	9		
FIVE OR MORE	63	1	29	20	10	2	1	
NOT STATED	119	27	25	14	10			43
		ANNULMENTS						
TOTAL	110	43	34	19	8	2		4
NONE	34	24	3	5	1			1
ONE	49	13	22	9	4			1
TWO	17	5	4	4	2	1		1
THREE	4		2	1		1		
FOUR	1		1					
FIVE OR MORE	1		1					
NOT STATED	4	1	1		1			1

TABLE 24

REPORTED DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, MISSOURI 1972

DURATION OF MARRIAGE (IN YEARS)	TOTAL	DIVORCES	ANNULMENTS
TOTAL	20,699	20,589	110
UNDER 1 YEAR	638	602	36
1 YEAR	2,102	2,056	46
2 YEARS	2,248	2,237	11
3 YEARS	2,177	2,169	8
4 YEARS	1,761	1,759	2
5 YEARS	1,463	1,461	2
6 YEARS	1,249	1,248	1
7 YEARS	989	987	2
8 YEARS	820	820	
9 YEARS	705	705	
10 YEARS	588	587	1
11 YEARS	553	553	
12 YEARS	540	540	
13 YEARS	452	452	
14 YEARS	357	357	
15 YEARS	358	358	
16 YEARS	363	363	
17 YEARS	308	308	
18 YEARS	280	280	
19 YEARS	314	314	
20-24 YEARS	1,163	1,162	1
25-29 YEARS	714	714	
30-34 YEARS	330	330	
35-39 YEARS	122	122	
40 YEARS AND OVER	80	80	
NOT STATED	25	25	

TABLE 25

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1972

CHILDREN REPORTED	TOTAL	DIVORCES	ANNULMENTS
TOTAL	20,699	20,589	110
NO CHILDREN	9,057	8,951	106
ONE CHILD	5,260	5,258	2
TWO CHILDREN	3,554	3,553	1
THREE CHILDREN	1,644	1,644	
FOUR CHILDREN	701	701	
FIVE CHILDREN	248	248	
SIX CHILDREN	132	132	
SEVEN CHILDREN	41	41	
EIGHT CHILDREN	20	20	
NINE OR MORE CHILDREN	9	9	
NOT STATED	33	32	1

TABLE 26

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT BY TO WHOM DECREE GRANTED
DECREE TO WHOM GRANTED

COMPLAINANT	DIVORCES					ANNULMENTS				
	TOTAL	HUSBAND	WIFE	SEPARATE MAINT.		TOTAL	HUSBAND	WIFE	SEPARATE MAINT.	
				HUSBAND	WIFE				HUSBAND	WIFE
					NOT STATED					NOT STATED
TOTAL	20,589	4,406	16,137		46	110	24	84		2
HUSBAND	5,182	4,245	924		13	24	23	1		
WIFE	15,365	155	15,177		33	86	1	83		2
OTHER										
NOT STATED	42	6	36							

TABLE 27

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT BY DISPOSITION OF CHILDREN
DISPOSITION OF CHILDREN

COMPLAINANT	DIVORCES								ANNULMENTS							
	TCT.	HUS- BAND	WIFE	GUARD- IAN		CUST. NOT JNT OTHER		NO STAT CHILD	TOT.	HUS- BAND	WIFE	GUARD- IAN		CUST. NOT JNT OTHER		NO STAT CHILD
TOTAL	20,589	740	10,368			275	50	147	9,009	110		1		1		107
HUSBAND	5,182	517	1,679			100	26	71	2,789	24						24
WIFE	15,365	223	8,677			174	24	74	6,193	86		1		1		83
OTHER																
NOT STATED	42		12			1		2	27							

TABLE 28

REPORTED DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI 1972

ALIMONY AND SETTLEMENT	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	20,699	20,589	110
NO ALIMONY OR SUPPORT	9,823	9,715	108
ALIMONY TO WIFE	1,160	1,160	
ALIMONY TO HUSBAND			
PROPERTY SETTLEMENT	30	29	1
SUPPORT TO CHILDREN	4,695	4,695	
ALIMONY AND CHILD SUPPORT	4,827	4,827	
ALIMONY OR SUPPORT TO OTHERS	1	1	
NOT STATED	163	162	1

TABLE 29

REPORTED DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE

LEGAL GROUNDS FOR DECREE	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	20,699	20,589	110
ADULTERY	91	91	
CRUELTY	141	141	
DESERTION	720	720	
DRUNKENNESS	61	61	
NON-SUPPORT	64	64	
BIGAMY	3	3	
CONVICTION OF CRIME	23	23	
GENERAL INDIGNITIES	19,407	19,407	
INSANITY			
ANNULMENTS	110		110
SOCIAL DISEASE			
NOT STATED	79	79	

TABLE 30

REPORTED DIVORCES AND ANNULMENTS BY COLOR, HUSBAND BY WIFE, MISSOURI 1972

HUSBAND	DIVORCES	TOTAL	WIFE		NOT STATED
			WHITE	NONWHITE	
TOTAL		20,589	17,820	2,419	350
WHITE		17,796	17,709	41	46
NONWHITE		2,404	34	2,359	11
NOT STATED		389	77	19	293
ANNULMENTS					
TOTAL		110	97	11	2
WHITE		97	97		
NONWHITE		11		11	
NOT STATED		2			2

TABLE 31

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI 1972

CONTESTANT	TOTAL	DIVORCES	ANNULMENTS
TOTAL	20,699	20,589	110
HUSBAND	877	876	1
WIFE	555	552	3
NO CONTEST	19,158	19,052	106
NOT STATED	109	109	

TABLE 32 REPORTED DIVORCES AND ANNULMENTS BY COUNTY OR RECORDING WITH RATES, MISSOURI 1972

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS		COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS	
		NUMBER	RATE			NUMBER	RATE
STATE TOTAL	4,755,000	20,699	4.4				
ADAIR	22,600	83	3.7	DE KALB	7,800	7	0.9
ANDREW	12,600	32	2.5	DENT	12,100	38	3.1
ATCHISON	9,600	26	2.7	DOUGLAS	10,400	20	1.9
AUDRAIN	26,000	84	3.2	DUNKLIN	35,300	158	4.5
BARRY	20,800	80	3.8	FRANKLIN	58,400	200	3.4
BARTON	10,900	47	4.3	GASCONADE	12,400	24	1.9
BATES	15,500	60	3.9	GENTRY	8,300	13	1.6
BENTON	10,600	44	4.2	GREENE	160,200	1,029	6.4
BOLLINGER	9,000	24	2.7	GRUNDY	11,600	37	3.2
BOONE	85,000	354	4.2	HARRISON	10,200	26	2.5
BUCHANAN	87,800	493	5.6	HENRY	19,500	67	3.4
BUTLER	35,700	207	5.8	HICKORY	5,100	15	2.9
CALDWELL	8,900	20	2.2	HOLT	6,800	12	1.8
CALLAWAY	27,200	90	3.3	HOWARD	10,900	36	3.3
CAMDEN	14,600	58	4.0	HOWELL	24,300	13	0.5
CAPE GIRARDEAU	51,800	188	3.6	IRON	10,100	32	3.2
CARROLL	12,800	39	3.0	JACKSON	660,700	3,958	6.0
CARTER	4,200	12	2.9	JASPER	82,200	517	6.3
CASS	43,400	185	4.3	JEFFERSON	111,700	251	2.2
CEDAR	10,200	32	3.1	JOHNSON	36,200	117	3.2
CHARITON	10,600	29	2.7	KNOX	5,900	15	2.5
CHRISTIAN	17,400	82	4.7	LACLEDE	20,800	100	4.8
CLARK	8,100	22	2.7	LAFAYETTE	27,600	97	3.5
CLAY	130,400	688	5.3	LAWRENCE	26,300	103	3.9
CLINTON	13,300	45	3.4	LEWIS	10,700	35	3.3
COLE	47,800	153	3.2	LINCOLN	18,700	63	3.4
COOPER	14,800	46	3.1	LINN	15,200	52	3.4
CRAWFORD	15,500	54	3.5	LIVINGSTON	15,800	75	4.7
DADE	7,300	12	1.6	MC DONALD	14,100	74	5.2
DALLAS	10,800	45	4.2	MACON	15,100	61	4.0
DAVIESS	8,800	30	3.4	MADISON	9,200	36	3.9

DIVORCE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.

TABLE 32 (CONT)

REPORTED DIVORCES AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES, MISSOURI 1972

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS		COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS	
		NUMBER	RATE			NUMBER	RATE
MARIES	7,100	10	1.4	REYNOLDS	6,000	4	0.7
MARION	28,200	107	3.8	RIPLEY	11,200	16	1.4
MERCER	4,500	12	2.7	ST. CHARLES	101,800	423	4.2
MILLER	15,700	50	3.2	ST. CLAIR	8,100	33	4.1
MISSISSIPPI	16,500	89	5.4	ST. FRANCOIS	38,500	249	6.5
MONITEAU	11,000	27	2.5	STE. GENEVIEVE	13,500	21	1.6
MONROE	9,600	10	1.0	ST. LOUIS CITY	586,900	2,548	4.3
MONTGOMERY	11,100	32	2.9	ST. LOUIS COUNTY	957,600	3,856	4.0
MORGAN	11,600	42	3.6	SALINE	24,400	116	4.8
NEW MADRID	24,700	134	5.4	SCHUYLER	4,800	13	2.7
NEWTON	34,800	164	4.7	SCOTLAND	5,700	13	2.3
NODAWAY	22,700	55	2.4	SCOTT	34,200	153	4.5
OREGON	9,900	3	0.3	SHANNON	7,200	29	4.0
OSAGE	11,200	11	1.0	SHELBY	8,000	21	2.6
OZARK	7,200	12	1.7	STODDARD	26,600	111	4.2
PEMISCOT	26,900	164	6.1	STONE	10,900	40	3.7
PERRY	15,000	25	1.7	SULLIVAN	7,700	24	3.1
PETTIS	35,300	160	4.5	TANEY	14,600	71	4.9
PHELPS	32,600	136	4.2	TEXAS	20,100	93	4.6
PIKE	17,000	54	3.2	VERNON	19,600	102	5.2
PLATTE	34,500	174	5.0	WARREN	10,500	35	3.3
POLK	16,600	52	3.1	WASHINGTON	15,400	23	1.5
PULASKI	41,900	145	3.5	WAYNE	9,600	27	2.8
PUTNAM	5,900	21	3.6	WEBSTER	16,800	46	2.7
RALLS	7,800	23	2.9	WORTH	3,300	8	2.4
RANDOLPH	22,600	99	4.4	WRIGHT	14,500	87	6.0
RAY	18,000	81	4.5				

DIVORCE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.

